

# REAC

REAL ESTATE ASSESSMENT CENTER

## Inspection Preparation Guide

### Short Notice

- Fourteen days instead of 120, be prepared

[Page 2](#)

### Common Deficiencies & How To Avoid Them

- Plan ahead and avoid point deductions

[Pages 3-15](#)

### Time-Saving Solutions

- Products that make compliance faster and easier

[Back cover](#)

### 3 EASY WAYS TO ORDER



MOBILE APP



1.877.610.6912



[hdsupplysolutions.com](https://hdsupplysolutions.com)



# SHORT NOTICE WE CAN HELP YOU PREPARE

**NSPIRE** (National Standards for the Physical Inspection of Real Estate), is the health and safety inspection model for housing owned, insured, or subsidized by the U.S. Department of Housing and Urban Development (HUD). This initiative is designed to encourage public housing agencies and subsidized housing owners to constantly review the quality of their communities and reduce “just-in-time” inspection repairs.

## WHAT DOES THIS MEAN FOR YOU?

- Shorter notice for inspections — **14 days instead of 120\***
- Less time to prepare for an inspection
- New levels of scrutiny on a HUD property’s physical condition

With faster turnaround times for inspections, rely on HD Supply for maintenance products, repair parts, and property improvement services that can help you avoid point deductions and deficiency citations.

- More than 100,000 products
- FREE, next-day delivery\*\*
- Property improvement and renovation services
- Expert installation and labor services†

## SMALL RENOVATIONS CAN PAY OFF IN A BIG WAY

When repairs become too frequent, small-scale renovations may be more cost-effective in the long run. Our Property Improvement team will manage the project from start to finish and help with product selection and scheduling deliveries.

Learn more at [hdsupplysolutions.com/propertyimprovement](https://hdsupplysolutions.com/propertyimprovement)

\*Source: [www.hud.gov/sites/dfiles/Main/documents/14-Day\\_Notice\\_w\\_PIH\\_Signature.pdf](http://www.hud.gov/sites/dfiles/Main/documents/14-Day_Notice_w_PIH_Signature.pdf)  
\*\*On most orders to most areas.  
†Available in select markets only.



## ALWAYS BE PREPARED FOR AN INSPECTION

Shorter notice means your property should be prepared for an inspection at all times. Here are some tips to help you stay on track.

EVERY  
MONTHS 12



Identify work that will require a contractor or special materials to complete.

EVERY  
MONTHS 6



Focus on electrical and tripping hazards.

EVERY  
MONTHS 3



Check for plumbing problems and remove any graffiti.

UPON NOTICE  
OF INSPECTION



Review property for possible deficiencies and contact HD Supply for solutions.

DAY OF  
INSPECTION



Make sure the grass is mowed, litter is picked up, and common area bathrooms are clean.

Learn more at [hdsupplysolutions.com/reac](https://hdsupplysolutions.com/reac)

**DOORS** - Damaged hardware/locks.

**DOOR SECURITY HARDWARE** - Inspectors need to know your property is safe and that residents are protected. Our product assortment includes locksets in a variety of styles and finishes. We also offer key blanks, heavy-duty keying machines, slide locks, padlocks, latches, door viewers, chains, and door knockers.

**DOOR HARDWARE**

**Shield Security® Tulip Lock**

- Satin Chrome Finish
- For 2-3/8 Or 2-3/4" Backset
- Adjustable Steel Latch
- Grade 3 Security



**Shield Security® Contemporary Wave Lever**

- Satin Nickel Finish
- Fit Standard Door Sizes 13/8-13/4"
- Grade 3 Security



**PASSAGE**  
**131371**

**PRIVACY**  
**131370**

**Shield Security® Wave Lever**

- Satin Nickel Finish
- For 2-3/8 Or 2-3/4" Backset
- Grade 3 Security



**PASSAGE**  
**913832**

**PRIVACY**  
**913836**

**PASSAGE**  
**913810**

**ENTRY**

- KW1 Compatible
- Individually Keyed, Non-Mastered

**PRIVACY**  
**913825**

CA Residents, See Warning 1  
**913840**

**Shield Security® Lever Lock**

- Satin Chrome Finish
- For 2-3/8 Or 2-3/4" Backset
- Adjustable Steel Latch
- Non-Handed
- Grade 3 Security



**Shield Security® Electronic Keypad Lock**

- Satin Nickel Finish
- Keypad Single Cylinder Deadbolt
- Fits Standard Door Sizes 13/8-13/4"
- Program 10 Codes Maximum
- Uses KW1 Key Blanks



CA Residents, See Warning 1

**131359**  
**Pkg Of 2**

**Shield Security® Electronic Keypad Lock**

- Satin Nickel Finish
- Touchpad Single Cylinder Deadbolt
- Fits Standard Door Sizes 13/8-13/4"
- Program 30 Codes Maximum
- Uses KW1 Key Blanks



CA Residents, See Warning 1

**131360**

**PASSAGE**  
**913817**

**ENTRY**

- KW1 Compatible
- Individually Keyed, Non-Mastered

**PRIVACY**  
**913921**

CA Residents, See Warning 1  
**913823**

**Kwikset**

**Kwikset® Tylo® Lock**

- Satin Chrome Finish
- For 2-3/8 Or 2-3/4" Backset
- 6-Way Adjustable Steel Latch
- Grade 3 Security



**PASSAGE**  
**900155**

**ENTRY**

- SmartKey™ Cylinder
- Individually Keyed, Non-Mastered

**PRIVACY**  
**900380**

**900679**



**Kwikset® Signature Series™ 907 SmartCode™ Powerbolt 2 Deadbolt**

- Satin Nickel
- For 2-3/8 Or 2-3/4" Backset
- Electronic Keyless Entry
- Lighted Keypad
- 6 User Access Codes For Family And Guests
- Temporary Code Feature
- ANSI/BHMA Grade 3 Certified



**902265**

**Kwikset**

**Kwikset® SmartKey™ Single Cylinder Deadbolt**

- For 2-3/8 Or 2-3/4" Backset
- Grade 3 Security
- Individually Keyed, Non-Mastered

**Brass**  
**900792**

**Satin Nickel**  
**900795**

**Satin Chrome**  
**900794**



**Kwikset® Single Cylinder Deadbolt**

- Satin Chrome
- For 2-3/8 Or 2-3/4" Backset
- Grade 3 Security
- Individually Keyed, Non-Mastered
- Pin And Tumbler Cylinder

**900725**



**Ilco**

**KEY BLANKS**

**KW1 Brass 5-Pin Key Blank**

- Also Fits Shield Security Grade 3 Residential Locks
- CA Residents, See Warning 1

**886100**  
**Box Of 50**

**886105**  
**Box Of 250**



**Schlage SC1 Brass 5-Pin Key Blank**

- Schlage "C" Keyway
- CA Residents, See Warning 1

**886300**  
**Box Of 50**

**886305**  
**Box Of 250**



**WARNING 1:** This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**DOORS** - Damaged surface, including holes, peeling paint, rust, or broken glass.

**CUSTOM PRODUCTS/FABRICATIONS** - Doors damaged by break-ins, vandalism, accidents, or frequent use need to be repaired or replaced. We have doors and molding in stock and ready to ship. We can also custom cut bi-fold, bypass, and slab doors to your exact specifications.



**DOOR JAMBS & CASINGS**

**FOR YOUR INFORMATION**


**Commonly Used Millwork Terms**

PFJ = primed finger joint      PMDF = primed medium-density fiberboard      FJ = finger joint  
MDF = medium-density fiberboard



PART #	DESCRIPTION	TYPE
<b>A</b> 111350  CA Residents, See Warning 1	1-1/4" x 7' Door Stop With Eased Edge - 3/8" Thick	PFJ
<b>B</b> 111349  CA Residents, See Warning 1	4-9/16" x 6'8" Interior Leg - 5/8" Thick	PFJ
<b>C</b> 111351  CA Residents, See Warning 1	4-9/16" x 6'8" Exterior Jamb Leg - Left Hand Side - 1-1/4" Thick	PFJ
<b>D</b> 111352  CA Residents, See Warning 1	4-9/16" x 6'8" Exterior Jamb Leg - Right Hand Side - 1-1/4" Thick	PFJ
<b>E</b> 111348  CA Residents, See Warning 1	2-1/4" x 7' Ranch Casing - 5/8" Thick At Base	PMDF
<b>F</b> 111347  CA Residents, See Warning 1	2-1/4" x 7' Colonial Casing - 5/8" Thick At Base	PMDF

**SLAB DOORS**



**Flush Hardboard Slab Doors**

- 1-3/8" Thick
- Primed White
- Actual Door Size Is 3/16" Shorter In Width
- Beveled One Side 3°

**HOLLOW CORE**

PART #	WIDTH	HEIGHT
<b>111002</b> CA Residents, See Warning 1	24"	80"
<b>112001</b> CA Residents, See Warning 1	28"	80"
<b>111003</b> CA Residents, See Warning 1	30"	80"
<b>111004</b> CA Residents, See Warning 1	32"	80"
<b>111005</b> CA Residents, See Warning 1	34"	80"
<b>111016</b> CA Residents, See Warning 1	36"	80"



**Raised 6-Panel Slab Door**

- Primed White
- Textured Finish
- 1-3/8" Thick
- Hollow Core
- Actual Door Size Is 3/16" Shorter In Width
- Beveled Two Sides 3°

PART #	WIDTH	HEIGHT
<b>205140</b> CA Residents, See Warning 1	24"	80"
<b>205145</b> CA Residents, See Warning 1	28"	80"
<b>205150</b> CA Residents, See Warning 1	30"	80"
<b>205155</b> CA Residents, See Warning 1	32"	80"
<b>205156</b> CA Residents, See Warning 1	34"	80"
<b>205160</b> CA Residents, See Warning 1	36"	80"

**WARNING 1:** This product can expose you to chemicals including wood dust, which [is] are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**DOORS** - Damaged or missing screen doors, storm doors, or security doors.

**DOOR REPLACEMENT OR REPAIR** - We have the screen frame and wire sizes, rolled screening, door handles, closers, latches, and accessories to help you repair or replace screen doors.

SCREEN, SECURITY & STORM DOORS

**36" Economy Sliding Screen Door**

- Steel Frame
- Fiberglass Screen
- Self-Adjusting Top And Bottom Expanders
- Adjustable Height From 78 To 80"
- Steel Rollers

**Gray**  
848200  
Pkg Of 5

**Bronze**  
848225  
Pkg Of 5

**White**  
848220  
Pkg Of 5



**36 x 80" Security Door**

- Black
  - Decorative Design Scrolls
  - Double Hole Security Lock Box
  - Durable Powder-Coated Paint Finish
  - Five 1/2" Vertical Bars With Three Horizontal Cross Bars For Added Durability
  - Expanded Steel Mesh
- 848460**



**Value-Core® White Storm Door**

- Self-Storing Window And Screen For Bottom Ventilation
- 1" Thick Wood Core With Maintenance-Free Aluminum Frame
- Durable Weatherstripping
- Bottom Expander Adjusts For Uneven Sills
- Color-Matched Adjustable Speed Closer
- Stylish White Push-Button Handle

 CA Residents, See Warning 1

**32 x 81"**  
**530071**

**36 x 81"**  
**530072**



SCREENING & ACCESSORIES



**Charcoal Fiberglass Screen**

**30" x 100'**  
**857625**

**36" x 100'**  
**857650**

**48" x 100'**  
**857800**



**5/16" x 6' Screen Frame**

- .020 Finished Aluminum
- Use .175 Spline

**Mill Finish**  
**862800**  
Pkg Of 20

**White Finish**  
**862950**  
Pkg Of 20

**Bronze Finish**  
**862900**  
Pkg Of 20



**Professional Grade Spline Tool**

- Nylon Roller With Steel Ball Bearing Wheels
  - 2 And 2-1/2" Diameter Wheels
- 132255**



**Colonial Storm Door Handle**

- Black Finish
  - 1-3/4" Center To Center Hole Spacing
- 855975**

SAFETY GATE HARDWARE

**MagnaLatch® Child Safety Gate Latch**

- Meets Pool Safety Codes
- Horizontal And Vertical Adjustment
- Patented Magnetic Latching
- Re-Keyable 6-Pin Lock
- Will Not Rust, Corrode Or Jam

**11"**      **21"**  
**905264**    **905262**



**TruClose® Heavy-Duty Self-Closing Gate Hinge**

- Stainless Steel Fasteners
- Patented Tension Adjustment
- Adjust Tension From Either End
- Will Not Rust, Bind, Sag Or Stain
- Maximum Self-Closing Gate Weight 154 Lb
- Maximum Point Load 1,100 Lb

**835048**  
**Pkg Of 2**



**WARNING 1:** This product can expose you to chemicals including formaldehyde, which [is] are known to the State of California to cause cancer and butyl benzyl phthalate, which [is] are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**CEILING & WALLS** - Paintwork, peeling or cracked paint, holes, crumbling concrete (spalling), other damage.

**SURFACE REPAIR, PRIMERS & PAINT** - Give your property a face-lift inside and out and show your commitment to quality housing.

**INTERIOR SURFACE REPAIR** - Use spackling, putty knives, stain sealers, drywall repair sheets, and spray texture to repair holes and other damage inside units.

**EXTERIOR MAINTENANCE** - Enhance curb appeal with our selection of stucco patch, concrete crack filler, leak stoppers, and pressure washers.

**INTERIOR WALL REPAIR**



**Wal-Board® Self-Adhesive Drywall Patch**

- Permanently Repairs Damaged Walls And Ceilings
- Self-Adhering Mesh Holds Patches To Surface During Repair

⚠ CA Residents, See Warning 1


<b>4 x 4"</b>	<b>6 x 6"</b>	<b>8 x 8"</b>
<b>131407</b>	<b>131408</b>	<b>131409</b>
<b>Pkg Of 10</b>	<b>Pkg Of 10</b>	<b>Pkg Of 10</b>



**Drywall Repair Sheet**

- Great For Patching Precut Larger Holes In Walls Or Ceilings Using Compound
- Can Be Cut To Size
- Use With Drywall Clips If Studs Are Not Present

<b>1/2 x 16 x 16"</b>	<b>5/8 x 16 x 16"</b>
<b>920067</b>	<b>920068</b>



**Insta-Back® Drywall Clips**

- Use To Professionally Repair Holes In Walls Or Ceilings
- Pkg Of 6**

<b>Use With 1/2" Drywall</b>	<b>Use With 5/8" Drywall</b>
<b>920071</b>	<b>920077</b>



**20 Oz Homax® Orange Peel Spray Texture**

- Water-Based
- Patches Orange Peel And Splatter Textures
- Low Odor, Fast Drying
- Ideal When Working In Occupied Areas
- Covers Up To 110 Sq Ft

⚠ CA Residents, See Warning 2

**920023**



**20 Oz Homax® Heavy Splatter And Knockdown Texture Spray**

- For Repairing And Patching Interior Drywall Textures
- 2-Hour Dry Time
- Covers Up To 60 Sq Ft
- Water-Based

⚠ CA Residents, See Warning 2

**920015**



**14 Oz Homax® Pro Grade Popcorn Ceiling Texture**

- Replicates Polystyrene, Perlite And Other Popcorn-Type Ceiling Textures
- Updated Trigger Enables More Controlled Application
- Feathers And Blends With Existing Textures
- Water-Based

⚠ CA Residents, See Warning 2

**919938**



**DAP® DRYDEX® Spackling**

- Goes On Pink And Dries White When Ready To Sand And Paint
- Interior/Exterior Use To Fill Holes And Cracks In Surfaces Such As Drywall, Plaster, Wood, Brick And Stone
- Paintable

⚠ CA Residents, See Warning 2

<b>5.5 Oz</b>	<b>1 Quart</b>
<b>130216</b>	<b>130210</b>



**1 Gallon DAP® Fast 'N Final Lightweight Spackle**

- Fills Cracks, Holes And Dents In One Application
- Ready To Paint In Minutes
- Interior/Exterior
- Nonshrinking

⚠ CA Residents, See Warning 2

**106686**



**Warner Tool® 2-Piece Putty Knife Set**

- Includes 1-1/2" Putty Knife And 3" Flexible Scraper
  - Spring Stainless Steel Blade
  - Rust And Solvent Resistant
- 531426**



**Norton® 5 x 3" WallSand™ Angled Drywall Sanding Sponge**

- Ideal For Sanding Drywall And Plaster

<b>Fine</b>	<b>Medium</b>
<b>130876</b>	<b>130877</b>

⚠ WARNING 1: Cancer and reproductive harm - www.P65Warnings.ca.gov. ⚠ WARNING 2: Cancer - www.P65Warnings.ca.gov.

**WALLS** - Paint is peeling or chipping; walls and ceilings need painting.

**INTERIOR & EXTERIOR SURFACE REPAIR** - Revitalize areas inside and out with caulk, popcorn ceiling patch, brand-name paint and primers, stucco and concrete patch, graffiti remover, and wood stain.

**INTERIOR & EXTERIOR WALL REPAIR**



**Sheetrock® Drywall Joint Compound**

- Premixed For Easy Application
- For Use With Drywall Patches And Tapes To Repair Interior Drywall Cracks And Holes

△ CA Residents, See Warning 1

**1 Gallon**    **5 Gallon**  
**106731**    **106765**



**DAP® Alex Plus Siliconized Acrylic Caulk White**

- Exceeds ASTM Specification C-834
- Paintable In 30 Minutes
- Interior/Exterior
- Paintable
- Soap And Water Cleanup
- Superior Flexibility And Adhesion To Metal, Glass, Plastic, Masonry And Plaster

△ CA Residents, See Warning 2

**5.5 Oz**        **10.1 Oz**  
**108708**    **108709**  
**Case Of 12**   **Case Of 12**



**Homax® Popcorn Ceiling Patch**

- 1 Quart
- Repairs Cracks, Holes And Water Stains On An Acoustic Popcorn Ceiling
- Premixed
- Dries White
- Water Based
- Can Be Applied With A Brush Or Putty Knife

△ CA Residents, See Warning 3

**920029**



**PRIMERS & PAINT**



**PPG Paint™ Gripper® Primer/Sealer**

- Adheres To Glossy And Hard-To-Stick Surfaces
- Can Be Used Over Oil-Based Paints
- Soap And Water Cleanup
- Interior/Exterior

**1 Gallon**    **5 Gallon**  
**891453**    **891450**



**PPG Paint™ 5 Gallon MULTI-PRO™ MAINTENANCE Latex Semi-Gloss Paint**

- Durable Finish
- Good For High-Traffic Areas
- Easy Application And Cleanup
- Formulated For Spray, Brush And Roller Applications
- Low VOC

<b>Brilliant White</b>		<b>Swiss Coffee</b>	
<b>891337</b>		<b>891339</b>	
<b>Navajo White</b>		<b>Antique White</b>	
<b>891006</b>		<b>891338</b>	



**CONCRETE & WOOD REPAIR**



**Frost King® Pro Painter's Plastic Sheeting Roll**

- 9" x 400'
- Create Protective Sheets Of Any Length
- Use For Painting, Storage And Protection
- .31 Mil

**104055**



**1 Quart Quikrete® Premixed Stucco Patch**

- Ready To Use Acrylic Latex Formula
- Repairs Cracks, Breaks And Holes Up To 1/4" Thick In Stucco Surfaces
- Durable And Flexible Finish
- Blends With The Texture Of Surrounding Stucco

**132483**



**1 Gallon DAP® Ready-Mixed Concrete Patch**

- Repairs Small Cracks And Breaks In Concrete Or Spot Leveling Concrete And Masonry Surfaces
- Durable, Hard And Non-Shrinking
- Interior/Exterior

△ CA Residents, See Warning 1

**106706**



**World's Best® Bare Brick, Stone And Masonry Graffiti Remover**

- Easy To Apply
- Perfect For Aerosol Paints
- Use In Conjunction With A Small Pressure Washer

**132542**

△ **WARNING 1:** This product can expose you to chemicals including silica, crystalline, which [is] are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
△ **WARNING 2:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). △ **WARNING 3:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**INFESTATION** - Insects have invaded the property and taken up residence.

**PEST CONTROL** - Eliminate point deductions by killing common pests like ants, roaches, rodents, fleas, and bedbugs. (Bedbug kit sold on back cover.)

**PEST CONTROL**



**2 Oz Hot Shot® Indoor Insect Fogger**

- 2,000 Cu Ft For Each Application
  - Kills Fleas (Adult And Pre-Adult), Roaches, Ticks, Ants, Spiders, Water Bugs, Crickets On Contact
  - Leaves No Odor
  - Nonstaining
- 112340**  
Pkg Of 4




**3.5 Lb Spectracide® Mound Destroyer Fire Ant Killer Granules**

- Kills The Queen And Colony
  - Deep Reaching Formula Starts Working In Minutes
  - Apply Over And Around Mound
- 112343**



**DAP® 12 Oz Touch 'n Foam Mouse Shield™ Foam Sealant + Blocker**

- Contains EPA-Registered Pesticide That Protects Foam From Attack By Mice And Other Pests
  - Safe To Use And Contains No Lingering Odor
  - Tack-Free In 15 Minutes And Dries In 4 Hours
  - For Interior Use Only
  - Paintable
-  CA Residents, See Warning 1
- 114797**



**Combat® Roach Killing Bait Strip**

- Self-Adhering
  - Discreet
  - For Indoor And Outdoor Use
  - Ideal For Kitchens And Bathrooms
  - Roaches Carry The Bait Back To The Nest And The Entire Nest Is Destroyed
  - Kills Fast
  - No Mess
- 539671**  
Pkg Of 10



**Combat® Ant Killing Bait Strip**

- Self-Adhering
  - Discreet
  - For Indoor And Outdoor Use
  - Ideal For Kitchens And Bathrooms
  - Ants Carry The Bait Back To The Colony So That It Kills The Queen And Entire Colony
  - Kills Fast
  - No Mess
- 539672**  
Pkg Of 5



**Combat® Max Quick Kill Ant Bait**

- Quick Kill Formulation
  - Kills The Queen And Entire Colony Overnight
  - Contains The Active Ingredient Fipronil
- 111721**  
Pkg Of 6



**Combat® Max Quick Kill Large Roach Bait Station**

- Quick Kill Formulation
  - Kills Large Roaches And Their Eggs
  - Contains The Active Ingredient Fipronil
- 111762**  
Pkg Of 8



**15 Oz Hot Shot® Flying Insect Killer**

- Kills Fast
  - Keeps Killing Up To 4 Weeks
  - Indoor And Outdoor Use
  - Nonstaining
- 128054**



**17.5 Oz Hot Shot® Roach And Ant Control**

- Fresh Floral Scent
  - Nonstaining, Water-Based Formula
  - Up To 12 Week Control
- 112212**



**ENFORCER.**

**16 Oz Enforcer® Wasp And Hornet Killer Spray**

- Jet Blast Shoots 22'
  - Instant Knock-Down
  - Non-Arcing Formula
- 511005**

 **WARNING 1:** This product can expose you to chemicals including p-dichlorobenzene, which [is] are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



**AIR QUALITY** - Mold and/or mildew observed.

**CLEANING CHEMICALS, EQUIPMENT & SUPPLIES** - Mold and mildew can cause serious health issues. Fight back with cleaning supplies and products that can help improve indoor air quality and ventilation.

**MILDEW & STAIN REMOVERS**

**MOLDEX**

**Moldex® Mold Disinfectant**

- For Use On Hard And Semi-Porous Surfaces, Fabrics And Carpet
- ▲ CA Residents, See Warning 1

**32 Oz**  
• Priced Each;  
6 Per Full Case  
**115571**

**1 Gallon**  
• Priced Each;  
4 Per Full Case  
**115231**



**Zep Commercial® No-Scrub Mold And Mildew Remover**

- Industrial Strength Quickly Dissolves Mold And Mildew Stains
- No Scrubbing Required
- Cleans Tile, Grout, Fiberglass, Toilets And Urinals

**32 Oz**      **1 Gallon**  
**108573**      **503105**  
**Case Of 8**      **Case Of 4**



**ZEP Commercial® Calcium, Lime And Rust Stain Remover**

- Professional Grade Formula
- For Use On: Porcelain Tubs, Sinks, Toilets, Brick, Cement, Stucco, Glass, Fiberglass
- Not For Use On: Wood, Fabric, Natural Stone, Aluminum, Brass, Chrome, Or Painted Surfaces

• 1 Gallon  
**837863**  
**Case Of 4**



**AIR FILTERS & ACCESSORIES**

**Hydro Balance**

**Hydro-Balance® Ever-Clean Condensate Pan Tablets**

- Breaks Up And Removes Dirt, Grime And Slime From Condensate Pans
- Controls Odors
- Eliminates Slime Buildup
- Noncorrosive
- Keeps Drain Pans Clean

**907253**  
**Pkg Of 100**



**1" Heavy-Duty Pleated Air Filter**

- Synthetic Fiber Media
- Low Initial Resistance
- 90-Day Life
- Box Of 12

PART #	NOMINAL SIZE W x H x D
127253	10 x 20 x 1"
127254	12 x 20 x 1"
127381	12 x 24 x 1"
127382	14 x 20 x 1"
127383	14 x 25 x 1"
127384	16 x 20 x 1"
127385	16 x 25 x 1"
127386	20 x 20 x 1"
127211	20 x 22 x 1"
127387	20 x 25 x 1"



**2" Heavy-Duty Pleated Air Filter**

- Synthetic Fiber Media
- Extended Surface Pleat Design
- Reinforced Frame
- Holds Form Even After Crushing
- 90-Day Life
- Box Of 12

PART #	NOMINAL SIZE W x H x D
127270	12 x 24 x 2"
127271	16 x 20 x 2"
127272	16 x 24 x 2"
127273	16 x 25 x 2"
127274	18 x 24 x 2"
127276	20 x 20 x 2"
127278	20 x 24 x 2"
127279	20 x 25 x 2"
127280	24 x 24 x 2"
127289	25 x 25 x 2"



**CDC Anti-Clog**

- Air Conditioning And Refrigeration Drain Pan Treatment
- Consistent And Continuous Release Lasts 90 Days
- Eliminates Bacterial Slime Buildup

**764332**

**Hydro Balance**



**Hydro-Balance® Sta-Clean Condensate Drain Strip**

- Controls Growth Of Algae, Mold And Fungi In Condensate Pans
- Lasts Up To Six Months

**Mini**

- 3/4W x 1/4H x 4"D
  - 0.25 Oz Active Ingredient
- 150181**  
**Pkg Of 24**

**Regular**

- 3/4W x 3/8H x 4"D
  - 0.5 Oz Active Ingredient
- 150179**

**Jumbo**

- 1-1/4W x 1/4H x 5"D
  - 1.0 Oz Active Ingredient
- 150177**

▲ **WARNING 1:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

**ELECTRICAL SYSTEM** - Receptacles, GFCI outlets, and light switches are missing or not working properly.

**WIRING DEVICES** - Cracked or missing receptacles or corroded light switches are a safety hazard. Rely on us for quality receptacles and GFCIs, wiring supplies, and toggle switches. Masque® Revive™ wall plates from TayMac offer a fast, easy fix without the expense of rewiring.

**GFCI RECEPTACLES & TOGGLE SWITCHES**



**Maintenance Warehouse® Self-Test GFCI**

- Duplex
- Back And Side Wired
- Self-Testing



**15 Amp**  
**Ivory**      **White**  
**109947**   **109946**  
**Pkg Of 12**   **Pkg Of 12**

**20 Amp**  
**Ivory**      **White**  
**109949**   **109948**  
**Pkg Of 12**   **Pkg Of 12**



**Hubbell 15 Amp Single Pole Toggle Switch**

- 120 Volt
  - Quiet Function
  - Ground Screw
  - Push And Side Wired
  - Use With Copper Wire Only
  - White
- 336550**  
**Pkg Of 10**



**Hubbell 15 Amp 3-Way Quiet Toggle Switch**

- 120 Volt
  - Ground Screw
  - Push And Side Wired
  - Use With Copper Wire Only
- Ivory**      **White**  
**336750**      **336825**



**Maintenance Warehouse® 15 Amp Duplex Receptacles - Residential**

- Receptacle Design Prevents Insertion Of Anything But A Properly Rated Plug
- 125 Volt
- Double Pole
- Three Wire
- NEMA 5-15R
- Quickwired Push-In And Side Wired
- Use With Copper Wire Only



**Hubbell 15 Amp Residential Grade Duplex Wall Receptacle**

- 125 Volt
  - Double Pole
  - Three Wire
  - U-Grounded
  - NEMA 5-15R
  - Push And Side Wired
  - Nylon
  - Use With Copper Wire Only
  - White
- 337450**  
**Pkg Of 10**



**Commercial GFCI**

- Decorator Duplex
- 125 Volt
- LED Indicator
- 2-Pole 3-Wire Grounding



**15 AMP**  
**Ivory**  
**110293**

**20 AMP**  
**Ivory**      **White**  
**110300**      **110301**

**WALL PLATES & OUTLET COVER**



**TayMac®**  
**Masque® Single-Gang Decorator Wall Plate**  
 • White  
**328120**



**TayMac®**  
**Masque® Duplex Outlet Cover**  
 • White  
 ⚠ CA Residents, See Warning 1  
**328130**



**TayMac®**  
**Masque® Single-Gang Toggle Switch Wall Plate**  
 • White  
 ⚠ CA Residents, See Warning 2  
**328072**



**Single-Gang Blank Wall Plate**  
**Ivory**      **White**  
**336038**      **336039**  
**Pkg Of 10**      **Pkg Of 10**



**Cable TV Wall Jack Plate**  
**White**  
**303265**  
**Pkg Of 2**

⚠ **WARNING 1:** Cancer and reproductive harm - www.P65Warnings.ca.gov. ⚠ **WARNING 2:** Cancer - www.P65Warnings.ca.gov.

# DEFICIENCY

**SMOKE ALARMS** - Missing, inoperable, or tampered with.

# SOLUTION

**NEW SMOKE & CO ALARMS** - Upgrade to 10-year sealed smoke and smoke/CO combo alarms. These alarms are on 24/7, require less maintenance because they don't need battery changes, and won't need to be replaced for 10 years.

## SMOKE ALARMS & FIRE EXTINGUISHER



**BRK® First Alert® Direct Wire Ionization Smoke Alarm**

- 9V Battery Backup
- AC/DC
- Test/Silence Button
- LED Power Indicator
- Easy Access Drawer And Locking Feature
- 10-Year Warranty

**126707**



**BRK® First Alert® Direct Wire Smoke And Carbon Monoxide Combo Alarm**

- Test/Silence Button
- 120V AC 60Hz With 9V DC Alkaline Battery Backup
- Ionization And Electrochemical Sensors
- Tamper-Resistant
- End-Of-Life Signal
- 10-Year Limited Warranty

**126722**



**BRK® First Alert® Direct Wire Smoke/CO Combo Alarm With 10-Year Lithium Battery Backup**

- Test/Silence Button
- 120V AC 60Hz With 9V DC Alkaline Battery Backup
- Ionization And Electrochemical Sensors
- Tamper-Resistant
- 10-Year Warranty

**336605**



**Kidde® Direct Wire Smoke And Carbon Monoxide Combo Alarm With 10-Year Battery**

- 120V AC 60Hz With 3V DC Lithium Battery Backup
- Test/Reset/Silence Button With Smart Hush Feature And Voice Alert
- Tamper Resistant
- 10-Year Limited Warranty

**536911**



**Kidde® 1-A:10-B:C Dry Chemical Fire Extinguisher**

- Metal Valve
- 2 Lb 8 Oz
- Rechargeable
- Meets Compliance Standard For NFPA 10 Metal Handle/Valve
- OSHA, DOT And Bureau Of Motor Carriers Approved

**126402**



# DEFICIENCY

**LIGHTING** - Missing or broken bulbs.

# SOLUTION

**NEW LIGHT BULBS** - LED lighting is a great choice for interior and exterior fixtures. Long-lasting LEDs use at least 75 percent less energy and last 25 times longer than incandescent bulbs. Source: energy.gov/energysaver/save-electricity-and-fuel/lighting-choices-save-you-money/led-lighting

## LIGHT BULBS

**FEIT Electric**

**Feit Electric® 8.8 Watt A-19 LED Bulb**

- 120 Volt
- GU24 Base
- 2,700 Kelvin
- 800 Lumens
- Dimmable

**408760**  
Pkg Of 4



**9 Watt A-19 LED Bulb**

- 120 Volt
- Medium Base
- 750 Lumens
- 11,000 Average Hour Life
- Nondimmable
- Replaces 60W Incandescent Bulb

**2,700 Kelvin 4,100 Kelvin**  
**312180 449213**  
Pkg Of 6 Pkg Of 6



**10 Watt A-19 LED Bulb**

- 120 Volt
- Medium Base
- 800 Lumens
- 11,000 Average Hour Life
- Nondimmable
- Replaces 60W Incandescent Bulb

**2,700 Kelvin 4,100 Kelvin**  
**294536 294537**  
Pkg Of 24 Pkg Of 24



**14.5 Watt A-19 LED Bulb**

- 120 Volt
- Medium Base
- 1,500 Lumens
- 11,000 Average Hour Life
- Nondimmable
- Replaces 100W Incandescent Bulb

**2,700 Kelvin 4,100 Kelvin**  
**294538 113291**  
Pkg Of 12 Pkg Of 12



**T8/T12 LED 19 Watt Fluorescent Tube Replacement**

- 120 Volt
- 48" Length
- 4,100 Kelvin
- 1,650 Lumens
- Includes Two Quick Connect Wire Nuts

**362102**



**PHILIPS**

**Philips® LED 10 Watt T8 Tube**

- 48" Length
- 4,000 Kelvin
- 120-277 Volts
- 1,600 Lumens
- Type A

**224504**  
Pkg Of 10



**FEIT Electric**

**Feit Electric® 15 Watt LED T8 Tube**

- 48" Length
- Cool White
- 4,100 Kelvin
- 1,850 Lumens
- Instant On To Full Brightness
- Type A & B

**240032**  
Case Of 10



**13 Watt Twin Compact Fluorescent Bulb**

- 4,100 Kelvin
- 800 Lumens
- GX23 Base
- 7" Length
- Nondimmable
- Replaces 40W Incandescent Bulb
- CA Residents, See Warning 1

**311843**  
Pkg Of 10



**WARNING 1:** Reproductive harm - www.P65Warnings.ca.gov.

**KITCHEN** - Missing, damaged, or nonworking refrigerator.

**REFRIGERATORS** - From full size to compact, we carry the brand names you know and trust in popular styles and finishes. Use our online PartsLink™ tool to quickly find the right refrigerator repair parts. Learn more at [hdsupplysolutions.com/partslink](http://hdsupplysolutions.com/partslink).

REFRIGERATORS



FRIGIDAIRE

**Frigidaire® 15 Cu Ft Top-Mount Refrigerator**

- Right-Hand Reversible Door Swing
  - White
  - 60-5/8H x 28W x 29-7/8"D
  - Use With 203301 Automatic Icemaker
- 642255**



Whirlpool®

**Whirlpool® 18 Cu Ft Top-Mount Refrigerator**

- 65-7/8H x 29-3/4W x 31-3/8"D
  - Use With 501242 EZ Connect Automatic Icemaker
-  CA Residents, See Warning 1
- 543811**



**GE® Top-Mount Refrigerator**

- Upfront Temperature Controls
- Right-Hand Reversible Door Swing
- 64-3/4H x 28W x 29-1/2"D
- Use With 501233 Automatic Icemaker

**15.5 CU FT**

**White**

 CA Residents, See Warning 1

**565318**

**Black**

 CA Residents, See Warning 1

**565320**



**18 CU FT**

**White**

 CA Residents, See Warning 1

**501235**

**Black**

 CA Residents, See Warning 1

**501234**



HOTPOINT

**Hotpoint® Top-Mount Refrigerator**

- Upfront Temperature Controls
- Right-Hand Reversible Door
- 61-3/4H x 28W x 29-1/2"D
- Use With 501233 Automatic Icemaker

**14.6 CU FT**

**White**

 CA Residents, See Warning 1

**565323**

**Black**


 CA Residents, See Warning 1

**565326**



**16.6 CU FT**

**Bisque**

 CA Residents, See Warning 1

**565319**



ICEMAKER KITS



FRIGIDAIRE


**Frigidaire® Automatic Icemaker Kit**

- Fits All Frigidaire Top-Mount Refrigerators 2001 And Newer
- 203301**



**GE® Automatic Icemaker Kit**

- For All GE And Hotpoint Refrigerators

 CA Residents, See Warning 1


**501233**



Whirlpool®

**Whirlpool® Automatic Icemaker Kit**

- For Use With Whirlpool And Amana Refrigerators 1993 And Newer

 CA Residents, See Warning 1

**554120**



 **WARNING 1:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**KITCHEN** - Missing, damaged, or nonworking range or stove.

**RANGES** - We offer brand-name and ADA-compliant ranges that offer long-lasting value and performance. You'll also find the range elements and repair parts you need to keep ranges operating correctly. Learn more at [hdsuppliesolutions.com/partslink](https://hdsuppliesolutions.com/partslink).

**RANGES**

**FRIGIDAIRE**

**Frigidaire® 30" Freestanding Electric Range**

- Manual Clean Oven
- 4.8 Cu Ft Oven Capacity
- Upswept Rangetop
- Visualite® Window
- Chrome Drip Bowls
- Storage Drawer
- Two Oven Racks
- 47-1/2H x 29-7/8W x 28-1/2"D

**White** 286831     **Black** 286832



**HOTPOINT**

**Hotpoint® Electric Range**

- Standard Clean Oven
- One 8" And Three 6" Surface Elements
- Chrome Drip Bowls
- Lift-Up Cooktop With Porcelain Enameled Subtop
- Two Oven Racks
- In-Oven Broiling
- Broiler Pan With Grid
- △ CA Residents, See Warning 1

**20"**  
• 2.4 Cu Ft Oven Capacity  
• 40H x 20W x 26-1/2"D  
**285770**

**24"**  
• 3.0 Cu Ft Oven Capacity  
• 40H x 24W x 26-1/2"D  
**285775**



**HOTPOINT**

**Hotpoint® 30" Freestanding Electric Range**

- Standard Clean Oven
- 5.0 Cu Ft Oven Capacity
- Coil Heating Elements
- Electronic Clock And Timer
- Porcelain Upswept Cooktop
- Chrome Drip Bowls
- 46-1/8H x 29-7/8W x 26-3/8"D
- △ CA Residents, See Warning 1

**White** 285167     **Black** 286067



**GE® 30" Freestanding Electric Range**

- Standard Clean Oven
- 5.0 Cu Ft Oven Capacity
- Dual Element Bake
- Porcelain Enamel One-Piece Upswept CleanWell™ Cooktop
- ClearView™ Window
- Chrome Drip Bowls
- 46-7/8H x 29-7/8W x 26-1/4"D
- Bisque
- △ CA Residents, See Warning 1

**285590**



**Whirlpool**

**Whirlpool® 30" Freestanding Electric Range**

- Standard Clean Oven
- 4.8 Cu Ft Oven Capacity
- Upswept Porcelain SpillGuard™ Cooktop
- Clock And Timer
- Full-Width Storage Drawer
- Chrome Drip Bowls
- 46-7/8H x 29-7/8W x 27-3/4"D
- △ CA Residents, See Warning 1

**White** 285430     **Black** 285440



**HOTPOINT**

**Hotpoint® 30" Freestanding Gas Range**

- Standard Clean Oven
- 4.8 Cu Ft Capacity
- All Purpose Burners
- Porcelain Upswept Cooktop
- Lift-Up Cooktop
- Easy Clean Subtop
- 6 Rack Positions
- Electronic Ignition
- △ CA Residents, See Warning 1

**White** 624338     **Black** 624332



**FRIGIDAIRE**

**Frigidaire® 30" Freestanding Gas Range**

- Manual Clean Oven
- 4.2 Cu Ft Oven Capacity
- Sealed Gas Burners
- Timed Cook Option
- Electronic Kitchen Timer
- Ready-Select™ Controls
- Broil And Serve™ Drawer
- 47-3/4H x 29-7/8W x 28-1/2"D
- △ CA Residents, See Warning 1

**White** 286020     **Black** 286022



 **WARNING 1:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# DEFICIENCY

**BATHROOM** - Damaged or missing lavatory sink.

# SOLUTION

**BATHROOM REPAIR** - Make sure bathroom sinks look and work like new.

## PLUMBING



### Seasons® White China Lavatory

- 4" Centers
- Self-Rimming
- Front Overflow

 CA Residents, See Warning 1



**17 x 20" Oval**  
404678



**19" Round**  
404653

### Universal Small Plastic Pop-Up Plug

- Stainless Steel Top
- 5" Length
- Fits Moen, Pfister, Gerber And Sayco

 CA Residents, See Warning 2  
**515520**  
Pkg Of 5



### 1-1/4 x 8" Chrome Perforated Overflow Lavatory Drain

- 22 Gauge

 CA Residents, See Warning 3  
**514500**



### White Polypropylene Trap


**1-1/4 x 1-1/4"**  
403389

**1-1/2 x 1-1/2" & 1-1/4"**  
403390



### Maintenance Warehouse® Flexible Drain And Trap Connector

- 1-1/2 x 1-1/2 Or 1-1/4"
- Replacement For Fernco MFG #DTC-150
- Connects 1-1/4" Or 1-1/2" Tubular Traps To All Common 1-1/4" Or 1-1/2" Drain Piping

 CA Residents, See Warning 2  
**799296**



### Maintenance Warehouse® 20" Stainless Steel Flexible Faucet Water Supply

- 3/8" Compression x 1/2" Female Pipe Threads
- Nontoxic Polymer Core
- Chrome-Plated Brass Nuts

**546426**  
Pkg Of 10



# DEFICIENCY

**BATHROOM** - Damaged or missing shower/tub.

# SOLUTION

**BATHROOM HARDWARE** - Repair or replace showerheads and tub spouts, drain closures, and overflow plates.



### Seasons® Chrome Finish Diverter Tub Spout


- Die-Cast Zinc
- For 1/2" FIP
- 5-1/4" Length

**425168**



### Watco® Universal NuFit® Push Pull® Tub Drain Closure

- Installs Easily And Quickly Over Existing Strainer Bodies With Or Without Crossbars
- Covers Existing Tub Drain Flange Up To 2-7/8" Diameter
- Silicone Adhesive Included Or Use 642690, 642689 Or 642691
- Stainless Steel Strainer Body Cover

 CA Residents, See Warning 4

**With Grid Strainer**  
**544016**



**Standard Strainer**  
**544015**



### Watco® Blank Overflow Plate

- Chrome-Plated Metal

 CA Residents, See Warning 3

#### Two-Hole

- Includes Two Screws
- 224022**



#### One-Hole

- Includes Screw
- 544017**







### Seasons® Large Adjustable Spray Showerhead

- Chrome-Plated Solid Brass Finish
- 2-13/64" Face Dia
- 1/2" FIP
- 1.75 GPM @ 80 PSI
- Product Unavailable To Customers In Colorado Due To Water Efficiency Legislation

**307126**



 **WARNING 1:** This product can expose you to chemicals including chromium, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  **WARNING 2:** This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  **WARNING 3:** This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  **WARNING 4:** This product can expose you to chemicals including 1,3-butadiene, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**BATHROOM** - Plumbing and leaking issues.

**BATHROOM REPAIR** - Repair leaky faucets, toilets, and pipes to help avoid deficiency citations. Go a step further and conserve water and save on utility bills with WaterSense® faucets, showerheads, and toilets. These products are certified to be at least 20% more efficient without sacrificing performance, and help save billions of gallons of water each year in the United States.

PLUMBING



*American Standard*

**American Standard® Touchless Faucet**

- Chrome Finish
- CR-P2 Lithium Battery Included
- 0.5 GPM @ 60 PSI

**111534**



**DELTA**

**Delta® Single Handle Bath Faucet**

- Chrome Finish
- Diamond™ Seal Ceramic Disc Function
- 1.2 GPM @ 60 PSI

**Drilled For Pop-Up 445200**      **With Pop-Up**

- With Cast Brass Pop-Up

**445250** 



**MOEN**

**Moen® Chateau® Single Handle Bath Faucet**

- Chrome Finish
- Washerless Function
- 1.2 GPM @ 60 PSI

**Drilled For Pop-Up 414830**      **With Pop-Up**

- With 50/50 Pop-Up

**414835** 



**DELTA**

**Delta-Delex® Spout O-Ring Kit**





**497500**

**DELTA**


**Delta® Repair Kit For Two Handle Faucets**

- Includes New Style Seat And Spring, Spout O-Rings And Two Hot/Cold Faucet Cartridges






**498205**



**SYMMONS**

**Symmons® Temptrol® Hot/Cold Seat Kit**



**488475**

**DELTA**

**Delta-Peerless® Faucet Seat**

- New Style Used On Delta-Peerless Faucets Manufactured Since 1972





**498400**  
**Pkg Of 10**

**DELTA**

**Delta® Repair Kit For Single Handle Faucets**

- Includes Two Seats And Springs, Spout O-Rings, Faucet Cam Kit, Ball Cartridge For Acrylic Handles And Ball Cartridge For Lever Handles





**498212**



**Fluidmaster**

**Fluidmaster® Toilet Fill Valve, Flapper And Toilet Supply Line Value Pack**

- Includes 400A Toilet Valve, Universal Fit Red Flapper And 12" Toilet Supply Line 3/8" Compression x 7/8" Ballcock Threads
- Anti-Siphon
- Adjustable Height 9 To 14"



**548798**



**MAINTENANCE WAREHOUSE**

**Maintenance Warehouse® Toilet Supply Connector**

- 12" Length
- Flexible Stainless Steel
- 3/8" Compression x 7/8" Ballcock Threads
- Chrome-Plated Brass Nuts
- Value Pack

**546476**  
**Pkg Of 10**



**BrassCraft**

**BrassCraft® Retrofit Straight Valve Stop**

- Chrome-Plated Brass
- 3/8" OD Female Compression Inlet x 3/8" OD Compression
- Can Be Added To Existing 3/8" Compression Valve

**548755**



**MAINTENANCE WAREHOUSE**

**Maintenance Warehouse® Angle Stop**

- Quarter Turn
- 1/2" Nominal (5/8"OD) Compression Inlet x 3/8" OD Compression Outlet



**403197**

**WARNING 1:** This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# PREPARING FOR AN INSPECTION? EVERY MINUTE COUNTS

HD Supply offers time-saving products and services to help you work faster during crunch time.



## Renovate Without Rewiring

Masque® Revive™ Wall Plates from TayMac offer a fast, easy way to refresh a room's appearance without the expense of re-wiring.

See page 10



## Tool-Free Installation Seasons® Faucets

Quick-connect supply lines allow for over-the-countertop installation in minutes. Learn more at [hdsupplysolutions.com/seasons](https://hdsupplysolutions.com/seasons).



## Re-Key Locks In Seconds

No more wasting time waiting for a locksmith. Kwikset® SmartKey™ locks and deadbolts can be quickly and easily re-keyed by your maintenance staff.

See page 3



## Always Have The Products You Need

With our free Easy Subscriptions™ service, you can automatically schedule deliveries of products you use the most. Learn more at [hdsupplysolutions.com/subscribe](https://hdsupplysolutions.com/subscribe).

## Universal Drip Bowl

- Fits Whirlpool, Frigidaire, Tappan, Modern Maid And Magic Chef

6" 229825 Pkg Of 6  
8" 229850 Pkg Of 6



## Harris® Bedbug Kit, Egg Kill & Resistant Bedbug Kit

- Kills Pyrethroid-Resistant Bedbugs
- Kills Adult Bedbugs And Their Eggs
- Traps For Monitoring Progress
- Contains 1 Gallon, Aerosol, Powder And Traps

721083



## Seasons® Anchor Point™ Widespread Bath Faucet

- Chrome Finish
- 1.2 GPM @ 60 PSI
- 50/50 Pop-Up

CA Residents, See Warning 1  
412402



## Hydro-Balance® 18 Oz Zip™ Clean Evaporator Coil Cleaner

- Self-Rinsing
- Foaming Aerosol Quickly Cleans And Treats Coil To Retard Future Dirt Accumulation

150606



## BRK® First Alert® Sealed Lithium Battery Ionization Smoke Alarm

- Dual Ionization Sensing Chamber
- Test/Silence Button
- Audible Low Battery Signal

126705



SEALED  
10-YEAR  
LITHIUM  
BATTERY



## Web® Air Filter Freshener

- Helps Control Smoke, Pet And Other Odors
- Works With Any Furnace Or Air Filter
- Use With Clean Filter For Best Results

Cinnamon 125521 Country Berry 125523 Vanilla 125522 Gardenia 125527



## PVC Electrical Tape

- 3/4" x 60'
- 7 Mil
- 300035 Pkg Of 10



## 32 Oz Homax® Tough As Tile One Part Epoxy White Paint

- Provides A Hard, Protective Finish
- Leaves A Smooth, High-Gloss Surface
- 1 Part Epoxy - No Mixing And No Mess

CA Residents, See Warning 2  
565182



## GE® Silicone II® Kitchen And Bath Caulk, White

- 10.1 Oz
- Water Ready After 30 Minutes
- 7-Year Mold-Free Product Protection

CA Residents, See Warning 3  
108607 Case Of 12



## DAP® Kwik Seal Ultra® Silicone Sealant, White

- Repels Water, Dirt And Soap Scum
- Lifetime Mold And Mildew Resistance Guarantee
- Low Odor, Easy Water Cleanup

CA Residents, See Warning 4

5.5 Oz 114793 Case Of 12  
10.1 Oz 114796 Case Of 12



## Hydraulic Screen Door Closer

- Black Finish
- Adjustable Closing Power
- Use On Doors Up To 1-3/8" Thick
- Use On Medium To Heavyweight Doors
- 10-1/2" L
- 856955

**WARNING 1:** This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **WARNING 2:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **WARNING 3:** This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **WARNING 4:** This product can expose you to chemicals including silica, crystalline, which [is] are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

© 2021 HDS IP Holding, LLC. All Rights Reserved. For our terms and conditions, visit [hdsupplysolutions.com/terms](https://hdsupplysolutions.com/terms).

21-21906

3 EASY WAYS TO ORDER



1.877.610.6912

[hdsupplysolutions.com](https://hdsupplysolutions.com)