Material number



# A07265 ZEP SS CLEANER ZUSCP16 STK 20N16

Version 1.0	Revision Date 05/05/2015	Print Date 05/26/2015
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION		
Material name	: A07265 ZEP SS CLEANER ZUSCF	216 STK 20N16

: 00000000001041003

Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

### Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	opaque
Odour	pleasant

#### **GHS Classification**

Flammable aerosols Gases under pressure	: Category 1 : Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Version 1.0	Revision Date 05/05/2015	Print Date 05/26/2015
	P211 Do not spray on an open flat P251 Pressurized container: Do n use. <b>Storage:</b> P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12	ot pierce or burn, even after t. Do not expose to
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	-
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	-
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.	-
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	-

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
alkanes, C12-14-iso-	68551-19-9	>= 10 - < 20
butane	106-97-8	>= 10 - < 20
propane	74-98-6	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If on clothes, remove clothes.</li> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>



Version 1.0	Revision Date 05/05/2015	Print Date 05/26/2015
	If in eyes, rinse with water for 15 n	ninutes.
If swallowed	<ul> <li>Keep respiratory tract clear. Never give anything by mouth to a lf symptoms persist, call a physicia DO NOT induce vomiting unless d physician or poison control center.</li> </ul>	an. lirected to do so by a

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or courses.	water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke Silicon oxides	
Specific extinguishing methods		
	Use extinguishing measures that are appropriate to loc circumstances and the surrounding environment.	al
Further information	For safety reasons in case of fire, cans should be store separately in closed containments. Use a water spray to cool fully closed containers.	∋d
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting necessary.	, if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.



Version 1.0

Revision Date 05/05/2015

Print Date 05/26/2015

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Always replace cap after use.</li> <li>Do not breathe vapours or spray mist.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Do not store near acids. Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

### Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.



Version 1.0	Revision Date 05/05/2015	Print Date 05/26/2015
Hand protection		
Remarks	: The suitability for a specific workpla with the producers of the protective	
Eye protection	: Ensure that eyewash stations and the workstation location. Tightly fitting safety goggles	safety showers are close to
Skin and body protection	: impervious clothing Choose body protection according concentration of the dangerous sul	
Hygiene measures	: Wash hands before breaks and at When using do not smoke. When using do not eat or drink.	the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	opaque
Odour	:	pleasant
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	100 °C
Flash point	:	no data available
Evaporation rate	:	< 1 n-Butyl Acetate = 1.0
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	not determined
Density	:	0.941 g/cm3
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available



Version 1.0

Revision Date 05/05/2015

Print Date 05/26/2015

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

, , , , , , , , , , , , , , , , , , , ,		
<u>Components:</u>		
<b>butane:</b> Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 1,355 mg/l
<b>propane:</b> Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 658 mg/l Exposure time: 4 h
		LC50 rat: 1,355 mg/l
Skin corrosion/irritation		
no data available		
Serious eye damage/eye irritation		
no data available		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		



Version 1.0	Revision Date 05/05/2015	Print Date 05/26/2015
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
alkanes, C12-14-iso-: butane: propane:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data available		
SECTION 12. ECOLOGICAL INFO		
Ecotoxicity		
no data available		
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Pequilation	10 CEP Protection of Environment	· Dart 92 Drotaction of

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I



Version 1.0	Revision Date 05/05/2015	Print Date 05/26/2015
Remarks	Substances This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: no data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.



07265 ZEP SS CLEANER ZUSCP16 STK 20N16				
ersion 1.0	Revision Date 05/05/2	015 Print Date 05/26/2015		
SARA 304 Extremely Hazardous Substances Reportable Quantity				
This material does not contain any components with a section 304 EHS RQ.				
SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Press	sure Hazard		
SARA 302		s in this material are subject to the f SARA Title III, Section 302.		
SARA 313	components with known	does not contain any chemical CAS numbers that exceed the eporting levels established by SARA		
California Prop 65	•	ontain any chemicals known to State of er, birth defects, or any other		
The components of this product are reported in the following inventories:				
TSCA	On TSCA Inventory			
DSL	This product contains the following components that are not on the Canadian DSL nor NDSL.			

AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory

PICCS Not in compliance with the inventory


IECSC Not in compliance with the inventory

### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**





## HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic



Version 1.0

Revision Date 05/05/2015

Print Date 05/26/2015

OSHA GHS Label Information:

Hazard pictograms

Signal w ord Hazard statements Precautionary statements Danger: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

 ${\small Storage:} \ensuremath{\mathsf{Protect}}\xspace$  from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.