

Version 1.0

Revision Date 05/18/2015

Print Date 05/26/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP INSTANT SPOT RMVR ZUS
Material number	:	ZUSPOT19
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, colourless
Odour	characteristic

GHS Classification

Gases under pressure Eye irritation Reproductive toxicity	: Liquefied gas : Category 2A : Category 1B
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child.
Precautionary statements	: Prevention: P201 Obtain special instructions before use.



Version 1.0	Revision Date 05/18/2015	Print Date 05/26/2015
	 Print Date 05/18/2015 P202 Do not handle until all safety precautions have been and understood. P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. P281 Use personal protective equipment as required. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up. P410 + P403 Protect from sunlight. Store in a well-ventilate place. Disposal: P501 Dispose of contents/container in accordance with loci regulation. 	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probat human carcinogen by IARC.	ble, possible or confirmed
ACGIH	Confirmed animal carcinogen with u humans	
OSHA	2-butoxyethanol No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 5 - < 10
butane	106-97-8	>= 1 - < 5
acetone	67-64-1	>= 1 - < 5
propane	74-98-6	>= 1 - < 5
sodium borate, decahydrate	1303-96-4	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance.



rsion 1.0	Revision Date 05/18/2015	Print Date 05/26/2015
	Do not leave the victim unattended	L
If inhaled	: Consult a physician after significan If unconscious place in recovery por advice.	
In case of skin contact	 If skin irritation persists, call a physical wash off immediately with plenty cominutes. If on clothes, remove clothes. 	
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s Rinse immediately with plenty of w	•
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospita	an. irected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal p	precautions,
------------	--------------

: Use personal protective equipment.



Version 1.0	Revision Date 05/18/2015	Print Date 05/26/2015	
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.		
Environmental precautions	: Prevent product from entering drai Prevent further leakage or spillage If the product contaminates rivers respective authorities.	if safe to do so.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, sawc Sweep up or vacuum up spillage a container for disposal.	lust).	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	woid exposure - obtain special instruc- void contact with skin and eyes. or personal protection see section 8. moking, eating and drinking should be pplication area. To not breathe vapours or spray mist. ake precautionary measures against rovide sufficient air exchange and/or bispose of rinse water in accordance we egulations.	e prohibited in the static discharges. exhaust in work rooms.
Conditions for safe storage	EWARE: Aerosol is pressurized. Kee xposure and temperatures over 50 °C r throw into fire even after use. Do not ed-hot objects. Observe label precautions. Geep in a dry, cool and well-ventilated lectrical installations / working materia the technological safety standards. Io smoking.	Do not open by force t spray on flames or place. als must comply with
Materials to avoid	tore and keep away from, oxidizing a	gents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm	OSHA Z-1

Components with workplace control parameters



Version 1.0

Revision Date 05/18/2015

Print Date 05/26/2015

			240 mg/m3	I
		TWA	25 ppm 120 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYE THANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g	ACGIH BEI
Remarks: Creatinine						
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipr	nent
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location.



Version 1.0	Revision Date 05/18/2015	Print Date 05/26/2015
	Safety glasses	
Skin and body protection	: impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	clear, colourless
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	12.0 - 12.5
Melting point/freezing point	:	no data available
Boiling point	:	101.7 °C
Flash point	:	> 93.3 °C
Evaporation rate	:	1
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	not determined
Relative vapour density	:	no data available
Density	:	0.996 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	7.64 kJ/g



Version 1.0

Revision Date 05/18/2015

Print Date 05/26/2015

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : 4,556 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h LC50 rat: 1,355 mg/l
	-
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg



ZEP INSTANT SPOT RM Version 1.0	Revision Date 05/18/2015	Print Date 05/26/2015
	LD50 rabbit: > 7,426 mg/kg	
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 658 mg/l Exposure time: 4 h	
	LC50 rat: 1,355 mg/l	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritation	I	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
2-butoxyethanol: butane: acetone: propane: sodium borate, decahydrate:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		

Product:

Remarks: no data available



Version 1.0

Revision Date 05/18/2015

Print Date 05/26/2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available **Bioaccumulative potential**

Product:

<u></u>	
Partition coefficient: n- octanol/water <u>Components:</u> butane :	
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.



Version 1.0

Revision Date 05/18/2015

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	s : Sudden Release of Pressure Hazard Acute Health Hazard Chronic Health Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of th	is product are reported in the following inventories:
TSCA	On TSCA Inventory




Version 1.0	Revision Date 05/18/2015	Print Date 05/26/2015
DSL	This product contains one or several components listed in the Canadian NDSL.	
AICS	On the inventory, or in compliance with the in	nventory
NZIOC	Not in compliance with the inventory	
PICCS	On the inventory, or in compliance with the in	nventory
IECSC	On the inventory, or in compliance with the in	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	: Contains gas under pressure; may explode if heated. Causes serious eye irritation. May damage fertility or the unborn child.
Precautionary statements	: Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash skin thoroughly after handling. Wear eye protection/face protection. Use personal protective equipment as required. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Storage: Store locked up. Protect from sunlight. Store in a w ell-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	10
Revision Date:	05/18/2015
Print Date:	05/26/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this



Version 1.0

Revision Date 05/18/2015

Print Date 05/26/2015

document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.