

Version 1.0

Revision Date 04/10/2015

Print Date 06/01/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP GLASS CLEANER CONCENT
Material number	:	ZU1052128
Manufacturer or supplier's de	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	dark green
Odour	characteristic

GHS Classification

Flammable liquids Eye irritation	: Category 3 : Category 2A
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



sion 1.0	Revision Date 04/10/2015	Print Date 06/01/201
	 P233 Keep container tightly close P240 Ground/bond container and P241 Use explosion-proof electric equipment. P242 Use only non-sparking tools P243 Take precautionary measure P264 Wash skin thoroughly after H P280 Wear protective gloves/ eye Response: P303 + P361 + P353 IF ON SKIN immediately all contaminated cloth shower. P305 + P351 + P338 IF IN EYES: for several minutes. Remove cont easy to do. Continue rinsing. P337 + P313 If eye irritation persist attention. P370 + P378 In case of fire: Use of alcohol-resistant foam for extinction. P403 + P235 Store in a well-ventil. Disposal: P501 Dispose of contents/contain regulation. 	receiving equipment. al/ ventilating/ lighting/ es against static discharge. nandling. protection/ face protection. (or hair): Remove/ Take off ning. Rinse skin with water/ Rinse cautiously with water act lenses, if present and sts: Get medical advice/ dry sand, dry chemical or on. ated place. Keep cool.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	-
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	-
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a knowr	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propan-2-ol	67-63-0	>= 10 - < 20
ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1 - < 5



Version 1.0

Revision Date 04/10/2015

Print Date 06/01/2015

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	If unconscious place in recovery position and seek media advice. If symptoms persist, call a physician.	cal
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes.	
In case of eye contact	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes.	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person DO NOT induce vomiting unless directed to do so by a physician or poison control center. If symptoms persist, call a physician. 	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	cohol-resistant foam arbon dioxide (CO2) y chemical	
Unsuitable extinguishing media	gh volume water jet	
Specific hazards during firefighting	o not allow run-off from fire fighting to entourses.	er drains or water
Hazardous combustion products	arbon dioxide (CO2) arbon monoxide noke trogen oxides (NOx) ulphur oxides	
Specific extinguishing methods	se extinguishing measures that are appro rcumstances and the surrounding environ	
Further information	ollect contaminated fire extinguishing wat ust not be discharged into drains. re residues and contaminated fire extingu- e disposed of in accordance with local regor safety reasons in case of fire, cans sho eparately in closed containments. se a water spray to cool fully closed contained	uishing water must gulations. puld be stored



Version 1.0	Revision Date 04/10/2015	Print Date 06/01/2015

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. 	
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.	n
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).	C

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	bid formation of aerosol. not breathe vapours/dust. bid contact with skin and eyes. r personal protection see section 8. hoking, eating and drinking should be proholication area. ke precautionary measures against static by de sufficient air exchange and/or exhau en drum carefully as content may be under pose of rinse water in accordance with loc ulations.	discharges. st in work rooms. er pressure.
Conditions for safe storage	smoking. ep container tightly closed in a dry and we ce. ntainers which are opened must be carefu of upright to prevent leakage. serve label precautions. ectrical installations / working materials mu technological safety standards.	lly resealed and
Materials to avoid	idizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	Components	CAS-No.	Value type	Control	Basis
--	------------	---------	------------	---------	-------



ersion 1.0	Revision	Date 04/10/2015	Print	Date 06/01/2015
		(Form of exposure)	parameters / Permissible concentration	
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

SAFETY DATA SHEET



ZEP GLASS CLEANER CONCENT

Version 1.0	Revision Date 04/10/2015	Print Date 06/01/2015
Colour	: dark green	
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: 7.5 - 8.5	
Melting point/freezing point	: no data available	
Boiling point	: 100 °C	
Flash point	: 27.7 °C Method: closed cup	
Evaporation rate	: 1	
Upper explosion limit	: 12 %(V)	
Lower explosion limit	: 1 %(V)	
Vapour pressure	: not determined	
Density	: 0.97 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides



Version 1.0

Revision Date 04/10/2015

Print Date 06/01/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
propan-2-ol: Acute oral toxicity	:	LD50 Oral rat: 4,396 mg/kg Method: Calculation method
ammonium dodecyl sulphate Acute oral toxicity		LD50 Oral rat: > 5,000 mg/kg
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irritat	tior	n in susceptible persons.
Serious eye damage/eye irritatior	ו	
Product:		
Remarks: Severe eye irritation		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
propan-2-ol: ammonium dodecyl sulphate tetrasodium ethylenediamine		traacetate:
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		

Aspiration toxicity

SAFETY DATA SHEET



ZEP GLASS CLEANER CONCENT

Version 1.0

Revision Date 04/10/2015

Print Date 06/01/2015

no data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORM	ΙΑΤΙΟΝ
Ecotoxicity	
no data available	
Persistence and degradability	
no data available Bioaccumulative potential	
Product:	
Partition coefficient: n- : octanol/water	Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological : information	no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.



Version 1.0

Revision Date 04/10/2015

Print Date 06/01/2015

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (ISOPROPANOL), 3, III

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (ISOPROPANOL), 3, III

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (ISOPROPANOL), 3, III

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Fire Hazard Acute Health Hazard
SARA 302	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	WARNING: This product contains a chemical known to the




rsion 1.0	Revision Date 04/10	0/2015 Print Date 06/01/201
	State of California to c harm.	ause birth defects or other reproductive
	methanol	67-56-1
The componen	ts of this product are reported in the	following inventories:
TSCA	On TSCA Inventory	
TSCA DSL	On TSCA Inventory This product contains the follow Canadian DSL nor NDSL.	wing components that are not on the
	This product contains the follow	C
DSL	This product contains the follow Canadian DSL nor NDSL.	entory
DSL	This product contains the follow Canadian DSL nor NDSL. Not in compliance with the inve	entory entory

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



OSHA GHS Label Information:

Hazard pictograms

Signal w ord Hazard statements Precautionary statements

Warning:

Flammable liquid and vapour. Causes serious eye irritation.

Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/face protection.

Response: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with waterfor several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If



Version 1.0

Revision Date 04/10/2015

Print Date 06/01/2015

eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. **Storage:** Store in a w ell-ventilated place. Keep cool. **Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.