

Version 2.1	Revision Date 04/10/2015	Print Date 05/26/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BZ7883 ZC HD CIT DGR ZUCIT128CA 4/1GAL
Material number	:	0000000001046806
Manufacturer or supplier's o	deta	nils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

### SECTION 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance	liquid
Colour	amber
Odour	characteristic

#### **GHS** Classification

Flammable liquids Skin sensitisation	: Category 4 : Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H227 Combustible liquid. H317 May cause an allergic skin reaction.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</li> </ul>



ersion 2.1	Revision Date 04/10/2015	Print Date 05/26/2015
	<ul> <li>P333 + P313 If skin irritation or raadvice/ attention.</li> <li>P363 Wash contaminated clothing</li> <li>P370 + P378 In case of fire: Use alcohol-resistant foam for extinction</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventil</li> <li>Disposal:</li> <li>P501 Dispose of contents/contain regulation.</li> </ul>	g before reuse. dry sand, dry chemical or on. lated place. Keep cool.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by ACGIH.	
OSHA	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by OSHA.	
NTP	No component of this product presen equal to 0.1% is identified as a known by NTP.	

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
1-(1-methyl-2-propoxyethoxy)propan-2-ol	29911-27-1	>= 1 - < 5
Sulfonic acids, C14-16-alkane hydroxy and C14-	68439-57-6	>= 1 - < 5
16-alkene, sodium salts		
Alcohols, C12-16, ethoxylated	68551-12-2	>= 1 - < 5
Citrus, ext.	94266-47-4	>= 0.1 - < 1

### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled		If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes.



Version 2.1	Revision Date 04/10/2015	Print Date 05/26/2015
	If on clothes, remove clothes.	
	If skin irritation persists, call a physiciar If on skin, rinse well with water. If on clothes, remove clothes.	۱.
In case of eye contact :	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a speci Rinse immediately with plenty of water	
	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a speci	alist.
If swallowed :	Keep respiratory tract clear. Never give anything by mouth to an un- If symptoms persist, call a physician. DO NOT induce vomiting unless directed physician or poison control center. Take victim immediately to hospital.	·
	Clean mouth with water and drink after Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an un- If symptoms persist, call a physician.	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Water spray jet Alcohol-resistant foam Dry chemical
		Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides Nitrogen oxides (NOx) Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides



Version 2.1		Revision Date 04/10/2015	Print Date 05/26/2015
Specific extinguishing methods	:	Use extinguishing measures that are approximation of the surrounding environment of the surro	
Further information	:	Standard procedure for chemical fires.	
		Collect contaminated fire extinguishing must not be discharged into drains. Fire residues and contaminated fire ext be disposed of in accordance with loca For safety reasons in case of fire, cans separately in closed containments. Use a water spray to cool fully closed of	tinguishing water must I regulations. should be stored
Special protective equipment for firefighters	:	Wear self-contained breathing apparate necessary.	us for firefighting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.
		Neutralise with acid. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours/dust. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
	Always replace cap after use.



Version 2.1	Revision Date 04/10/2015	Print Date 05/26/2015
	Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special ins Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking shou application area. Provide sufficient air exchange and Dispose of rinse water in accordan regulations. Persons susceptible to skin sensiti allergies, chronic or recurrent respi be employed in any process in whi used.	n 8. Ild be prohibited in the d/or exhaust in work rooms. ce with local and national sation problems or asthma, iratory disease should not
Conditions for safe storage	<ul> <li>No smoking.</li> <li>Keep container tightly closed in a c place.</li> <li>Containers which are opened must kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working mat the technological safety standards.</li> </ul>	t be carefully resealed and aterials must comply with
Materials to avoid	: Store and keep away from, oxidizir	ng agents and acids.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment		
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
		Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.



Version 2.1

Revision Date 04/10/2015

Print Date 05/26/2015

Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	amber
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	11.0 - 12.0
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	77.15 °C Method: TCC
Evaporation rate	:	1
Upper explosion limit	:	not determined
Lower explosion limit	:	not determined
Vapour pressure	:	1.01 hPa
Relative vapour density	:	no data available
Density	:	1.007 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable No decomposition if stored and applied as directed.
Chemical stability	: Stable under normal conditions. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
	No decomposition if stored and applied as directed.



Version 2.1	Revision Date 04/10/2015	Print Date 05/26/2015
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Strong acids and oxidizing agents	
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx)	

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

### Skin corrosion/irritation

### Product:

Remarks: May cause skin irritation and/or dermatitis.

### Serious eye damage/eye irritation

### Product:

Remarks: May irritate eyes.

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

### Respiratory or skin sensitisation

### Product:

Remarks: Causes sensitisation.

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### **Reproductive toxicity**

no data available

1-(1-methyl-2-propoxyethoxy)propan-2-ol: Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts: Alcohols, C12-16, ethoxylated: Citrus, ext.:

#### STOT - single exposure



Version 2.1

Revision Date 04/10/2015

Print Date 05/26/2015

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### Further information

Product:

Remarks: no data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available

#### Persistence and degradability

no data available Bioaccumulative potential

#### Product:

Partition coefficient: n- octanol/water	: Remarks: no data available
Components:	
1-(1-methyl-2-propoxyethox	y)propan-2-ol :
Partition coefficient: n-	: Pow: 7.7
octanol/water	

#### Mobility in soil

no data available

#### Other adverse effects

no data available

Product:Regulation40 CFR Protection of Environment; Part 82 Protection of<br/>Stratospheric Ozone - CAA Section 602 Class I<br/>SubstancesRemarksThis product neither contains, nor was manufactured<br/>with a Class I or Class II ODS as defined by the U.S.<br/>Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A<br/>+ B).Additional ecological<br/>information: An environmental hazard cannot be excluded in the<br/>event of unprofessional handling or disposal., Harmful to<br/>aquatic life.



Version 2.1

Revision Date 04/10/2015

Print Date 05/26/2015

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil. Waste codes should be assigned by the user based on the application for which the product was used.
	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): This material is not classified.

Transportation Regulation: IMDG (Vessel): This material is not classified.

Transportation Regulation: IATA (Cargo Air): This material is not classified.

Transportation Regulation: IATA (Passenger Air): This material is not classified.

Transportation Regulation: TDG (Canada): This material is not classified.

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*



ersion 2.1	Revision Date 04/10/2015	Print Date 05/26/2015
*: Calculated RQ exceeds	reasonably attainable upper limit.	
SARA 304 Extremely Haz	ardous Substances Reportable Quanti	ty
This material does not con	tain any components with a section 304 E	HS RQ.
SARA 311/312 Hazards	: Fire Hazard Acute Health Hazard	
SARA 302	: SARA 302: No chemicals in this ma reporting requirements of SARA Tit	
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	WARNING: This product contains a State of California to cause birth de harm.	
methanol		67-56-1
The components of this	product are reported in the following in	ventories:
DSL Tr	n TSCA Inventory nis product contains one or several compo anadian DSL nor NDSL.	onents that are not on the
AICS	Not in compliance with the inventory Not in compliance with the inventory	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

Not in compliance with the inventory

Not in compliance with the inventory

### SECTION 16. OTHER INFORMATION

PICCS

IECSC




Version 2.1

Revision Date 04/10/2015

Print Date 05/26/2015





## OSHA GHS Label Information:

Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	<ul> <li>Warning:</li> <li>Combustible liquid. May cause an allergic skin reaction.</li> <li>Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ eye protection/ face protection.</li> <li>Response: IF ON SKIN: Wash w ith plenty of soap and w ater. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.</li> <li>Storage: Store in a w ell-ventilated place. Keep cool.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.