

Heavy Duty Prespray SC

Version Number: 1 Preparation date: 2014-09-09

1. IDENTIFICATION

Product name: Heavy Duty Prespray SC

Product Code: 904274 **SDS #:** MS0800503

Recommended use: • Industrial/Institutional

Carpet Care

• This product is intended to be diluted prior to use

Uses advised against:

Uses other than those identified are not recommended

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersDiversey, Inc. - CanadaDiversey, Inc. - Canada2404 Briefel Circle

 Diversey, Inc.
 2401 Bristol Circle

 8310 16th St.
 Oakville, Ontario L6H 6P1

 Sturtevant, Wisconsin 53177-1964
 Phone: 1-800-668-3131

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1



Signal Word: Danger

Precautionary Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable



Classification for the diluted product @ 1:40

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and current Canadian Controlled Products Regulations (CPR).

Precautionary Statements

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
2-Ethylhexyl sodium sulphate	126-92-1	5 - 10%
Alcohol ethoxylates	68439-46-3	5 - 10%
Diethylene glycol butyl ether	112-34-5	3% - < 5%
Citric acid	77-92-9	1% - < 3%
Sodium sulfate	7757-82-6	1% - < 3%
Sodium hydroxide	1310-73-2	> 0.1% - < 1%

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

<u>Ingestion:</u> IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention **Skin:** Rinse with plenty of water If irritation occurs and persists, get medical attention

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautionsClean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Heavy Duty Prespray SC 2 of 5

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA
2-Ethylhexyl sodium sulphate	126-92-1	-	-
Alcohol ethoxylates	68439-46-3		
Diethylene glycol butyl ether	112-34-5	10 ppm (TWA)	-
Citric acid	77-92-9	-	-
Sodium sulfate	7757-82-6	-	-
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection: Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection:No special protective clothing is required. **Respiratory protection:**No special protective clothing is required.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Personal Protective Equipment

Eye protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Skin and body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid Color: Clear, Yellow Evaporation Rate: No information available Odor: Floral Fruity

Odor threshold: No information available. Boiling point/range: Not determined

Melting point/range: Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 8.82 lbs/gal 1.058 Kg/L

Bulk density: No information available

Relative Density (relative to water): 1.058

Vapor density: No information available

Vapor pressure: No information available.

Flash point: > 200 °F > 93.3 °C Partition coefficient (n-octanol/water): No information available

Dilution Flash Point: > 200 °F > 93.3 °C Viscosity: No information available

Elemental Phosphorus: 0.00 % by wt. VOC: 1.53 % *

pH: 8.2 VOC % by wt. at use dilution 0.04 % *
Dilution pH: 7.78 @ 1:40 Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined

Explosion limits: - upper: Not determined - lower: Not determined

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable
Stability: The product is stable
Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: None known.

Conditions to avoid: No information available.

Heavy Duty Prespray SC 3 of 5

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

difficulty breathing.

Sensitization: No known effects.

Ingredient(s)	CAS#	NTP	IARC	OSHA
Isopropyl alcohol	67-63-0		3	X

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers. RCRA Hazard Class (undiluted product): Not Regulated RCRA Hazard Class (diluted product): Not Regulated

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

IMDG (Ocean) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

Heavy Duty Prespray SC 4 of 5

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	=	=	=	-
2-Ethylhexyl sodium sulphate	126-92-1	=	=	=	-
Alcohol ethoxylates	68439-46-3	=	=	=	-
Polymer	Proprietary	=	=	=	-
Disodium 2-hydroxyethyliminodi(acetate)	135-37-5	-	-	-	-
Diethylene glycol butyl ether	112-34-5	=	X	=	-
Citric acid	77-92-9	=	=	=	-
Sodium sulfate	7757-82-6	X	=	X	-
Isopropyl alcohol	67-63-0	X	X	X	-
Sodium hydroxide	1310-73-2	X	X	X	Х

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol butyl ether	112-34-5	3% - < 5%			X
Isopropyl alcohol	67-63-0	> 0.1% - < 1%			X
Sodium hydroxide	1310-73-2	> 0.1% - < 1%	1000		

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol butyl ether	X		

SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

<u>Canada</u>

Ingredient(s)	CAS#	NPRI
Diethylene glycol butyl ether	112-34-5	X
Isopropyl alcohol	67-63-0	X

16. OTHER INFORMATION

NFPA Health 3 Flammability 0 Instability 0

Version Number: 1

Preparation date: 2014-09-09

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Heavy Duty Prespray SC 5 of 5