

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

## 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Sewer Solv v.1**
- **Article number:** 100105; 100421; 200421
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Drain Opener.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Theochem Laboratories  
7373 Rowlett Park Drive  
Tampa, FL 33610  
Phone: 813-237-6463
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



flame over circle

Ox. Sol. 2      H272 May intensify fire; oxidiser.



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R35: Causes severe burns.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 1)

- **Hazard pictograms**



GHS03 GHS05

- **Signal word** Danger

- **Hazard-determining components of labelling:**

sodium hydroxide

sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen

- **Hazard statements**

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves / eye protection.

P260 Do not breathe dust.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

- **Hazard description:**

- **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

E - Corrosive material



- **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 3

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 3

Reactivity = 0

- **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1








(Contd. of page 2)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide  C R35  Skin Corr. 1A, H314	50-100%
CAS: 7631-99-4 EINECS: 231-554-3	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen  Xn R22; Xi R36; O R8  Ox. Sol. 2, H272  Eye Irrit. 2, H319	25-50%
CAS: 7429-90-5	Aluminum metal  F R15  Water-react. 1, H260	2,5-10%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Brush off loose particles from skin.  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.  
Seek immediate medical help for blistering or open wounds.
- **After eye contact:**  
Protect unharmed eye.  
Remove contact lenses if worn, if possible.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Strong caustic effect on skin and mucous membranes.  
Gastric or intestinal disorders when ingested.  
Nausea in case of ingestion.  
Coughing

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

**Trade name: Sewer Solv v.1**

(Contd. of page 3)

Cramp

Methaemoglobinaemia

Cyanosis

- **Hazards**

- Danger of gastric perforation.

- Danger of severe eye injury.

- **4.3 Indication of any immediate medical attention and special treatment needed**

- Contains nitrates. Consult literature for specific antidotes.

- If blue colouring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible.

## 5 Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

- **For safety reasons unsuitable extinguishing agents:** None.

- **5.2 Special hazards arising from the substance or mixture**

- During heating or in case of fire poisonous gases are produced.

- May intensify fire; oxidiser.

- **5.3 Advice for firefighters**

- **Protective equipment:**

- Wear self-contained respiratory protective device.

- Wear fully protective suit.

- **Additional information** Eliminate all ignition sources if safe to do so.

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

- For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- Wear protective equipment. Keep unprotected persons away.

- Ensure adequate ventilation

- Product forms slippery surface when combined with water.

- Keep away from ignition sources.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:**

- Pick up mechanically.

- Send for recovery or disposal in suitable receptacles.

- Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.

- Clean the affected area carefully; suitable cleaners are:

- Warm water

- **6.4 Reference to other sections**

- See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 4)

## 7 Handling and storage

### 7.1 Precautions for safe handling

- Store in cool, dry place in tightly closed receptacles.
- Prevent formation of dust.
- Any unavoidable deposit of dust must be regularly removed.
- Use only in well ventilated areas.

### Information about fire - and explosion protection:

- Keep ignition sources away - Do not smoke.
- Substance/product is oxidizing when dry.
- Substance/product can reduce the ignition temperature of flammable substances.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

- Protect from humidity and water.
- Avoid storage near extreme heat, ignition sources or open flame.
- Store only in the original receptacle.
- Unsuitable material for receptacle: glass or ceramic.
- Unsuitable material for receptacle: aluminium.
- Unsuitable material for receptacle: steel.

#### Information about storage in one common storage facility:

- Do not store together with acids.
- Store away from foodstuffs.
- Store away from water.
- Do not store together with textiles.
- Store away from flammable substances.

#### Further information about storage conditions:

- Keep container tightly sealed.
- Store in dry conditions.
- This product is hygroscopic.

### 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

#### 1310-73-2 sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
EL (Canada)	Short-term value: C 2 mg/m <sup>3</sup>

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 5)

**7429-90-5 Aluminum metal**

PEL (USA)	Long-term value: 15*; 15** mg/m <sup>3</sup> *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *Total dust **Respirable fraction
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction
EL (Canada)	Long-term value: 1,0 mg/m <sup>3</sup> metal and insoluble compounds, respirable
EV (Canada)	Long-term value: 5 mg/m <sup>3</sup> aluminium-containing (as aluminium)

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Clean skin thoroughly immediately after handling the product.

- **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 6)

- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Butyl rubber, BR  
Nitrile rubber, NBR  
Neoprene gloves  
PVC gloves

- **Not suitable are gloves made of the following materials:** PVA gloves

- **Eye protection:**

Contact lenses should not be worn.



Safety glasses

- **Body protection:** Alkaline resistant protective clothing
- **Limitation and supervision of exposure into the environment**  
No further relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No further relevant information available.

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Granulate

**Colour:** Red

- **Odour:** Odourless

- **Odour threshold:** Not determined.

- **pH-value at 20 °C:** 12,0 - 14,0 (1% Solution)

- **Change in condition**

**Melting point/Melting range:** Not Determined.

**Boiling point/Boiling range:** Undetermined.

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Auto/Self-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

(Contd. on page 8)





# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 8)

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

### 1310-73-2 sodium hydroxide

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

### 7631-99-4 sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen

Oral	LD50	3236 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Acute effects (acute toxicity, irritation and corrosivity):** Harmful if swallowed.

## 12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** After neutralization a reduction of the harming action may be recognized
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralized.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 9)

- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Waste disposal key:**

EPA RCRA Code (USA) : D002 Corrosive Waste .

Additional RCRA Code: D001 Ignitable Waste .

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## 14 Transport information

- **14.1 UN-Number**

- **DOT, ADR, IMDG, IATA**

UN3084

- **14.2 UN proper shipping name**



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1.0 kg (2.2 lb).

- **DOT**

Corrosive solids, oxidizing, n.o.s. (Sodium Hydroxide, Sodium Nitrate)

- **ADR**

3084 CORROSIVE SOLID, OXIDIZING, N.O.S. (Sodium Hydroxide, Sodium Nitrate)

- **IMDG, IATA**

CORROSIVE SOLID, OXIDIZING, N.O.S. (Sodium Hydroxide, Sodium Nitrate)

- **14.3 Transport hazard class(es)**

- **DOT**



- **Class**

8 Corrosive substances.

(Contd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 10)

· Label 8+5.1

· ADR



· Class 8 (CO2) Corrosive substances.  
· Label 8+5.1

· IMDG, IATA



· Class 8 Corrosive substances.  
· Label 8+5.1  
· 14.4 Packing group  
· DOT, ADR, IMDG, IATA II  
· 14.5 Environmental hazards:  
· Marine pollutant: No  
· 14.6 Special precautions for user Warning: Corrosive substances.  
· Danger code (Kemler): 85  
· EMS Number: F-A,S-Q  
· Segregation groups Alkalis  
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1 kg  
· Transport category 2  
· Tunnel restriction code E  
· UN "Model Regulation": UN3084, CORROSIVE SOLID, OXIDIZING, N.O.S. (Sodium Hydroxide, Sodium Nitrate), 8 (5.1), II

## 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7429-90-5 | Aluminum metal

(Contd. on page 12)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

Trade name: Sewer Solv v.1

(Contd. of page 11)

<ul style="list-style-type: none"> <li>· <b>TSCA (Toxic Substances Control Act):</b></li> </ul>						
All ingredients are listed.						
<ul style="list-style-type: none"> <li>· <b>Proposition 65 (California):</b></li> </ul>						
<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause cancer:</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for females:</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for males:</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause developmental toxicity:</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>Carcinogenic Categories</b></li> </ul>						
<ul style="list-style-type: none"> <li>· <b>EPA (Environmental Protection Agency)</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>IARC (International Agency for Research on Cancer)</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>TLV (Threshold Limit Value established by ACGIH)</b></li> </ul>						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; padding: 2px;">7429-90-5</td> <td style="padding: 2px;">Aluminum metal</td> <td style="width: 10%; padding: 2px; text-align: center;">A4</td> </tr> </table>	7429-90-5	Aluminum metal	A4			
7429-90-5	Aluminum metal	A4				
<ul style="list-style-type: none"> <li>· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>Canada</b></li> </ul>						
<ul style="list-style-type: none"> <li>· <b>Canadian Domestic Substances List (DSL)</b></li> </ul>						
All ingredients are listed.						
<ul style="list-style-type: none"> <li>· <b>Canadian Ingredient Disclosure list (limit 0.1%)</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>Canadian Ingredient Disclosure list (limit 1%)</b></li> </ul>						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; padding: 2px;">1310-73-2</td> <td style="padding: 2px;">sodium hydroxide</td> </tr> <tr> <td style="padding: 2px;">7631-99-4</td> <td style="padding: 2px;">sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen</td> </tr> <tr> <td style="padding: 2px;">7429-90-5</td> <td style="padding: 2px;">Aluminum metal</td> </tr> </table>	1310-73-2	sodium hydroxide	7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen	7429-90-5	Aluminum metal
1310-73-2	sodium hydroxide					
7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen					
7429-90-5	Aluminum metal					
<ul style="list-style-type: none"> <li>· <b>Other regulations, limitations and prohibitive regulations</b></li> </ul>						
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.						
<ul style="list-style-type: none"> <li>· <b>Substances of very high concern (SVHC) according to REACH, Article 57</b></li> </ul>						
None of the ingredients is listed.						
<ul style="list-style-type: none"> <li>· <b>15.2 Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.</li> </ul>						

(Contd. on page 13)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 12.06.2014

Revision: 12.06.2014

<b>Trade name: Sewer Solv v.1</b>
-----------------------------------

(Contd. of page 12)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H260 In contact with water releases flammable gases which may ignite spontaneously.

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

R15 Contact with water liberates extremely flammable gases.

R22 Harmful if swallowed.

R35 Causes severe burns.

R36 Irritating to eyes.

R8 Contact with combustible material may cause fire.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

- **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)