

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 07/01/2014

Supersedes: 01/15/2014

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : AQUA GUARD CHLORINATING LIQUID

Product form : Mixture

1.2. Relevant identified uses of the substance or mixture

Use of the substance/mixture : Pool care

1.3. Details of the supplier of the safety data sheet

KIK Pool Additives Inc.
5160 E. Airport Drive
Ontario, CA 91761
Phone: (909) 390-9912
Fax: (909) 390-9911

1.4. Emergency telephone number

Emergency number : (800) 767-7665 / Transportation Emergency: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A H314

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : **Danger**

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) :

P260 - Do not breathe vapours, mist, spray
P264 - Wash hands thoroughly after handling
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P310 - Immediately call a POISON CENTER or doctor/physician
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 - Wash contaminated clothing before reuse
P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P321 - Specific treatment (see this label)
P501 - Dispose of contents/container to licensed waste handling facility.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Sodium hypochlorite	(CAS No) 7681-52-9	10 - 11
Sodium hydroxide	(CAS No) 1310-73-2	0.3 -0.5

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Get medical advice/attention.
- First-aid measures after ingestion : IF SWALLOWED: Rinse mouth, Do NOT induce vomiting, Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.
- Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.
- Symptoms/injuries after skin contact : Highly corrosive to skin.
- Symptoms/injuries after eye contact : Causes serious eye burns.
- Symptoms/injuries after ingestion : Severe irritation or burns to the mouth, throat, esophagus, and stomach.
- Chronic symptoms : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Flood with plenty of water. Carbon dioxide. Alcohol-resistant foam. Dry powder.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered to be a fire hazard. Substance releases oxygen when heated or reach with some metals, which may increase the severity of an existing fire. Containers may rupture from pressure build-up.
- Explosion hazard : Product is not explosive. Anhydrous sodium hypochlorite is very explosive.
- Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Carefully neutralize spilled liquid, using : sodium sulfite, sodium thiosulfite, or ferrous salt solutions. Dilute with plenty of water. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)	
ACGIH Ceiling (mg/m ³)	2 mg/m ³
OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
OSHA PEL (Ceiling) (mg/m ³)	2 mg/m ³

Sodium hypochlorite (7681-52-9)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

8.2. Exposure controls

Personal protective equipment : Gloves. Protective goggles. Face shield. Protective clothing. Respiratory protection of the dependent type.



Hand protection : Protective gloves made of rubber.

Eye protection : Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection : Corrosionproof clothing.

Respiratory protection : An approved respirator with acid gas cartridges may be worn up to 50 times the permissible exposure limit (PEL). Use n approved organic vapor respirator/supplied air or self-contained breathing apparatus when vapor concentration exceeds applicable exposure limits.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Molecular mass : 74.45 g/mol
Color : Light Yellow.
Odor : Chlorine-like.
Odor Threshold : No data available
pH : 11-12
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : -7 °C
Freezing point : No data available
Boiling point : 103 °C
Flash point : No data available
Self ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 12 - 17 cm Hg. @ 20°C
Relative vapor density at 20 °C : 2.61 Air = 1

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 1.16 - 1.18
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Light. Sparks. Heat. Open flame.

10.5. Incompatible materials

Avoid contact with : Strong acids. ammonia, amines, cyanides, chlorinated isocyanurates, combustibles, detergents, reducing agents, oxidizable materials.

10.6. Hazardous decomposition products

Thermal decomposition generates : Chlorine. Hydrogen Chloride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg
ATE (dermal)	1350.000 mg/kg

Sodium hypochlorite (7681-52-9)	
LD50 oral rat	8200 mg/kg
LD50 dermal rabbit	10000 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12
Serious eye damage/irritation	: Not classified pH: 12
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause headache, nausea and irritation of respiratory tract.
Symptoms/injuries after skin contact	: Highly corrosive to skin.
Symptoms/injuries after eye contact	: Causes serious eye burns.

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after ingestion : Severe irritation or burns to the mouth, throat, esophagus, and stomach.
Chronic symptoms : No data available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life.

12.2. Persistence and degradability

AQUA GUARD CHLORINATING LIQUID	
Persistence and degradability	No information available.

12.3. Bioaccumulative potential

AQUA GUARD CHLORINATING LIQUID	
Bioaccumulative potential	No information available.

12.4. Mobility in soil

AQUA GUARD CHLORINATING LIQUID	
Ecology - soil	No information available.

12.5. Other adverse effects

Other adverse effects : No data available.
Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

Ground (US DOT) : Limited Quantity Exemption: no shipping papers or shippers certification required

Water (IMDG) : UN 1791, Hypochlorite solution, 8, III, Marine Pollutant : Sodium Hypochlorite

Air (IATA) : UN 1791, Hypochlorite solution, 8, III

Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

US DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 26 - Stow "away from" acids

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L
CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

AQUA GUARD CHLORINATING LIQUID	
All chemical substances in this product are listed in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory	

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

AQUA GUARD CHLORINATING LIQUID	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	1000 lb

Sodium hypochlorite (7681-52-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	100 lb

15.2. International regulations

CANADA

Sodium hydroxide (1310-73-2)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

Sodium hypochlorite (7681-52-9)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

EU-Regulations

No additional information available

15.2.2. National regulations

Sodium hydroxide (1310-73-2)	
Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory.	

Sodium hypochlorite (7681-52-9)	
Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory.	

15.3. US State regulations

Sodium hydroxide (1310-73-2)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	

Sodium hypochlorite (7681-52-9)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	

SECTION 16: Other information


Indication of changes : Revision 1.0 – 15 Jan 2014 - New SDS Created.
Other information : Author: AM.

AQUA GUARD CHLORINATING LIQUID

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



HMIS III Rating

Health	: 2
Flammability	: 0
Physical	: 1
Personal Protection	:

This data is offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.