

SAFETY DATA SHEET

SDS0084US ACCORDING TO US CFR 1910.1200

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product Name Trade Name

> CAS No. EINECS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified Use(s) Uses Advised Against
- **1.3 Details of the supplier of the safety data sheet** Company Identification

Telephone Fax E-mail

1.4 Emergency telephone number Info Trac

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

US CFR 1910.1200

2.2 Label elements Product Name Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Additional Information

Other hazards

Precautionary Statement(s)

Smoke Sabre. Smokesabre-01-XXX (XXX denotes customer variant). Mixture. Mixture.

Smoke simulation. None known.

SDi 1345 Campus Parkway, Suite A18 Wall Township, NJ 07753 6815 (732) 751 9266 (732) 751 9241 sales@sdifire.com

1-800-535-5053

Flam. Aerosol 1: Extremely flammable aerosol.

Smoke Sabre.



GHS02 Danger. H222: Extremely flammable aerosol. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Pressurized container: May burst if heated.

None.

2.3



3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

Hazardous Ingredient(s)	CAS No.	%W/W
Butane	106-97-8	50 - 100
Propane	74-98-6	10 – 25
Ethanol	64-17-5	0-5

3.2 Additional Information

None.

4. SECTION 4: FIRST AID MEASURES



- 4.1 Description of first aid measures Inhalation
 - Skin Contact Eye Contact

Ingestion

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurized container: May burst if heated.

5.1 Extinguishing Media Suitable Extinguishing Media

Unsuitable Extinguishing Media

- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash with plenty of water. Flush eyes with water for at least 15 minutes while holding eyelids open. Unlikely route of exposure. None anticipated.

Unlikely to be required but if necessary treat symptomatically.

Extinguish with carbon dioxide, dry chemical, foam or water spray. Do not use water jet. Heating may cause pressure rise with risk of bursting.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to

including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.



6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1	Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Wear suitable gloves and eye/face protection.
6.2	Environmental precautions	Do not release large quantities into the surface water or into drains.
6.3	Methods and material for containment and cleaning up	Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.
6.4	Reference to other sections	See Also Section: 8, 13,

7. SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and
		other ignition sources. No smoking. Do not pierce or burn,
		even after use. Do not spray on a naked flame or any
		incandescent material. Provide adequate ventilation.
		Do not eat, drink or smoke during work. Wash hands
		thoroughly after handling.
7.2	Conditions for safe storage, including any	Observe official regulations on storing packagings with
	incompatibilities	pressurized containers.
	Storage temperature	Pressurized container: May burst if heated. Protect from
		sunlight and do not expose to temperatures exceeding 50
		°C/122 °F.
	Storage life	Stable under normal conditions.
	Incompatible materials	None anticipated.
7.3	Specific end use(s)	Smoke simulation.
	VISION VISION VISION	

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note
Butane	106-97-8	800	1900	-	-	NIOSH
Propane	74-98-6	1000	1800	-	-	NIOSH
		1000	1800	-	-	PEL (OSHA)
Ethanol	64-17-5	1000	1900	-	-	NIOSH
		1000	1900	-	-	PEL (OSHA)

Source:

NIOSH = National Institue of Occupational Safety & Health OSHA = Occupational Safety and Health Administration



- 8.2 Appropriate engineering controls
- 8.3 Individual protection measures, such as personal protective equipment (PPE) Eye/face protection



Skin protection (Hand protection/ Other)





Thermal hazards

Provide adequate ventilation.

If eye contact is likely: Wear protective eyewear (goggles, face shield, or safety glasses).

Wear suitable gloves if prolonged skin contact is likely. Gloves: Nitrile rubber, NBR.

No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment.

Not applicable.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Appearance Color Odor Odor Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash Point **Evaporation Rate** Flammability (solid, gas) Upper/lower flammability or explosive limits Vapor pressure Density Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Ignition temperature Auto-ignition temperature **Decomposition Temperature Kinematic Viscosity** Explosive properties Oxidizing properties Other information Organic solvents - Content
- Aerosol. Colorless. Characteristic. Not determined. Not determined. Not determined. -47.4°F (-44°C) <32°F (<0°C) Not available. Extremely flammable. Explosive Limit Ranges: 1.5 - 15.0 Vol-% 62.4 psig (4.3 bar) @ 68°F 36.2 lb/ft3 (0.58 g/cm3) @ 68°F Not determined. Not determined. Immiscible with water. Not determined. 689°F (365°C) Product is not selfigniting. Not determined. Not determined. Not explosive. Not oxidizing.

96.4%

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

9.2

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition product(s)

Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Heat and direct sunlight. None anticipated. None known.



11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects
- 11.1.1 Mixtures
 - Acute toxicity Irritation Corrosivity Sensitization Repeated dose toxicity Carcinogenicity Mutagenicity Toxicity for reproduction Aspiration hazard
- 11.2 Other information

Low acute toxicity. Non-irritant. Not classified. It is not a skin sensitizer. None anticipated. No evidence of carcinogenicity. There is no evidence of mutagenic potential. None anticipated. None anticipated. None.

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Other adverse effects

Low toxicity to aquatic organisms. The product is readily biodegradable. Unlikely to persist. The product has no potential for bioaccumulation. Immiscible with water. The product is predicted to have low mobility in soil. None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 Additional Information


Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill. Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	
	ADR, IMDG, IATA	UN 1950
14.2	UN proper shipping name	
	ADR	1950 AEROSOLS
	IMDG	AEROSOLS
	IATA	AEROSOLS, Flammable
14.3	Transport hazard class(es)	
	ADR	
	Class / Classification	2 5F Gases
	Label	2.1
	IMDG, IATA	
	Class / Division	2.1
	Label	2.1
14.4	Packing group	
	ADR, IMDG, IATA	None.
14.5	Environmental hazards	
	Marine Pollutant	No.
14.6	Special precautions for user	Warning: Gases.
	Kemler Code	-
	IMDG EMS	F-D, S-U
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	



1L



Limited Quantity (LQ)

ADR Transport Category Tunnel Restriction Code

IMDG Limited Quantity (LQ)



IATA Limited Quantity (LQ)

UN "Model Regulation"

US

UN 1950, AEROSOLS, 2.1 ORM-D when transported in limited quantities (< 30kg or 66lb gross weight).

15. SECTION 15: REGULATORY INFORMATION

15.1 15.1.1	Safety, health and environmental regulations/legislation specific for the substance or mixture OSHA	
	Toxic and hazardous substances (29 CFR 1910; Subpart Z) National emission standards for hazardous air pollutants (40 CFR 61.01)	Listed: Propane (CAS No.: 74-98-6) Listed: Ethanol (CAS No.: 64-17-5) All chemicals are not listed.
15.1.2	Title III Consolidated List of Lists Clean Air Act Section 112(r) Threshold Quantity	Listed: Butane (CAS No.: 106-97-8) Listed: Propane (CAS No.: 74-98-6) 10000
15.1.3	OSPAR List of Chemicals for Priority Action	All chemicals are not listed.
15.1.4	State Right to Know Lists	Butane (CAS No.: 106-97-8): New Jersey, Pennsylvania, Massachusetts, Rhode Island. Propane (CAS No.: 74-98-6): New Jersey, Pennsylvania, Massachusetts. Ethanol (CAS No.: 64-17-5): New Jersey, Pennsylvania, Massachusetts.
15.1.5	TSCA (Toxic Substance Control Act)	All chemicals listed.
	Proposition 65 (California) CAA 602 - Ozone Depleting Substances (ODS)	All chemicals are not listed. All chemicals are not listed.



16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

NFPA		HMIS	
Health	1	Health	1
Fire	4	Flammability	4
Instability	0	Physical hazards	0

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
NIOSH	National Institute for Occupational Safety and Health
PEL	Permissible Exposure Limits
CAA	Clean Air Act
OSHA	Occupational Safety and Health Administration
OSPAR	Oslo and Paris Convention
ADR	Accord européen elative au transport international des marchandises dangereuses par route
	(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association

Disclaimers

The information is based on the best knowledge of SDi and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.