SDS 0630

```
______
          Section 1 -- PRODUCT AND COMPANY IDENTIFICATION
______
                                                     HMIS CODES
PRODUCT NAME
                                                  Health
  Acid-Away For POE
                                                  Flammability
                                                  Reactivity
PRODUCT CODES
                                                  PPI
  45009, 45110
USE
  Compressor Burnout Acid Neutralizer
                                        EMERGENCY TELEPHONE NO.
MANUFACTURER'S NAME
  The RectorSeal Corporation
                                        Chemtrec 24 Hours
  2601 Spenwick Drive
                                        (800)424-9300 USA
  Houston, Texas 77055 USA
                                        (703)527-3887 International
DATE OF VALIDATION
                                        TECHNICAL SERVICE TELEPHONE NO.
  January 23, 2015
                                         (800)231-3345 or (713)263-8001
DATE OF PREPARATION
  October 9, 2014
______
         Section 2 -- HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW
OSHA Hazards
Combustable
TARGET ORGANS
Not Classified
GHS CLASSIFICATION
PHYSICAL HAZARDS
Combustable Liquid (Category 4)
HEALTH HAZARDS
Acute Toxicity
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Skin Sensitization: Not Classified
Respiratory Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: See Section 11
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified
GHS Label elements, including precautionary statements
Pictogram: GHS 07 - Irritant
Signal Word: Warning
Hazard Statements:
H227 - Combustible liquid
H303 - May be harmful if swallowed
H313 - May be harmful in contact with skin.
H320 - Causes eye irritation
H333 - May be harmful if inhaled.
H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.
Precautionary Statements:
P102 - Keep out of reach of children.
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P240 - Ground/Bond container and receiving equipment
```

2/17/2016

```
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P262 - Do not get in eyes, on skin, or on clothing.
P264 - Wash hands thoroughly after handling.
p271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
P304 - IF INHALED: Remove to fresh air.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for 15 minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P307 - IF exposed: get immediate medical attention after first aid is given. .
Remove contact lenses, if present and easy to do. Continue rinsing.
P362 - Take off contaminated clothing and wash before reuse.
P370 + P378 - In case of fire: Use water fog, CO2, foam or dry chemicals to extinguish.
P381 - Eliminate all ignition sources if safe to do so.
P390 - Absorb spillage to prevent material damage.
P401 - Store in a cool, well ventilated area. Keep container upright and tightly closed.
Do not reuse empty container.
EUH066 - Repeated exposure may cause skin dryness or cracking
Precautionary Statements - EU No. 1272/2008
______
SUMMARY OF ACUTE HAZARDS
  Repeated inhalation may cause dizziness and nausea. Ingestion may cause
  cramps and diarrhea.
ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION
  Upper respiratory tract irritation and dizziness.
EYE CONTACT
  Irritation, watering may occur.
SKIN CONTACT
  Frequent or prolonged contact may irritate and cause dermatitis.
INGESTION
  May cause nausea, vomiting and gastro-intestinal irritation.
SUMMARY OF CHRONIC HAZARDS
  Prolonged skin contact may result in irritation and dermatitis.
  Prolonged eye contact may result in irritation or chemical burns.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE
  Individuals with pre-existing or chronic diseases of the eyes, skin
  or persons with chemical sensitivity may have increased susceptibility to
  excessive exposures.
______
         Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS
______
INGREDIENT: Polyol Ester Oil
PERCENTAGE BY WEIGHT: >98
CAS NUMBER: 131459-39-7
EC# : No Data
______
        Section 4 -- FIRST AID MEASURES
______
  If INHALED:
                If overcome by exposure, remove victim to fresh air
                immediately. Give oxygen or artificial respiration as
                needed. Obtain emergency medical attention. Prompt action
                is essential.
  If on SKIN:
                Wash with soap and water. Remove contaminated clothing.
                If irritation occurs, seek medical attention.
  If in EYES:
                Flush with large amounts of water for at least 15 minutes.
                Get medical attention if irritation persists.
  If SWALLOWED:
                If swallowed, call a physician immediately. Only induce
                vomiting at the instruction of a physician. Never give
                anything by mouth to an unconscious person.
______
       Section 5 -- FIRE FIGHTING MEASURES
```

EXTINGUSING MEDIA Foam, dry chemical, carbon dioxide or water fog. SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10). UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible - moderate flash point. Heat may build up pressure and rupture closed containers. ______ Section 6 -- ACCIDENTAL RELEASE MEASURES ______ STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup. ______ Section 7 -- HANDLING AND STORAGE ______ PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames. OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers. KEEP OUT OF REACH OF CHILDREN. ______ Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION INGREDIENT UNITS Polyol Ester Oil ACGIH TLV 5 mg/m3 OSHA PEL 5 mg/m3 ______ RESPIRATORY PROTECTION (SPECIFY TYPE): In confined poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air purifying or supplied air respirators. VENTILATION - LOCAL EXHAUST: Acceptable SPECIAL: Explosion-proof equipment MECHANICAL (GENERAL): Preferable OTHER: N/A PROTECTIVE GLOVES: Rubber or neoprene EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent) OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended. WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse. ______ Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES ______ BOILING POINT: 320 F (160 C) @ 760mm Hg SPECIFIC GRAVITY (H20 = 1): 0.9 VAPOR PRESSURE (mm Hq): <5 @ 68 F (20 C) MELTING POINT: VAPOR DENSITY (AIR = 1): EVAPORATION RATE (ETHYL ACETATE = 1): <1 APPEARANCE/ODOR: Pale Yellow Oil/Petroleum Odor SOLUBILITY IN WATER: Insoluble VOC LEVEL: <10 g/L per SCAQMD Test Method 316A Flash POINT >148 F (64 C) SETA CC LOWER EXPLOSION LIMIT N/D UPPER EXPLOSION LIMIT N/D ______ Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable

2/17/2016

CONDITIONS TO AVOID: Heat, sparks, open flames, and strong oxidizing conditions. INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen and strong oxidizing materials. HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons. HAZARDOUS POLYMERIZATION: Will not occur. ______ Section 11 -- TOXICOLOGY INFORMATION CHRONIC HEALTH HAZARDS No ingredient in this product is an IARC, NTP or OSHA listed carcinogen. ______ TOXICOLOGY DATA Ingredient Name ______ Polyol Ester Oil LD50: N/D Oral-Rat Inhalation-Rat LC50: N/D ______ Section 12 -- Ecological Information ECOLOGICAL DATA Ingredient Name -----Polyol Ester Oil Food Chain Concentration Potential WATERFOWL TOXICITY N/D BOD N/D AQUATIC TOXICITY N/D ______ Section 13 -- DISPOSAL CONSIDERATIONS ______ Waste Classification: Non-regulated waste oil Disposal Method: Used oil recycler Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State, and Local regulation regarding pollution. ______ Section 14 -- TRANSPORTATION INFORMATION ______ Non-Regulated OCEAN (IMDG): Non-Regulated
AIR (IATA): Non-Regulated ADR: Non-Regulated RID: Non-Regulated ADN: Non-Regulated Section 15 -- REGULATORY INFORMATION ______ REGULATORY DATA Ingredient Name ______ Polvol Ester Oil SARA 313 No TSCA Inventory Yes CERCLA RQ N/A RCRA Code N/A ______ Section 16 -- OTHER INFORMATION This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001

2/17/2016