Namco Mfg., Inc, 1651 Blalock Rd. Houston, TX 77080

Safety Data Sheet

Issue Date: 04-Mar-2009 Revision Date: 15-Apr-2014 Version 1

1. IDENTIFICATION

Product Identifier FAST DRY CARPET SHAMPOO & RINSE

Product Name

Other means of identification

SDS#

5001

Product Code

#5001

Recommended use of the chemical and restrictions on use

Recommended Use

Synthetic detergent.

Details of the supplier of the safety data sheet

Supplier Address

Namco Mfg. Inc. 1651 Blalock Rd. Houston, TX 77080

Emergency Telephone Number

Company Phone Number 1-800-634-5816 Emergency Telephone (24 hr) 1-800-634-5816

2. HAZARDS IDENTIFICATION

Appearance Golden brown liquid Physical State Liquid Odor Pine

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Pine oil	8002-09-3	Proprietary
Isopropyl alcohol	67-63-0	Proprietary
Ethyl Alcohol	64-17-5	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air.

Ingestion Drink large quantities of raw egg white or water. Do not induce vomiting.

Most important symptoms and effects

Symptoms Not determined.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Possible mucosal damage may contraindicate the use of gastric

lavage. Measures against circulatory shock, as well as oxygen, and measures to support

Revision Date: 15-Apr-2014

breathing manually or mechanically may be needed.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Remove all sources of ignition.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Dispose of in accordance with federal, state and local regulations.

Revision Date: 15-Apr-2014

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

heat.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not contaminate

food or feed stuffs.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	_

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection.

Skin and Body Protection Wear suitable gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Golden brown liquid Odor Pine

Color Golden brown Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 8

Melting Point/Freezing Point Not available

D. 11. D. 14. D. 11. D.

Revision Date: 15-Apr-2014

Boiling Point/Boiling Range Not available Flash Point None

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
None
Lower Flammability Limit
None

Vapor PressureNot determinedVapor DensityNot available

Specific Gravity 0.984 (1=Water)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Pine oil	= 3200 mg/kg (Rat)	= 5 g/kg (Rabbit)	-
8002-09-3	, ,	, , ,	

Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat)4 h
Trade Secret	-	= 1800 μL/kg (Rabbit)	-
Trade Secret	= 84 mg/kg (Rat)	-	-
Trade Secret	= 426 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h

Revision Date: 15-Apr-2014

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X
Ethyl Alcohol 64-17-5	A3	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Pine oil 8002-09-3				17 - 28: 48 h Daphnia magna mg/L EC50 Flow through
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Revision Date: 15-Apr-2014

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Trade Secret		Included in waste stream:		
		K060		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	Ignitable
Ethyl Alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	Proprietary	1.0

Revision Date: 15-Apr-2014

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Pine oil	X		
8002-09-3			
Isopropyl alcohol	X	X	X
67-63-0			
Ethyl Alcohol	X	X	X
64-17-5			

16. OTHER INFORMATION

Health Hazards Special Hazards NFPA **Flammability** Instability Not determined Not determined Not determined Not determined **Personal Protection HMIS Health Hazards Physical Hazards Flammability** Not determined

Issue Date: 04-Mar-2009 15-Apr-2014 **Revision Date: Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

FAST DRY CARPET SAMPOO & RINSE Revision Date: 15-Apr-2014