

# **Safety Data Sheet**

Issue Date: 06-Mar-2009 Revision Date: 09-Dec-2013 Version 1

## 1. IDENTIFICATION

Product Identifier
Product Name

PET CARPET SHAMPOO W/ ENZYMES

Other means of identification

SDS#

5019

**Product Code** 

Recommended use of the chemical and restrictions on use

**Recommended Use** 

Carpet Cleaner.

Details of the supplier of the safety data sheet

**Supplier Address** 

Namco Mfg. Inc. 1651 Blalock Rd. Houston, TX 77080

**Emergency Telephone Number** 

1-800-634-5816

Company Phone Number Emergency Telephone (24 hr)

1-800-634-5816

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid Odor No odor

## Classification

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2

## **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed Causes mild skin irritation

# Signal Word Warning

## **Hazard Statements**

Harmful in contact with skin Harmful if inhaled Causes serious eye irritation



Revision Date: 09-Dec-2013

## **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

#### **Unknown Acute Toxicity**

11.3% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium lauryl sulfate	151-21-3	Proprietary
Sodium xylenesulfonate	1300-72-7	Proprietary
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eve irritation persists: Get medical advice/attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician. Wash contaminated clothing before reuse.

**Inhalation** Remove to fresh air.

Induce vomiting, but only if victim is fully conscious. Call a poison center or doctor/physician

if you feel unwell.

## Most important symptoms and effects

**Symptoms** May cause skin and eye irritation.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Revision Date: 09-Dec-2013

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

None known.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Soak up with inert absorbent material. Place in appropriate containers for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid

breathing vapors or mists. Use only in well-ventilated areas.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 09-Dec-2013

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	

#### **Appropriate engineering controls**

**Engineering Controls** Local exhaust ventilation recommended.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Risk of contact: Wear approved safety goggles.

**Skin and Body Protection** Suitable protective clothing.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Wash contaminated clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear liquidOdorNo odorColorClearOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7

Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
None
Not available
None
None
None

Vapor Pressure Not determined Vapor Density Not available

Specific Gravity 0.93 (1=Water)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

Revision Date: 09-Dec-2013

#### Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

## **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Harmful in contact with skin. Causes mild skin irritation.

**Inhalation** Harmful if inhaled.

**Ingestion** May be harmful if swallowed.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium lauryl sulfate 151-21-3	= 1288 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m <sup>3</sup> (Rat)1 h
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

Revision Date: 09-Dec-2013

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)
Group 3 IARC components are "not classifiable as human carcinogens"

## **Numerical measures of toxicity**

Not determined

**Unknown Acute Toxicity** 

11.3% of the mixture consists of ingredient(s) of unknown toxicity.

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium lauryl sulfate	53: 72 h Desmodesmus	8 - 12.5: 96 h Pimephales		1.8: 48 h Daphnia magna
151-21-3	subspicatus mg/L EC50 30 -	promelas mg/L LC50 static		mg/L EC50
	100: 96 h Desmodesmus	15 - 18.9: 96 h Pimephales		_
	subspicatus mg/L EC50 117:	promelas mg/L LC50 static		
	96 h Pseudokirchneriella	22.1 - 22.8: 96 h Pimephales		
	subcapitata mg/L EC50 3.59	promelas mg/L LC50 static		
	- 15.6: 96 h	4.3 - 8.5: 96 h Oncorhynchus		
	Pseudokirchneriella	mykiss mg/L LC50 static		
	subcapitata mg/L EC50	4.62: 96 h Oncorhynchus		
	static	mykiss mg/L LC50		
		flow-through 4.2: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 7.97: 96 h Brachydanio		
		rerio mg/L LC50 flow-through		
		9.9 - 20.1: 96 h Brachydanio		
		rerio mg/L LC50 semi-static		
		4.06 - 5.75: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 4.2 - 4.8: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 4.5: 96 h		
		Lepomis macrochirus mg/L		
		LC50 5.8 - 7.5: 96 h		
		Pimephales promelas mg/L		
		LC50 static 10.2 - 22.5: 96 h		
		Pimephales promelas mg/L		
		LC50 semi-static 6.2 - 9.6:		
		96 h Pimephales promelas		
		mg/L LC50 13.5 - 18.3: 96 h		
		Poecilia reticulata mg/L		
		LC50 semi-static 10.8 - 16.6:		
		96 h Poecilia reticulata mg/L		
		LC50 static 1.31: 96 h		
		Cyprinus carpio mg/L LC50		
		semi-static		
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
Ether		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
111-76-2		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50

Persistence/Degradability

Not determined.

#### Bioaccumulation

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Sodium lauryl sulfate 151-21-3	1.6
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Revision Date: 09-Dec-2013

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods** 

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

**IMDG** 

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

## International Inventories

Not determined

## US Federal Regulations

# **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0

## **US State Regulations**

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether	X	X	X
111-76-2			

Revision Date: 09-Dec-2013

# **16. OTHER INFORMATION**

**Health Hazards** NFPA

Not determined **Health Hazards** 

Flammability Not determined **Flammability** 

Instability Not determined **Physical Hazards** 

**Special Hazards** Not determined **Personal Protection** Not determined

**Issue Date:** 06-Mar-2009 **Revision Date:** 09-Dec-2013 **Revision Note:** New format

## **Disclaimer**

**HMIS** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**