

# **Safety Data Sheet**

Issue date 12-Aug-2015 Version 1

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name CHAMPION'S CHOICE D-LIMONENE DEGREASER

Chemical name 7-8109-1

Other means of identification

Product code FG 438-5350-5 Synonyms Degreaser

Recommended use of the chemical and restrictions on use

**Recommended Use** Removes grease, tar, oil, grime, adhesives, stickers, gum, printers ink, wet paint, most

graffiti, and other oil-based contaminants.

Uses advised against Do not use on asphalt tile. Test on small area before using on plexiglass and plastic

surfaces.

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressChase Products Co.Chase Products Co.2727 Gardner Road2727 Gardner RoadBroadview, IL 60155Broadview, IL 60155708-273-1121708-273-1121

**Emergency Telephone Number** 

**Company Phone Number** 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

# 2. Hazards Identification

#### Classification

Skin corrosion/irritation	Category 2
Skin sensitization	Category 1
Gases Under Pressure	Compressed Gas

# **Label Elements**

#### **EMERGENCY OVERVIEW**

#### Warning

#### hazard statements

CAUSES SKIN IRRITATION

May cause an allergic skin reaction

Contains gas under pressure; may explode if heated



Appearance Hazy liquid Physical State Aerosol Odor Citrus odor

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Avoid breathing fumes, mist, vapors or spray.

Contaminated work clothing should not be allowed out of the workplace

## **Precautionary Statements - Response**

Specific treatment: See additional cautionary statements on this label.

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

# **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

#### Other Information

· Toxic to aquatic life with long lasting effects

11.7% of the mixture consists of ingredient(s) of unknown toxicity

# 3. Composition/information on Ingredients

**Common Name** Spot and stain remover.

Synonyms Degreaser.
Chemical Family MIXTURES.
Formula 7-8109-1

**Chemical nature** Aqueous solution of surfactants and solvents.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	75-80	*
ME80	NONE	5-10	WPS1182959
D-Limonene	5989-27-5	5-10	*
2-Butoxyethanol	111-76-2	1-5	*
Nitrogen	7727-37-9	<1	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First aid measures

# **FIRST AID MEASURES**

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

**INGESTION** Ingestion from an aerosol product is unlikely to occur. If swallowed, do not induce vomiting:

seek medical advice immediately and show this container or label.

# Most important symptoms and effects, both acute and delayed

**Symptoms** Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation. Over inhalation of vapor or mist may cause anesthetic effects, headaches, dizziness and nausea. Chronic: 2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage. D-limonene may cause

allergic skin reactions.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

# 5. Fire-fighting measures

## Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

# **Explosion data**

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use in a well-ventilated area ONLY. WHEN USING INDOORS, KEEP WINDOWS AND

DOORS OPEN UNTIL FUMES DISSIPATE.

For emergency responders Remove all sources of ignition.

Environmental Precautions

Environmental Precautions Contains d-limonene which is consider as marine pollutant by DOT. See Section 12 for

additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

# 7. Handling and Storage

Precautions for safe handling

Advice on safe handling Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

**AEROSOL STORAGE LEVEL I (NFPA-30B).** 

**Incompatible Materials** Avoid heat, open flame and contact with strong oxidizers.

# 8. Exposure Controls/Personal Protection

#### Control parameters

See occupational exposure limits listed below. **Exposure guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

## **Appropriate engineering controls**

**Engineering controls** Use with adequate general or local exhaust ventilation.

# Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Rubber, vinyl or household type gloves required.

Use in a well-ventilated area ONLY. None required if used in a well-ventilated area. Follow Respiratory protection

label directions for correct use of the product..

Wash hands thoroughly after handling. Wash contaminated clothing before reuse. General hygiene considerations

# 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Physical State** Aerosol

**Appearance** Hazy liquid Odor Citrus odor

Color Hazy Odor threshold No information available

Remarks • Method **Property** <u>Values</u> pН 10.45 No information available Not applicable Melting point/freezing point No information available Water 212 °F/100 °C Boiling point/boiling range No information available Not applicable. This is an aerosol **Flash Point** No information available

product for which Flame Projection is 0 in. with 0 in flashback. This product is similar in composition to another product which was tested for Enclosed Space Ignition Test. Since that product

is not a flammable aerosol, as defined on 29CFR 1910.122 appendix B3, this

product is also considered as

non-flammable.

Faster than butyl acetate **Evaporation Rate** Flammability (solid, gas)

Flammability Limits in Air Upper flammability limits

Not available Lower Flammability Limit Not available

No information available

No information available

No information available

Vapor pressureNo information availableVapor DensityNo information availableRelative Density0.990 concentrateNo information available

Water solubility Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available

Dynamic viscosity

No information available

**Explosive properties**No information available **Oxidizing properties**No information available

**Other Information** 

Softening point No information available Molecular weight No information available

**VOC content (%) Density**10.0%
8.25 lb/gal

Bulk Density

No information available

# 10. Stability and Reactivity

Reactivity

Not applicable Not applicable

**Chemical stability** 

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

**Conditions to Avoid** 

Temperatures above 122 °F (50 °C).

**Incompatible Materials** 

Avoid heat, open flame and contact with strong oxidizers.

**Hazardous decomposition products** 

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

# 11. Toxicological Information

## Information on likely routes of exposure

Product Information Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but

consider unlikely).

inhalation Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea

**Eye Contact** Can cause irritation after contact with eyes.

**Skin contact** May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

D-limonene may cause allergic skin reactions. Frequent or wide spread contact may result

on skin absorption of potentially harmful amounts.

**INGESTION** This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red

blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			

D-Limonene 5989-27-5	= 4400 mg/kg ( Rat )	> 5 g/kg(Rabbit)	-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h

# Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

D-limonene may cause allergic skin reactions. Frequent or wide spread contact may result

on skin absorption of potentially harmful amounts.

Serious eye damage/eye irritation

corrosivity sensitization

Irritating to eyes. Not applicable.

May cause sensitization of susceptible persons.

**Germ Cell Mutagenicity** 

carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Exposure to d-limonene has been found to cause kidney damage in male rats. The mechanism by which this toxicity occurs is specific to the male rat and the kidney effects

are not expected to occur in humans.

Chemical name	ACGIH	IARC	NTP	OSHA
D-Limonene		Group 2A		X
5989-27-5		Group 3		

**Reproductive Toxicity** D-limonene has been shown to cause harm to the fetus in laboratory animal studies. Harm

to the fetus occurs only at exposure levels that harm the pregnant animal. The relevance of

these findings to humans is uncertain.

STOT - single exposure STOT - repeated exposure

No information available.

No information available.

5101 - repeated exposure No information available.

Aspiration Hazard Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

### Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 11.7% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 14489 mg/kg
ATEmix (dermal) 25745 mg/kg
ATEmix (inhalation-gas) 30800 mg/l
ATEmix (inhalation-dust/mist) 66 mg/l
ATEmix (inhalation-vapor) 19800 mg/l

# 12. Ecological Information

This product contains a chemical which is listed as a marine pollutant according to DOT.

### ecotoxicity

11.7% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
D-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50		
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis		1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L

	macrochirus mg/L LC50	EC50

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
111-76-2	

Other adverse effects No information available

# 13. Disposal Considerations

#### Waste treatment methods

**Disposal of wastes**Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
D-Limonene	Toxic
5989-27-5	

# 14. Transport Information

**DOT** Limited quantity (LQ) Degreaser

**UN/ID no** UN1950

Proper Shipping Name Limited quantity (LQ)

Hazard Class 2.2

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT.

# 15. Regulatory information

## **International Inventories**

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.
All ingredients are listed or are excluded from listing on the DSL.

Legend:

DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and

distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
2-Butoxyethanol 111-76-2	X	X	X
Nitrogen 7727-37-9	X	X	Х

#### U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information					
NFPA	Health Hazards 2	Flammability 1	Instability 1	Physical and chemical properties Not applicable	
<u>HMIS</u>	Health Hazards 2	Flammability 2	Physical Hazards 1	Personal Protection B - Eyes and hands protection	

Prepared by Regulatory Department

**Issue date** 12-Aug-2015

Revision note

This SDS supersedes a previous MSDS dated August 31, 2010.

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**