

# SAFETY DATA SHEET

Issuing date No data available Revision Date 14-Oct-2014 Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name 201215838- LIQUID LAUNDRY DETERGENT

Other means of identification

Product code 201215838 Synonyms None

Recommended use of the chemical

and restrictions on use

Recommended Use Laundry detergent liquid for clothes washing machines.

**Uses advised against** Follow label instructions. Not recommended for any use except intended use.

Supplier's details
Supplier Address

Sun Products Corporate Office

60 Danbury Road Wilton, CT 06897 USA

Emergency telephone number

Company Phone Number Gene

**Company Emergency Phone** 

Number

Emergency telephone

General - 1-800-776-6702 (Monday – Friday, 8:30AM to 6:00PM EST)

Prosar: 1-800-565-5597 (24 hours)

Chemtrec (US/CA) 1-800-424-9300 (24 hour) Poison Control 1-800-222-1222 (24 hour)

## 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A

GHS Label elements, including precautionary statements

**Emergency Overview** 

Danger

**Hazard Statements** 

May cause cancer



Appearance CLEAR LIQUID

Physical state liquid

Odor Fresh

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information

5.73803% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
C12-C15 Alcohol Ethoxylate	68131-39-5	10 - 30	*
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS	68081-81-2	1 - 10	*
Ethyl alcohol	64-17-5	1 - 10	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact**Consult a physician if necessary. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Toxic - Inhalation** Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer

artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce

vomiting.

**Protection of First-aiders**Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Hazardous Combustion** 

No information available.

**Products** 

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover

powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to

properly labeled containers.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove

and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not

eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Packaging material Keep consumer product in packaging product is initially sold in.

**Incompatible products**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-
TRIETHANOLAMINE	TWA: 5 mg/m <sup>3</sup>		
102-71-6	-		
Subtilisin	Ceiling: 0.00006 mg/m³ as	(vacated) STEL: 0.00006 mg/m <sup>3</sup>	STEL: 0.00006 mg/m <sup>3</sup> 60 min
9014-01-1	crystalline active enzyme	60 min	Subtilisins

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and body protection** No special protective equipment required.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures** Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Physical state liquid

Appearance CLEAR LIQUID Odor Fresh

Color blue Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

**pH** 7.800 pH

Melting pointNo information availableBoiling point/boiling range> 212 °C / 414 °FFlash PointNo information availableEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability (solid, gas)
Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

VISCOSITY - 70F

Specific Gravity 1.056 SPECIFIC GRAVITY - 20C

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient: n-octanol/waterNo information available
Autoignition temperature

No information available
Pecomposition temperature
No information available
No information available

Viscosity, kinematic 600.000 cps

Viscosity, dynamicNo information availableExplosive propertiesNo information availableOxidizing PropertiesNo information available

Other information

Softening point
Molecular weight
VOC Content(%)
Density VALUE
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Toxic - Inhalation** There is no data available for this product.

**Eye contact** There is no data available for this product.

**Skin contact** There is no data available for this product.

**Ingestion** There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
C12-C15 Alcohol Ethoxylate 68131-39-5	= 2 g/kg (Rat)	2 g/kg ( Rabbit )	
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS 68081-81-2	1000 mg/kg ( Rat )	1000 mg/kg ( Rabbit )	
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat) 4 h

### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.SensitizationNo information available.Germ Cell MutagenicityNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	X
64-17-5		·		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity
Developmental Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse liver effects. Contains a known or

suspected reproductive toxin.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin.

**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

Unknown acute toxicity 5.73803% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 6415 mg/kg ATEmix (dermal) 7081 mg/kg

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0.02369% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
SODIUM CITRATE		18000 - 32000: 96 h Poecilia	5600 - 10000: 48 h Daphnia magna
68-04-2		reticulata mg/L LC50	mg/L EC50
Ethyl alcohol		100: 96 h Pimephales promelas	2: 48 h Daphnia magna mg/L EC50
64-17-5		mg/L LC50 static 12.0 - 16.0: 96 h	Static 9268 - 14221: 48 h Daphnia
		Oncorhynchus mykiss mL/L LC50	magna mg/L LC50
		static 13400 - 15100: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through	
TRIETHANOLAMINE	169: 96 h Desmodesmus	10600 - 13000: 96 h Pimephales	
102-71-6	subspicatus mg/L EC50 216: 72 h	promelas mg/L LC50 flow-through	
	Desmodesmus subspicatus mg/L	450 - 1000: 96 h Lepomis	
	EC50	macrochirus mg/L LC50 static 1000:	
		96 h Pimephales promelas mg/L	
		LC50 static	

DISODIUM DISTYRYLBIPHENYL DISULFONATE 27344-41-8	10: 72 h Desmodesmus subspicatus mg/L EC50 10.0 - 11.0: 96 h Desmodesmus subspicatus mg/L EC50	76: 96 h Brachydanio rerio mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50
Calcium chloride 10043-52-4		10650: 96 h Lepomis macrochirus mg/L LC50 static	2400: 48 h Daphnia magna mg/L LC50
Sodium Chloride 7647-14-5		5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50 340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static
Sodium Sulfate 7757-82-6		13500: 96 h Lepomis macrochirus mg/L LC50 3040 - 4380: 96 h Lepomis macrochirus mg/L LC50 static 6800: 96 h Pimephales promelas mg/L LC50 static 13500 - 14500: 96 h Pimephales promelas mg/L LC50	2564: 48 h Daphnia magna mg/L EC50
POTASSIUM CHLORIDE 7447-40-7	2500: 72 h Desmodesmus subspicatus mg/L EC50	750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50 static	825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna mg/L EC50 Static
Sodium nitrite 7632-00-0		0.092 - 0.13: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.19: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.4 - 0.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.65 - 1: 96 h Oncorhynchus mykiss mg/L LC50 static 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 20: 96 h Pimephales promelas mg/L LC50 static	
5-Chloro-2-Methyl-4 Isothiazolin-3-One 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static
Magnesium Chloride 7786-30-3	2200: 72 h Desmodesmus subspicatus mg/L EC50	1970 - 3880: 96 h Pimephales promelas mg/L LC50 static	140: 48 h Daphnia magna mg/L EC50 Static

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
C12-C15 Alcohol Ethoxylate	-
68131-39-5	
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM	-
SALTS	
68081-81-2	
Ethyl alcohol	-0.32
64-17-5	

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
C12-C15 Alcohol Ethoxylate 68131-39-5	-
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS 68081-81-2	-
Ethyl alcohol 64-17-5	Toxic Ignitable

## 14. TRANSPORT INFORMATION

Not regulated DOT TDG Not regulated Not regulated MEX Not regulated **ICAO** Not regulated IATA **IMDG** Not regulated RID Not regulated Not regulated ADR ADN Not regulated

## **15. REGULATORY INFORMATION**

### **International Inventories**

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

### **U.S. State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
Ethyl alcohol - 64-17-5	Carcinogen	
· ·	Developmental	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol	X	X	X
64-17-5			

## **U.S. EPA Label information**

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION

hazards -

HMIS Health hazard 0 Flammability 0 Physical Hazard 0 Personal protection X

Prepared By Sun Products Corporation

Regulatory Affairs

Revision Date 14-Oct-2014 Revision Note

No information available

**Disclaimer** 

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Sun Products Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Sun Products Corporation assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**