

Version 1.0

Revision Date 04/28/2015

Print Date 07/31/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	CLEAN STONE PLUS POLISH Z
Material number	:	ZUCSPOL19
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	pleasant

GHS Classification

Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Potential Health Effects



Version 1.0	Revision Date 04/28/2015	Print Date 07/31/2015	
Carcinogenicity:			
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.		
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.		
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.		
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propan-2-ol	67-63-0	>= 1 - < 5
butane	106-97-8	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.	
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. 	
In case of skin contact	 Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. If on clothes, remove clothes. 	
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes. 	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. 	



Version 1.0

Revision Date 04/28/2015

Print Date 07/31/2015

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam Water spray jet	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wat courses.	er
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Silicon oxides	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local	
	circumstances and the surrounding environment.	
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Use personal protective equipment.
Environmental precautions	 Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Neutralise with acid.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
-------------------------	---



Version 1.0 Revision Date 04/28/2015		Print Date 07/31/2015
	Always replace cap after use. Do not breathe vapours or spray mist. Provide sufficient air exchange and/or Avoid contact with skin and eyes. Take precautionary measures against Avoid exposure - obtain special instruct	exhaust in work rooms. static discharges.
Conditions for safe storage	: BEWARE: Aerosol is pressurized. Kee exposure and temperatures over 50 °C or throw into fire even after use. Do no red-hot objects. Observe label precautions. Keep in a dry, cool and well-ventilated Electrical installations / working materi the technological safety standards.	C. Do not open by force ot spray on flames or place.
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Components with workplace control parameters

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust



Version 1.0	Revision Date 04/28/2015	Print Date 07/31/2015
	ventilation is provided or exposure a that exposures are within recomment	
Hand protection		
Remarks	: The suitability for a specific workplac with the producers of the protective	
Eye protection	: Ensure that eyewash stations and surface the workstation location. Tightly fitting safety goggles	afety showers are close to
Skin and body protection	: impervious clothing Choose body protection according to concentration of the dangerous subs	
Hygiene measures	: Wash hands before breaks and at the When using do not smoke. When using do not eat or drink.	ne end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	white
Odour	:	pleasant
Odour Threshold	:	no data available
рН	:	10 - 11
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	
		no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	The product is not flammable.
linner evelopien limit		
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	0.985 g/cm3
Solubility(ies)		
Water solubility	:	no data available
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		

SAFETY DATA SHEET



CLEAN STONE PLUS POLISH Z

Version 1.0	Revision Date 04/28/2015	Print Date 07/31/2015

Viscosity, kinematic Heat of combustion : no data available : 3.85 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
propan-2-ol: Acute oral toxicity	:	LD50 Oral rat: 4,396 mg/kg Method: Calculation method
butane: Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 1,355 mg/l
Skin corrosion/irritation		
no data available		
Serious eye damage/eye irritation	l	
no data available		



Version 1.0

Revision Date 04/28/2015

Print Date 07/31/2015

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

propan-2-ol: butane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available **Bioaccumulative potential**

Product:

Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
no data available	
Other adverse effects	

no data available



Version 1.0	Revision Date 04/28/2015	Print Date 07/31/2015
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act



Version 1.0

Revision Date 04/28/2015

Print Date 07/31/2015

CERCLA Reportable Quantity

	Tablo Quantity		1	
Components		CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite		7632-00-0	100	*
*: Calculated R	Q exceeds reasona	ably attainable upper	limit.	
SARA 304 Extr	emely Hazardous	s Substances Repo	rtable Quantity	
This material do	pes not contain any	components with a	section 304 EHS	RQ.
SARA 311/312	Hazards : S	Sudden Release of P	ressure Hazard	
SARA 302		SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	c t	SARA 313: This mate components with kno hreshold (De Minimis ītle III, Section 313.	wn CAS numbers	
California Proj		VARNING! This prod State of California to		emical known to the
	acetaldehyde			75-07-0
	2,2'-iminodiethan			11-42-2
	S	VARNING: This prod State of California to arm.		emical known to the s or other reproductive
	methanol			67-56-1
The componer	its of this produc	t are reported in the	e following inven	tories:
TSCA DSL	This prod	Inventory uct contains the follo DSL nor NDSL.	wing components	that are not on the
AICS	Not in compliance with the inventory			

NZIOCNot in compliance with the inventoryPICCSNot in compliance with the inventory

IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 04/28/2015

Print Date 07/31/2015





OSHA GHS Label Information:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.