

| | = | |
|------------------------|------------------------------------|-----------------------|
| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
| SECTION 1. PRODUCT ANI | D COMPANY IDENTIFICATION | |
| Material name | : Enforcer(R) Instant Knockdown Wa | asp & Hornet Killer |
| EPA ID Number: | 40849-77 | |

| Material number | : | 0000000001045839 |
|----------------------------|------|---|
| Manufacturer or supplier's | deta | ails |
| Company | : | Zep Commercial Sales & Service, a unit of Zep, Inc. |
| Address | : | 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318 |
| Telephone | : | 404-352-1680 |

Emergency telephone numbers

| For SDS Information | : | Compliance Services 1-877-428-9937 |
|-------------------------|---|--|
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency | | In the District of Columbia 202-483-7616 |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Aerosol containing a compressed gas |
|------------|-------------------------------------|
| Colour | clear, white |
| Odour | slight, characteristic |

GHS Classification

| Flammable aerosols Gases under pressure | : Category 1 : Compressed gas |
|--|---|
| GHS Label element | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | : H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. |
| Precautionary statements | Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. Storage: |



| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
|--------------------------|---|-----------------------|
| | P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. | |
| Potential Health Effects | | |
| Carcinogenicity: | | |
| IARC | No component of this product present equal to 0.1% is identified as probable, human carcinogen by IARC. | - |
| ACGIH | No component of this product present equal to 0.1% is identified as a carcino carcinogen by ACGIH. | 5 |
| OSHA | OSHA specifically regulated carcinoge 1006242_A00437 BATCH WASP & HORNET KILLER IIb | n |
| NTP | No component of this product present equal to 0.1% is identified as a known by NTP. | - |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Chemical Name | CAS-No. | Concentration [%] |
|----------------|----------|-------------------|
| carbon dioxide | 124-38-9 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

| General advice | : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|--|
| lf inhaled | If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. Move to fresh air. |
| In case of skin contact | Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. If symptoms persist, call a physician. Wash off immediately with plenty of water for at least 15 minutes. |
| In case of eye contact | Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes. |
| If swallowed | : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. |



| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
|------------------------------|--|-----------------------|
| | If symptoms persist, call a physician. DO NOT induce vomiting unless direc physician or poison control center. | ted to do so by a |
| SECTION 5. FIREFIGHTING MEAS | SURES | |
| Suitable extinguishing media | : Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet | |

| Unsuitable extinguishing media | : High volume water jet |
|---|--|
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Carbon dioxide (CO2) Carbon monoxide Smoke |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal. |

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling
- : For personal protection see section 8.



| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
|-----------------------------|---|---|
| | Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use. | |
| Conditions for safe storage | BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. D red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventila Electrical installations / working ma the technological safety standards | 50 °C. Do not open by force o not spray on flames or ated place. aterials must comply with |
| Materials to avoid | : Oxidizing agents | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|----------------|----------|-------------------------------------|---|-----------|
| carbon dioxide | 124-38-9 | TWA | 5,000 ppm | ACGIH |
| | | STEL | 30,000 ppm | ACGIH |
| | | TWA | 5,000 ppm | NIOSH REL |
| | | | 9,000 mg/m3 | |
| | | ST | 30,000 ppm 54,000 mg/m3 | NIOSH REL |
| | | TWA | 5,000 ppm 9,000 mg/m3 | OSHA Z-1 |
| | | TWA | 10,000 ppm 18,000 mg/m3 | OSHA P0 |
| | | STEL | 30,000 ppm 54,000 mg/m3 | OSHA P0 |

Components with workplace control parameters

| Personal protective equipment | | |
|-------------------------------|---|--|
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment. | |
| | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. | |
| Hand protection Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. | |



| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
|--------------------------|--|-----------------------|
| Eye protection | : Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location. | |
| Skin and body protection | : impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. | |
| Hygiene measures | : Wash hands before breaks and at When using do not eat or drink. When using do not smoke. | the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : Aerosol containing a compressed gas |
|--|---------------------------------------|
| Colour | : clear, white |
| Odour | : slight, characteristic |
| Odour Threshold | : no data available |
| рН | : not applicable |
| Melting point/freezing point | : no data available |
| Boiling point | : 217.77 °C |
| Flash point | : not applicable |
| Evaporation rate | : <1 n-Butyl Acetate = 1.0 |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Upper explosion limit | : no data available |
| Lower explosion limit | : no data available |
| Vapour pressure | : 0.093 hPa |
| Relative vapour density | : no data available |
| Density | : 0.8 g/cm3 |
| Solubility(ies) | |
| Water solubility | : insoluble |
| Partition coefficient: n- octanol/water | : no data available |
| Auto-ignition temperature | : not determined |
| Thermal decomposition | : no data available |
| Viscosity | |
| Viscosity, kinematic | : no data available |
| Heat of combustion | : 45.79 kJ/g |



Version 1.0

Revision Date 05/29/2015

Print Date 06/01/2015

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|---------------------------------------|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| Teactions | Vapours may form explosive mixture with air. |
| Conditions to avoid | : Heat, flames and sparks. Extremes of temperature and direct sunlight. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : Carbon oxides |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

no data available Skin corrosion/irritation no data available Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available **Reproductive toxicity** no data available carbon dioxide: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available

Version 1.0



Print Date 06/01/2015

Enforcer(R) Instant Knockdown Wasp & Hornet Killer

Revision Date 05/29/2015

| Further information | |
|--|---|
| Product: | |
| Remarks: no data available | |
| | |
| | |
| SECTION 12. ECOLOGICAL INFOR | ΜΑΤΙΟΝ |
| Ecotoxicity | |
| no data available | |
| Persistence and degradability | |
| no data available Bioaccumulative potential | |
| Product: | |
| Partition coefficient: n- octanol/water | : Remarks: no data available |
| Mobility in soil | |
| no data available | |
| Other adverse effects | |
| no data available Product: | |
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances |
| Remarks | Warning: Manufactured with /\$/, a substance which harms public health and environment by destroying ozone in the upper atmosphere. |
| Additional ecological information | : no data available |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |



Version 1.0

Revision Date 05/29/2015

Print Date 06/01/2015

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Causes moderate eye irritation.

Harmful if swallowed.

Harmful if inhaled.

Harmful if absorbed through skin.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This pesticide is extremely toxic to fish and aquatic invertebrates.

This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds.

Observe label precautions.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


| SARA 311/312 Hazards | Fire Hazard Sudden Release of Pressure Hazard | |
|----------------------|--|------|
| SARA 302 | : The following components are subject to reporting le established by SARA Title III, Section 302: | vels |



| | - | |
|---|--|--|
| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
| | 1006242_A00437 BATCH WASP & HORNET KILLER IIb | Not Assigned 97.5 % |
| SARA 313 | : SARA 313: This material does components with known CAS r threshold (De Minimis) reportin Title III, Section 313. | numbers that exceed the |
| California Prop 65 | This product does not contain a California to cause cancer, birt reproductive harm. | any chemicals known to State of h defects, or any other |
| The components of this pro | duct are reported in the followir | ng inventories: |
| DSLAll coAICSNot inNZIOCNot inPICCSNot in | On TSCA Inventory All components of this product are on the Canadian DSL. Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory | |
| Inventory Acronym and Val | idity Area Legend: | |
| | a), IECSC (China), REACH (Euro (New Zealand), PICCS (Philippin | bean Union), ENCS (Japan), ISHL es), TSCA (USA) |

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

| HEALTH | 1 |
|-----------------|---|
| FLAMMABILITY | 4 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:





| Version 1.0 | Revision Date 05/29/2015 | Print Date 06/01/2015 |
|--------------------------|--|------------------------------------|
| Precautionary statements | : Prevention: Keep aw ay from heat, hot surfaces, spar | ks, open flames and other ignition |
| | sources. No smoking. Do not spray on an open flame of Pressurized container: Do not pierce or burn, even afte | |
| | Storage: Protect from sunlight. Do not expose to temp °F. | eratures exceeding 50 °C/ 122 |

| I | Version: | 1.0 |
|---|----------------|------------|
| | Revision Date: | 05/29/2015 |
| | Print Date: | 06/01/2015 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.