

Version 1.0	Revision Date 02/23/2015	Print Date 05/29/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07760 TM COUNTRY GARDEN 30% 12n6.6
Material number	:	0000000001042786
Manufacturer or supplier's o	deta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2A Category 1 Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames



/ersion 1.0	Revision Date 02/23/2015	Print Date 05/29/2015
	and other ignition sources. No sma P211 Do not spray on an open flar P251 Pressurized container: Do no use. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P272 Contaminated work clothing the workplace. P280 Wear eye protection/ face pr P280 Wear protective gloves.	me or other ignition source. ot pierce or burn, even after gas/ mist/ vapours/ spray. nandling. ell-ventilated area. should not be allowed out of
	 Response: P302 + P352 IF ON SKIN: Wash w P304 + P340 + P312 IF INHALED: and keep at rest in a position comf POISON CENTER or doctor/ phys P305 + P351 + P338 IF IN EYES: for several minutes. Remove conta easy to do. Continue rinsing. P333 + P313 If skin irritation or ras advice/ attention. P337 + P313 If eye irritation persis attention. P363 Wash contaminated clothing Storage: P405 Store locked up. P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12 P403 Store in a well-ventilated plat Disposal: P501 Dispose of contents/contained regulation. 	Remove victim to fresh air fortable for breathing. Call a ician if you feel unwell. Rinse cautiously with water act lenses, if present and sh occurs: Get medical sts: Get medical advice/ before reuse. t. Do not expose to 2 °F. ce.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	e, possible or confirmed
ACGIH	No component of this product present equal to 0.1% is identified as a carcino	
OSHA	carcinogen by ACGIH. No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA	
NTP	carcinogen by OSHA. No component of this product present equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components



Version 1.0 Revision Date 02/23/2015 Print Date 05/29/2015 CAS-No. Chemical Name Concentration [%] acetone 67-64-1 >= 70 - < 90 74-98-6 >= 10 - < 20 propane alpha-hexylcinnamaldehyde 101-86-0 >= 0.1 - < 1 7-hydroxycitronellal 107-75-5 >= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
lf inhaled	Remove to fresh air. Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.	
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. If on clothes, remove clothes.	
In case of eye contact	Rinse immediately with plenty of water for at least 15 minutes If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.	\$.
If swallowed	Keep respiratory tract clear. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Foam Carbon dioxide (CO2) Water spray jet Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or courses.	water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Use extinguishing measures that are appropriate to loc circumstances and the surrounding environment.	al



Version 1.0	Revision Date 02/23/2015	Print Date 05/29/2015
Further information	: Standard procedure for chemical For safety reasons in case of fire separately in closed containment Use a water spray to cool fully cl- Collect contaminated fire extingu must not be discharged into drain Fire residues and contaminated fi be disposed of in accordance wit	, cans should be stored s. osed containers. ishing water separately. This ns. fire extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing ap necessary.	oparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not puncture. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.



Version 1.0

Revision Date 02/23/2015

Print Date 05/29/2015

Materials to avoid : Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.



Version 1.0	Revision Date 02/23/2015	Print Date 05/29/2015	
Skin and body protection	: impervious clothing Choose body protection according concentration of the dangerous sub		
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at t	the end of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	not applicable
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	no data available
Solubility(ies)		
Water solubility	:	partly soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	36.78 kJ/g



Version 1.0

Revision Date 02/23/2015

Print Date 05/29/2015

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Bases Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

no data available

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Eye irritation

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

acetone: propane: alpha-hexylcinnamaldehyde: 7-hydroxycitronellal:



Version 1.0

Revision Date 02/23/2015

Print Date 05/29/2015

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

log Pow: 4.686
-

Mobility in soil

no data available

Other adverse effects

no data available

۲	ro	a	u	С	τ:

Regulation

Remarks

Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

40 CFR Protection of Environment; Part 82 Protection of

Additional ecological : no data available information



Version 1.0

Revision Date 02/23/2015

Print Date 05/29/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.




rsion 1.0	Revision Date 02/23/2015	Print Date 05/29/2015	
SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard		
SARA 302	: SARA 302: No chemicals in this mate reporting requirements of SARA Title	,	
SARA 313	: SARA 313: This material does not co components with known CAS number threshold (De Minimis) reporting level Title III, Section 313.	rs that exceed the	
California Prop 65	This product does not contain any ch California to cause cancer, birth defeored reproductive harm.		
The components of this p	product are reported in the following inv	entories:	
DSL Th	n TSCA Inventory is product contains one or several compone anadian DSL nor NDSL.	ents that are not on the	
AICS No NZIOC No PICCS No	Not in compliance with the inventory Not in compliance with the inventory		

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:



Version 1.0	Revision Date 02/23/2015	Print Date 05/29/2015
Hazard pictograms		
Signal w ord	: Danger:	
Hazard statements	: Extremely flammable aerosol. Contains gas under press May cause an allergic skin reaction. Causes serious eye drow siness or dizziness.	
Precautionary statements	:	
	 Prevention: Keep aw ay from heat, hot surfaces, sparks sources. No smoking. Do not spray on an open flame or Pressurized container: Do not pierce or burn, even after fume/ gas/mist/ vapours/ spray. Wash skin thoroughly a outdoors or in a w ell-ventilated area. Contaminated w or out of the w orkplace. Wear eye protection/ face protection Response: IF ON SKIN: Wash with plenty of soap and victim to fresh air and keep at rest in a position comforta POISON CENTER or doctor/physician if you feel unwe with w atter for several minutes. Remove contact lenses, Continue rinsing. If skin irritation or rash occurs: Get me irritation persists: Get medical advice/ attention. Wash c reuse. Storage: Store locked up. Protect from sunlight. Do not exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. 	rother ignition source. use. Avoid breathing dust/ after handling. Use only k clothing should not be allow ed ion. Wear protective gloves. w ater. IF INHALED: Remove able for breathing. Call a ell. IF IN EYES: Rinse cautiously if present and easy to do. dical advice/ attention. If eye ontaminated clothing before expose to temperatures e.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.