

Version 1.0	Revision Date 02/18/2015	Print Date 05/29/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07758 TM CLEAN & FRESH 12pk 12n6.6
Material number	:	00000000001042771
Manufacturer or supplier's o	leta	nils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	: Category 1 : Liquefied gas : Category 2A : Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source.



 P251 Pressurized container: Do not pierce or burn, even afte use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh ai and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with wate for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 	sion 1.0	Revision Date 02/18/2015	Print Date 05/29/2015
P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 + P235 Store in a well-ventilated place. Keep cool.	sion 1.0	 P251 Pressurized container: Do nuse. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after H P271 Use only outdoors or in a we P280 Wear eye protection/ face p Response: P304 + P340 + P312 IF INHALED and keep at rest in a position com POISON CENTER or doctor/ phys P305 + P351 + P338 IF IN EYES: for several minutes. Remove cont easy to do. Continue rinsing. P337 + P313 If eye irritation persist attention. Storage: P405 Store locked up. P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12 	tot pierce or burn, even after gas/ mist/ vapours/ spray. handling. ell-ventilated area. rotection. Remove victim to fresh air fortable for breathing. Call a sician if you feel unwell. Rinse cautiously with water act lenses, if present and sts: Get medical advice/ sts: Get medical advice/
		Disposal:	
Disposal: P501 Dispose of contents/container in accordance with local	Potential Health Effects		
Disposal: P501 Dispose of contents/container in accordance with local regulation.	Carcinogenicity:		
Disposal: P501 Dispose of contents/container in accordance with local regulation. Potential Health Effects	IARC	equal to 0.1% is identified as probable	
Disposal: P501 Dispose of contents/container in accordance with local regulation. Potential Health Effects Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed	ACGIH	No component of this product present equal to 0.1% is identified as a carcin	
Disposal: P501 Dispose of contents/container in accordance with local regulation. Potential Health Effects Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential	OSHA	No component of this product present equal to 0.1% is identified as a carcin	
Disposal: P501 Dispose of contents/container in accordance with local regulation. Potential Health Effects Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.		No component of this product present	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 50 - < 70
propane	74-98-6	>= 20 - < 30

SECTION 4. FIRST AID MEASURES

General advice

[:] Show this safety data sheet to the doctor in attendance.



Version 1.0	Revision Date 02/18/2015	Print Date 05/29/2015
If inhaled	: If breathed in, move person into fres If not breathing, give artificial respira If breathing is difficult, give oxygen.	
In case of skin contact	: Wash off immediately with plenty of minutes. Call a physician if irritation persists.	water for at least 15
In case of eye contact	 In case of contact, immediately flush for at least 15 minutes. If easy to do, remove contact lens, if Seek medical advice. 	
If swallowed	 Never give anything by mouth to an If victim is fully conscious, give a cup Obtain medical attention. DO NOT induce vomiting unless dire physician or poison control center. 	oful of water.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Foam Carbon dioxide (CO2) Water spray	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wat courses.	er
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	: Use a water spray to cool fully closed containers.	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform



Version 1.0		Revision Date 02/18/2015	Print Date 05/29/2015
		respective authorities.	
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (acid binder, universal binder, sawdust). Sweep up and shovel into suitable cont	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Keep away from fire (No Smoking). Avoid contact with skin and eyes. Handle and open container with care. Smoking, eating and drinking should be prohibited in the application area. Always replace cap after use. Use only with adequate ventilation. Do not breathe vapours or spray mist.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Keep away from oxidising agents and strongly acid or alkaline materials.
Storage temperature	: <48 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL



Version 1.0	Revision Date 02/18/2015	Print D	ate 05/29/2015
	TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
	TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipme	t	
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.	
Hand protection		
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	: Wear face-shield and protective suit for abnormal processing problems. Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses	C
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.	,

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	



	-	
Version 1.0	Revision Date 02/18/2015	Print Date 05/29/2015
	not applicable	
Evaporation rate	: not determined	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: 5,515.8 hPa (21 °C)	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: partly soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 37.30 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Alkali metals Acids
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION



Version 1.0

Revision Date 02/18/2015

Print Date 05/29/2015

Acute toxicity

no data available

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

acetone: propane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability



Version 1.0	Revision Date 02/18/2015	Print Date 05/29/2015
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: no data available	
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	-
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity



Version 1.0

Revision Date 02/18/2015

Print Date 05/29/2015

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of th	is product are reported in the following inventories:
TSCA DSL	On TSCA Inventory This product contains one or several components that are not on the

Canadian DSL nor NDSL.

- AICS Not in compliance with the inventory
- NZIOC Not in compliance with the inventory
- PICCSNot in compliance with the inventoryIECSCNot in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)




Version 1.0

Revision Date 02/18/2015

Print Date 05/29/2015

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High4 = Extreme, * = Chronic

OSHA GHS Label Information:	
Hazard pictograms	
Signal word	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection. Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®],

...



Version 1.0

Revision Date 02/18/2015

Print Date 05/29/2015

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.