PRODUCT NAME:	Rainguard™	Microseal™ RT	U
Product Codes:	CR-0356, CI	R-0357	

SECTION 1 - IDENTIFICATION

MANUFACTURER:	Weatherman Products, Inc 21622 Surveyor Circle Huntington Beach, CA 92646 United States of America
PHONE:	(949) 515-8800 (866)989-5159
EMAIL: WEB SITE:	info@rainguard.com www.rainguard.com
DATE PRINTED:	October 12, 2015

SECTION 2- HAZARDS IDENTIFICATION

Classification of the substance or mixture	:	Not classified
GHS label elements		
Hazard pictograms	:	Not applicable.
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	1	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements		: None known.
Hazards not otherwise classif	ied	: None known.
SECTION 3 - COMPOSITI	10	N

Chemical Name

CAS-No.

Weight% Range

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE HARM.

There are no chemicals subject to the reporting requirements of Section 313 (SARA Title III) and of 40 CFR 372

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure

INHALATION: Move victim to fresh air. If victim has difficulty breathing, administer oxygen. If breathing has stopped, initiate CPR. Seek immediate medical attention.

PRODUCT NAME: Product Codes:	Rainguard™ M CR-0356, CR•	Microseal™ RTU -0357	
INGESTION:	shock. Seek in	nmediate medical assist luce vomiting. If uncons	ything to drink. If conscious, treat for cance or nearest poison control center. If ccious and vomiting, turn the victim on
SKIN CONTACT:	-	l areas with soap and w ontaminated clothing b	rater. Remove contaminated clothing and efore reuse.
EYES:	Flush eyes with running water for at least 15 minutes. Hold eyelids apart to insure rinsing of the entire surface of the eye and lids with water. Seek immediate medical attention.		
CARCINOGENICITY:		NTP: IARC Monographs: OSHA Regulated:	No No No

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: METHOD LOWER EXPLOSION LIMIT: UPPER EXPLOSION LIMIT: AUTOIGNITION TEMPERATURE: EXTINGUISHING MEDIA: HAZARDOUS COMBUSTION PRODUCTS:	None Not applicable Not available Not available Not available CO2, dry chemical or water fog. Carbon monoxide and carbon dioxide can form. Smoke, fumes	
PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:		
	Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self- contained breathing apparatus (SCBA). If water is used, fog nozzles are preferable. Use water to cool closed containers.	
FIRE AND EXPLOSION CONDITIONS:	This product not expected to ignite under normal conditions of use.	

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Remove and eliminate all ignition sources. Control the source of the spill. Ventilate confined spaces. Avoid breathing vapors or mist. Dike and soak up spill with absorbent material such as sand or Fuller's Earth. Recover free liquid and absorbent material from spill area and shovel or broom into appropriate chemical waste containers for proper disposal. Persons performing clean up should wear adequate personal protective equipment and clothing. Keep out of storm drains, sewers and waterways. Observe all local, state and federal laws and regulations regarding spills, clean-up, removal, discharge and disposal.

PRODUCT NAME:Rainguard™ Microseal™ RTUProduct Codes:CR-0356, CR-0357

SECTION 7 - HANDLING AND STORAGE

Keep containers tightly closed when not in use. Do not store or handle near heat source, sparks, open flame or strong oxidizing materials. Use and store in only in cool and well-ventilated areas. Care should be taken to prevent moisture condensation in the container. Avoid breathing vapors. Avoid contact with skin. Keep out of the reach of children.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

The recommendations described in this section are provided as general guidance for minimizing exposure when handling this product. Because use conditions will vary depending upon customer applications, specific safe handling procedures should be developed by a person knowledgeable of the intended use, working conditions and equipment.

Chemical name	CAS Number Regulation Limit Form
EXPOSURE LIMITS:	
INDUSTRIAL HYGIENE:	Before eating or smoking, wash hands and face to remove residual contamination.
PROTECTIVE CLOTHING:	Wear long sleeve clothing selected for condition exposure potential.
EYE PROTECTION:	Use Approved splash goggles.
PROTECTIVE GLOVES:	Wear Neoprene or non-soluble plastic gloves.
VENTILATION:	Local exhaust and or mechanical ventilation in confined or poorly ventilated spaces are recommended.
RESPIRATORY PROTECTION	Use in a well ventilated and/or open area. Use appropriate NOISH approved organic vapor cartridge respirator equipment when occupational exposure limits are exceeded.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 212° F VAPOR DENSITY (AIR =1): NA FLAMMABILITY/EXPLOSIVE LIMITS: NA Ph: 6 MATERIAL V.O.C.: less than 15 g/L SPECIFIC GRAVITY (H20 = 1): 1.075 EVAPORATION RATE (ETHER = 1): NA VISCOCITY: 65 KU MELTING/FREEZING POINT: 32° F SOLUBILITY IN WATER: Dispersible

APPEARANCE & ODOR: Colored liquid with mild odor VAPOR PRESSURE (mm HG):

PRODUCT NAME:Rainguard™ Microseal™ RTUProduct Codes:CR-0356, CR-0357

SECTION 10 - STABILITY and REACTIVITY

SUBSTANCES TO AVOID:

Do not mix with other chemicals.

STABILITY:

Stable.

HAZARDOUS POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION OR THERMAL BYPRODUCTS: Carbon dioxide and carbon monoxide

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not allow material to contaminate or cause to be discharged into any storm drain, lake, stream, pond, underground water supplies or any body of water. Incinerate and or bury waste and containers at an approved facility. Dispose of waste materials and containers in accordance with all federal, state and local health, safety and environmental regulations.

SECTION 14- TRANSPORTATION/SHIPPING DATA

REGULATED BY:

United States DOT:	Not Regulated
Canada (TDG):	Not Regulated
DOT Proper Shipping Name:	N/A
UN / NA Number:	N/A
Hazard Class:	N/A
Packing Group:	N/A

SECTION 15 - REGULATORY INFORMATION

NORTH AMERICAN INVENTORIES:	All components listed or exempt from the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.
CANADIAN REGULATIONS:	
WHMIS Classification:	D2A
	This is a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS)

PRODUCT NAME:	Rainguard™ Microseal™ RTU
Product Codes:	CR-0356, CR-0357

This product has been classified in accordance with the hazard criteria of the Controlled Products

1

0

0

A

Regulations (CPR) and the SDS contains all of the information required by the CPR.

OTHER REGULATIONS: Regulatory VOC (less water and exempt solvent) <15 g/L

HEALTH

PPE

FLAMMABILITY

REACTIVITY

SECTION 16 - OTHER INFORMATION

HMIS RATING:

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3= Serious

4= Severe

LEGEND

22 02:12	
ACGIG - American Conference of Governmental Hygienists	TSCA - Toxic Substances Control Act
OSHA - Occupational Safety and Health Administration	MSHA - Mine Safety Health Administration
DOT - Department of Transportation	TWA - Time Weighted Average
PEL - Permissible Exposure Limit	NDSL - Non-Domestic Substance List
DSL - Domestic Substance List	V - Volume
RCRA - Resource Conservation and Recovery Act	NIOSH - National Institute for Occupational Safety Health
EPA - Environmental Protection Agency	VOC - Volatile Organic Compound
STEL - Short Term Exposure Limit	NTP - National Toxicology Program
HMIS - Hazardous Materials Information System	WHMIS - Workplace Hazardous Materials Information
TLV - Threshold Limit Value	System
IARC - International Agency for Research on Cancer	

The information contained in the document relates to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However no representation, warranty or guarantee, is made as to its accuracy reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for their own particular use. We do not accept liability for any loss or damage that may occur from the use or reliance upon this information.

<<END>>