	SAFF	LIY DA	IA SHEET		
May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.			HMIS HAZARD RA	ATING	
	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH	
	FLAMMABILITY	0	1 = SLIGHT	4 = EXTREME	
	REACTIVITY	0	2= MODERATE		
SAFETEC OF AMERICA					
SECTION 1 DECEMBER / COMPANI	VIDENTIFICATIO	.NI			_

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION					
IDENTITY (AS USED ON LABEL AND LIST)					
Benzalkonium Chloride Antiseptic Wipe		Page 1 of 2			
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NUMBER (24 Ho	urs)			
Safetec of America, Inc.	(800) 255-3924				
ADDRESS (NUMBER, STREET, P.O. BOX) TELEPHONE NUMBER FOR INFORMATION					
887 Kensington Ave.	(716) 895-1822				
(CITY, STATE AND ZIP CODE)	DATE PREPARED	April 1, 2014			
Buffalo, NY 14215	SUPERSEDES	August 13, 2013			
SECTION 2 - HAZARDOUS IDENTIFICAT	TION				

SECTION 2 - HAZARDOUS IDENTIFICATION

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE

SKIN: In case of skin irritation, discontinue use of the product.

INHALATION: Not a normal route of exposure. May cause respiratory tract irritation.

EYES: May cause irritation.

INGESTION: Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

HEALTH HAZARDS (ACUTE):

Acute N/A

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin disorders may become aggravated through prolonged exposure.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS		% (wt.)	ACGIH TLV	/TWA/STEL
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)	CAS#	(OPTIONAL)	PPM	MG/M ³
Ethyl Alcohol	64-17-5	10	1000 (PEL)	1000 (TLV)
Benzalkonium Chloride	68391-01-5	0.13	None Established	None Established

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

SECTION 4 - FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

SKIN: Discontinue use if irritation and redness develop. If condition persists for more than 72 hours, consult a physican.

INHALATION: Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms persit obtain medical attention

EYES: Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

INGESTION: Not a normal route of exposure. Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) UEL: NA NA

EXTINGUISHING MEDIA

Liquid saturated on wipe

Treat for surrounding material.

SPECIAL FIRE FIGHTING PROCEDURES

Firefighters should wear full protective clothing including self contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SECTION 9 - PHYSICAL/CHEMICAL PROPERTIES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Pick up and discard towel.

SECTION 7 - HANDLING AND STORAGE

Handling: Use good industrial hygiene practices in handling this material. Keep out of reach of children. Storage: Store in a closed container away from incompatible materials.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION	VENTILATION LOCAL EXHAUST: Required		
Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. MECHANICAL (GENERAL): Yes			
PROTECTIVE GLOVES EYE PROTECTION			
Ordinarily, none required	Follow standard industrial hygiene practices.		
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	WORK/HYGIENIC PRACTICES		
Ordinarily, none required	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.		

No data

BOILING POINT SPECIFIC GRAVITY (WATER = 1) 101.11°C MELTING POINT VAPOR PRESSURE (mm Hg) No data Not applicable VAPOR DENSITY (AIR = 1) РΗ No data No data SOLUBILITY IN WATER EVAPORATION RATE (IPA = 1) Moderate No data APPEARANCE AND ODOR % VOLATILES (BY VOLUME)

MATERIAL SAFETY DATA SH			
IDENTITY (AS USED ON LABEL AND L			Page 2 of 2
Benzalkonium Chloride Antiseptic \			Date: April 1, 2014
SECTION 10 - STABIL	ITY AND REAC	TIVITY	
STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE:	XXX	Do not mix with other chemicals.
INCOMPATIBILITIES (MATERIALS TO	AVOID)		
Acids. Oxidizers. Caustics.			
HAZARDOUS DECOMPOSITION OR E	SYPRODUCTS		
May include and are not limited to: Oxide	s of carbon. Hydrogen chloric	le.	
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR:	XXX	Do not mix with other chemicals.
SECTION 11 - TOXICO	DLOGICAL INFO	DRMATION	
Component analysis - LC50: N/A			
Component analysis - LD50: N/A			
Effects of acute exposure: Non-hazardous	by WHMIS/OSHA criteria.		
Sensitization: Non-hazardous by WHMIS/0			
Chronic Effects: Prolonged or repeated ex		atting, and dermatitis.	
Carcinogenity: Non-hazardous by WHMIS,			
Mutagenity: Non-hazardous by WHMIS/O			
Reproductive Effects: Non-hazardous by V	VHMIS/OSHA criteria.		
Teratogenity: Non-hazardous by WHMIS/0	OSHA criteria.		
SECTION 12 - ECOLO	GICAL INFORM	IATION	
Component analysis - LC50: N/A			
Component analysis - LD50: N/A			
Ecotoxicity: N/A			
Environmental Effects: N/A			
Aquatic Toxicity: N/A			
Persistence / degradability: N/A			
Bioaccumulation / accumulation: N/A			
Partition coefficient: N/A			
Mobility in environmental media: N/A			
Chemical fate information: N/A			
Other adverse effects: N/A			
SECTION 13 - DISPOS			
Dispose of in accordance with Local, State waste disposal regulations. Consult your L			may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Enviroment Parts 260-299" for complete
Waste from residues/unused product: N/		mental i rotection rigency before a	Spooning of any orienteeds.
Contaminated Packaging: N/A			
SECTION 14 - TRANS	PORTATION IN	JEORMATION	
PROPER SHIPPING NAME			Jane (Faharal)
HAZARD CLASS/PKG. GRP.		Solids containing flammable liquid 4.1/II IATA (non-canister)	special Provision A46
IDENTIFICATION NUMBER		UN3175 US DOT (non-canister)	Special Provision 47
	ATORY INCOR	<u> </u>	Special Provision 47
SECTION 15 - REGUL	ATORY INFORI	VIATION	
Canadian Federal Regulation: N/A			
US Federal Regulation: This product is a "H	Hazardous Chemical" as defin	ed by the OSHA Hazard Communic	ation Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
Occupational Safety and Health Administ			
29 CFR 1910.1200 hazardous chemical- Ye			
CERCLA (Superfound) reportable quantity			
Superfound Amendments and Reauthoriza	ation Act of 1986 (SARA) - N/	A	
Clean Air Act (CAA) - N/A			
Clean Water Act (CWA) - N/A			
Safe Drinking Water Act (SDWA) - N/A			
Drug Enforcement Agency (DEA) - N/A			
Food and Drug Administration (FDA) - N/A	1		
WHMIS classification - N/A			
State regulations - N/A Inventory Name - N/A			
, ,	INTERPRETATION	••	
SECTION 16 - OTHER	INFORMATIO	N	
			sed to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no
responsibility for injury to vendee or third use of this material even if reasonable saf		by the material it reasonable safety	y procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal

Date Prepared: April 1, 2014



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 06/02/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Medicaine Sting and Bite Relief

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : OTC drug used as a topical analgesic

Use of the substance/mixture : For professional use only

1.3. Details of the supplier of the safety data sheet

James Alexander Corporation 845 Route 94 Blairstown NJ 07825

Tel: (908) 362-9266

Note: The CHEMTREC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to JAC at (908) 362-9266.

1.4. Emergency telephone number

Emergency number : Chemtrec (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 2 H225 Eye Irrit. 2A H319 STOT SE 3 H335 STOT SE 3 H336

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)





GHS02

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust, fume, mist, spray, vapours

P261 - Avoid breathing dust, furne, frist, spray, vapour P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, protective clothing, protective gloves

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell P337+P313 - If eye irritation persists: get medical advice/attention

06/06/2014 EN (English) Page 1

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

P370+P378 - In case of fire: Use dry chemical, foam, carbon dioxide for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to comply with applicable local, national and international

regulation.

Other hazards 2.3.

No additional information available

Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Full text of H-phrases: see section 16

3.2. **Mixture**

Name	Product identifier	%	GHS-US classification
Polyethylene glycol	(CAS No) 25322-68-3	50 - 55	STOT SE 3, H335
Isopropyl alcohol	(CAS No) 67-63-0	20 - 25	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
L-Menthol	(CAS No) 2216-51-5	1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. In case of breathing difficulties administer oxygen. by trained personnel. Seek medical attention immediately

First-aid measures after skin contact

: Immediately flush skin with plenty of water for at least 15 minutes. Remove/Take off immediately all contaminated clothing. Do not rub the skin and eyes after direct contact with the product. Seek medical attention immediately. Wash contaminated clothing before reuse.

First-aid measures after eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately get medical attention.

First-aid measures after ingestion

Contact a Poison Control Center immediately. Give no more than 2 glasses of water and induce vomiting by giving 30 cc (2 tablespoons) of syrup of ipecac. If victim is a child, give no more than 1 glass of water and 15cc (1 tablespoon) syrup of ipecac. If syrup of ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of victim's throat. Do not give anything by mouth to an unconscious or convulsing person. Get immediate medical attention. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause respiratory irritation. May cause drowsiness or dizziness. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

Symptoms/injuries after skin contact

Repeated or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact

Causes serious eye irritation.

Symptoms/injuries after ingestion

Irritating to the gastrointestinal tract. May cause abdominal pain and vomiting (sometimes bloody). Ingestion may cause central nervous system depression, low blood pressure, rapid heart beat and liver damageEarly to moderate central nervous system depression may be evidenced by giddiness, headache, dizziness and nausea. In extreme cases, unconsciousness, respiratory depression and death may occur. Liver damage may be evidenced by loss of appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen on the right

4.3. Indication of any immediate medical attention and special treatment needed

Individuals with pre-existing skin disorders, eye problems, or impaired respiratory function may be more susceptible to the effects of overexposure.

06/06/2014 2/10 EN (English)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Alcohol resistant foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Reactivity Thermal decomposition generates: Corrosive vapours. Reacts violently with acids. An

exothermic reaction may occur.

Advice for firefighters 5.3.

Other information

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. Prevent fire-fighting water from entering environment.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

> Containers may swell and Burst during a fire due to internal pressure caused by heat. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. Alcohols burn with a pale blue flame which may be extremely hard to see under normal lighting conditions. Personnel may be able to feel the heat of the fire without seeing flames. Extreme caution must be exercised in fighting alcohol fires.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Eliminate all ignition sources if safe to do so. Use special care to avoid static electric charges. No

naked lights. No smoking. Stop leak if safe to do so. No action shall be taken involving any personal risk or without suitable training. Wear protective clothing. For further information refer to

section 8: Exposure-controls/personal protection.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Ventilate area. **Emergency procedures**

6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Consult the appropriate authorities about waste disposal. Ensure all national/local regulations are observed.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

Methods for cleaning up

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Personal protective equipment should be selected based upon the conditions under which this product is handled or used. Use personal protective equipment as required. Provide good ventilation in process area to prevent formation of vapour. Do not breathe gas, fumes, vapour or spray. No naked lights. No smoking. Use only non-sparking tools. Never use pressure to empty container. Ground/bond container and receiving equipment. Take care to allow internal pressure to escape from container before releasing closures. Remove closure carefully; internal pressure may be present. Keep closure up to prevent leakage. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene measures

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

06/06/2014 EN (English) 3/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. Ensure the ventilation system is regularly maintained and tested. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. A washing facility/water for eye and skin cleaning purposes should be present. Comply with applicable regulations.

Storage conditions

: Keep only in the original container in a cool well ventilated place. Keep in fireproof place. Keep container tightly closed. Protect containers against physical damage. Detached outside storage is preferable. Inside storage should be in an NFPA approved flammable liquids storage room or cabinet. Store in corrosion-proof area at temperatures below 77 °F (25°C). Store away from direct sunlight or other heat sources.

Incompatible materials

Storage temperature

: Avoid mixing with acids, most common metals, strong oxidizing agents, brass, zinc, chlorine, aluminum, copper, bronze, mercury, dimethyl sulfate and acetyl chloride.

: < 25 °C Store at temperatures below 77 °F (25 °C)

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
USA ACGIH ACGIH TWA (ppm)		200 ppm
USA ACGIH ACGIH STEL (ppm)		400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. Use explosion-proof ventilating equipment.

Personal protective equipment

: Avoid all unnecessary exposure. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations. For certain operations, additional Personal Protection Equipment (PPE) may be required. Protective goggles. Gloves. Protective clothing.







Hand protection

: Wear protective gloves. rubber gloves. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Eye protection

: Chemical goggles or face shield.

Skin and body protection

: Wear suitable protective clothing. Chemical resistant safety shoes.

Respiratory protection

: Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE). Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals. Care must be taken to assure that any respirator chosen is capable of protecting the user from both ammonia and ethyl alcohol vapors.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Colour : Green.

Odour : Odor of isopropyl alcohol, residual odor of menthol.

06/06/2014 EN (English) 4/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Odour threshold : No data available

pH : 8.5

Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available : No data available Freezing point Boiling point : $> 35 \, ^{\circ}\text{C} \, (>95 \, ^{\circ}\text{F})$: 16.6 °C (62 °F) Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapour pressure Relative vapour density at 20 °C : No data available

Density : 1.029 (Specific Gravity @ 25 °C)

Soluble in water. Solubility Log Pow No data available Log Kow : No data available Viscosity, kinematic No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties No data available : No data available **Explosive limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Relative density

Thermal decomposition generates: Corrosive vapours. Reacts violently with acids. An exothermic reaction may occur.

: No data available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Avoid mixing with acids, most common metals, strong oxidizing agents, brass, zinc, chlorine, aluminum, copper, bronze, mercury, dimethyl sulfate and acetyl chloride.

10.6. Hazardous decomposition products

Thermal decomposition generates: Fume. Carbon monoxide. Carbon dioxide. May release flammable gases. Corrosive vapours. Ammonia. Nitrogen oxides. release of highly flammable gases/vapours hydrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

(Based on available data, the classification criteria are not met)

Isopropyl alcohol (67-63-0)		
LD50 oral rat	4396 mg/kg	
LD50 dermal rabbit	12800 mg/kg	
LC50 inhalation rat (ppm)	16000 ppm (Exposure time: 8 h)	
ATE CLP (oral)	4396.000 mg/kg bodyweight	
ATE CLP (dermal)	12800.000 mg/kg bodyweight	

06/06/2014 EN (English) 5/10

Medicaine[®] Sting and Bite Relief

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

L-Menthol (2216-51-5)	
LD50 oral rat	3300 mg/kg
ATE CLP (oral)	3300.000 mg/kg bodyweight
Polyethylene glycol (25322-68-3)	
LD50 dermal rabbit	> 20 ml/kg
Skin corrosion/irritation	: Not classified
	(Based on available data, the classification criteria are not met)
	pH: 8.5
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 8.5
Respiratory or skin sensitisation	: Not classified
	(Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified
	(Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified
	(Based on available data, the classification criteria are not met)
Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
	(Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: May cause respiratory irritation. May cause drowsiness or dizziness.
Specific target organ toxicity (repeated	: Not classified
exposure)	(Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified
, topiration nazara	(Based on available data, the classification criteria are not met)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory irritation. May cause drowsiness or dizziness. Depression of the centra nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/injuries after skin contact	: Repeated or prolonged skin contact may cause irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Irritating to the gastrointestinal tract. May cause abdominal pain and vomiting (sometimes bloody). Ingestion may cause central nervous system depression, low blood pressure, rapic heart beat and liver damageEarly to moderate central nervous system depression may be evidenced by giddiness, headache, dizziness and nausea. In extreme cases, unconsciousness respiratory depression and death may occur. Liver damage may be evidenced by loss o appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen on the righ side.

SECTION 12: Ecological information

Toxicity 12.1.

Isopropyl alcohol (67-63-0)				
LC50 fishes 19640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])EC50 Daphnia 113299 mg/l (Exposure time: 48 h - Species: Daphnia magna)LC50 fish 211130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])				
		L-Menthol (2216-51-5)		
		LC50 fishes 1 18.9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		

Persistence and degradability

Medicaine® Sting and Bite Relief	
Persistence and degradability	Not established.

06/06/2014 EN (English) 6/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

12.3. Bioaccumu	lative r	otential
-----------------	----------	----------

Medicaine® Sting and Bite Relief		
Bioaccumulative potential	Not established.	
Isopropyl alcohol (67-63-0)		
Log Pow	0.05 (at 25 °C)	

Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not re-use empty

containers. Ensure all national/local regulations are observed. Consult the appropriate authorities

about waste disposal.

Additional information : Handle empty containers with care because residual vapours are flammable.

Avoid release to the environment. Ecology - waste materials

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1993 Flammable liquids, n.o.s. (contains isopropanol), 3, II

UN-No.(DOT) : 1993 DOT NA no. UN1993

DOT Proper Shipping Name : Flammable liquids, n.o.s.

(contains isopropanol)

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : II - Medium Danger

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite DOT Special Provisions (49 CFR 172.102)

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal............... 178.275(d)(3)
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature

during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when

the flash point of the hazardous material transported is greater than 0 C (32 F).

TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

06/06/2014 7/10 EN (English)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

DOT Vessel Stowage Location

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

Additional information

Other information

: No supplementary information available.

ADR

Transport document description

·

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Isopropyl alcohol (67-63-0)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Listed on SARA Section 313 (Specific toxic chemical listings)			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)		

L-Menthol (2216-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Polyethylene glycol (25322-68-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Isopropyl alcohol (67-63-0)			
Listed on the Canadian DSL (Domestic S	ustances List) inventory.		
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects		

L-Menthol (2216-51-5)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

Polyethylene glycol (25322-68-3)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

EU-Regulations

Isopropyl alcohol (67-63-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

L-Menthol (2216-51-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

Polyethylene glycol (25322-68-3)

Listed on the EU - No-Longer Polymers List (67/548/EEC)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

06/06/2014 EN (English) 8/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

15.2.2. **National regulations**

Isopropyl alcohol (67-63-0)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on Industrial Safety and Health Law Substances (ISHL)

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on New Zealand - Inventory of Chemicals (NZIoC)

Listed on Inventory of Chemicals and Chemical Substances (PICCS)

Listed on the Canadian Ingredient Disclosure List

L-Menthol (2216-51-5)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on Industrial Safety and Health Law Substances (ISHL)

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on New Zealand - Inventory of Chemicals (NZIoC)

Listed on Inventory of Chemicals and Chemical Substances (PICCS)

Polyethylene glycol (25322-68-3)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on New Zealand - Inventory of Chemicals (NZIoC)

Listed on Inventory of Chemicals and Chemical Substances (PICCS)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

NFPA health hazard

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard

: 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.

SDS US (GHS HazCom 2012)

06/06/2014 EN (English) 9/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

This Material Safety Data Sheet is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, the safe handling of chemical materials. James Alexander Corporation (JAC), expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein. All information appearing herein is based upon data obtained from the manufacturer(s) and/or recognized technical sources. While the information is believed to be accurate, JAC makes no representations as to its accuracy or sufficiency. Conditions of use are beyond JAC's control and therefore, users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein and does not relate to its use in combination with any other material or in any other process.

06/06/2014 EN (English) 10/10

MANUFACTURER NAME:

CORETEX PRODUCTS

PRODUCT NAME:

IVY X POST-CONTACT CLEANSER

FORMULA #: 3018-06

(Page 1 of 8)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product type: Finished Product - Consumer (Retail) Use only

Recommended use: Personal Beauty Care Product

Uses advised against: All other uses

Manufacturer's Name: CoreTex Products, Inc.

Address :

1850 Sunnyside Ct.

City, State, Zip: Bakersfield, CA 93308

Business Telephone: (877) 684-5774

E-mail address: skincare@coretexproducts.com

Emergency Telephone CHEMTEL - 1-800-255-3924 - 24 HOURS

SECTION 2: HAZARDS IDENTIFICATION

Emergency Overview

OSHA Regulatory Status: Consumer Product as defined by the U.S. Consumer Product

Safety Act which are used as intended (typical consumer duration and frequency) are exempt from the OSHA Hazard

Communication Standard.

WHMIS: Not used to WHMIS classification

Principle Routes of Exposure: None reasonably foreseeable

General Hazards: None

MANUFACTURER NAME:

CORETEX PRODUCTS

PRODUCT NAME:

IVY X POST-CONTACT CLEANSER

FORMULA #: 3018-06

(Page 2 of 8)

SECTION 3: COMPOSITION/INFORMATIONN ON INGREDIENTS

Hazardous ingredients: None

SECTION 4: FIRST AID MEASURES

General advice: No Hazards which require first aid measures. When symptoms

persist or in all cases of doubt seek medical attention.

Eye Contact: Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present after 5 minutes then continue rinsing. If symptoms

persist, call a physician.

Skin Contact: If skin problems occur, discontinue use. If symptoms

persist, call a physician

Ingestion:
Not an expected route of exposure

Protection of First-aiders: Use personal protection equipment

Notes to physician: Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point: Not Applicable (Non-Flammable)

Suitable Extinguishing Media: Dry Chemical, CO2 water spray or alcohol-resistant

foam.

Extinguishing media which shall not be used for safety reasons:

No Information available.

Special Hazard: None known based on information supplied

Special protective equipment for fire-fighters:

As in any fire, wear self-contained breathing apparatus and

full protective gear.

MANUFACTURER NAME:

CORETEX PRODUCTS

PRODUCT NAME:

IVY X POST-CONTACT CLEANSER

FORMULA #:

3018-06

(Page 3 of 8)

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: None under normal use conditions

Advice for emergency responders: Use personal protective equipment

Environmental precautions: Household: Do not discharge product into natural

waters without pre-treatment or adequate dilution. Non-Household: Should not be released into the

environment.

Methods for containment: Non-Household: Prevent dust cloud. Prevent further

leakage or spillage if safe to do so.

Methods for Cleaning up: Non-Household: Clean up promptly by scoop or vacuum.

Keep in suitable, closed containers for disposal.

Prevent product from entering drains.

SECTION 7: HANDLING AND STORAGE

Advice of safe handling: Keep out of reach of children. Observe label

precautions.

Technical measures/storage conditions:

Keep out of the reach of children. Keep containers

tightly closed in a dry, cool and well-ventilated

place.

._____

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines: Exposure guidelines are not relevant when product is

used as intended in a household setting.

Engineering Measures: Not applicable

Personal Protection Equipment

Eye Protection: Provide eye protection based on risk assessment

Eye Protection: Provide eye protection based on risk assessment
Hand Protection: For prolonged & repeated exposure use protective gloves
Skin & Body Protection: For prolonged & repeated exposure use protective clothing
Respiratory Protection: Base respirator selection on a risk assessment

Thermal Hazards: Not applicable

None under normal use conditions Hygiene measures:

Environmental Exposure Controls: (See Section 6)

MANUFACTURER NAME: CORETEX PRODUCTS

PRODUCT NAME: IVY X POST-CONTACT CLEANSER

FORMULA #: 3018-06

(Page 4 of 8)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State @ 20C: Syrupy Liquid Appearance: Clear to White Odor: CK One Type

Property Values Note

pH Value 5.6 - 6.6

Melting/Freezing point 0C-2C / 32F-34F Boiling Point: 101C / 213 F

Flash Point: Not Applicable (Non-Flammable)

Evaporation rate: >1

Flammability (solid, gas) Not Applicable (Non-Flammable)
Flammability Limits in air Not Applicable (Non-Flammable)
upper flammability limit Not Applicable (Non-Flammable)
lower flammability limit Not Applicable (Non-Flammable)

Vapor Pressure: Not available

Vapor Density: >1

Relative density: 0.92 - 0.98
Water Solubility: Soluble
Solubility in other solvents Partial

Partition coefficient:

n-octanol/water Not available
Auto-ignition temperature: Not available
Decomposition temperature Not available
Viscosity of Product: 700 - 1,600 cPS
Bulk Density: 0.99 - 1.01

VOC Content: 0%

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None under normal use conditions.

Stability: Stable under normal conditions

Hazardous Polymerization: Hazardous polymerization does not occur

Hazardous Reactions: None under normal conditions

Materials to Avoid: Avoid Oxidizers

Hazardous Decomposition Products: None under normal use

MANUFACTURER NAME: CORETEX PRODUCTS

PRODUCT NAME: IVY X POST-CONTACT CLEANSER

FORMULA #: 3018-06

(Page 5 of 8)

SECTION 11: TOXICOLOGIAL INFORMATION

Product information

Acute toxicity: Product does not present an acute toxicity hazard

based on known or supplied information

Inhalation: No known effect based on information supplied
Skin contact: No known effect based on information supplied
Ingestion: No known effect based on information supplied
Eye contact: No known effect based on information supplied

Chronic toxicity:

Corrosivity:

No known effect based on information supplied

Sensitization:

No known effect based on information supplied

Neurological Effects: No known effect based on information supplied

Reproductive toxicity: The product contains no substances known to be

hazardous to health in concentrations which need to be

taken into account

Mutagenic Effects There are no known mutagenic chemicals in this product

Developmental Toxicity: No known effect Teratogenicity: No known effect

Carcinogenicity: Contains no ingredients above reportable quantities

listed as carcinogen

SECTION 12: ECOLOGICAL INFORMATION

Ecotocicity

Acute toxicity

Persistence & degradability: No information available

Bioaccumlative potential: No information available

Mobility: No information available

Other adverse effects: No information available

MANUFACTURER NAME:

CORETEX PRODUCTS

PRODUCT NAME:

IVY X POST-CONTACT CLEANSER

FORMULA #:

3018-06

(Page 6 of 8)

SECTION 13: DISPOSAL CONSIDERATION

Waste from Residues / Unused Products:

Household: Do not discharge product into natural waters

without pre-treatment or adequate dilution.

Non-Household: Should not be released into the

environment. Dispose of in accordance with local

regulations

Contaminated packaging: Dispose of in accordance with local regulations

California Hazardous Waste Code: 331 (non-household setting)

SECTION 14: TRANSPORTATION INFORMATION

._____

DOT Not Regulated

TDG Not Regulated

MEX Not Regulated

IATA Not Regulated

ICAO Not Regulated

IMDG/IMO Not Regulated

MANUFACTURER NAME:

CORETEX PRODUCTS

PRODUCT NAME: IVY X POST-CONTACT CLEANSER

FORMULA #: 3018-06

(Page 7 of 8)

SECTION 15: REGUALTORY INFORMATION

U.S. Federal Regulations

SARA 313

Not applicable for consumer use

SARA 331/312/Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactivity Hazard	No

CERCLA

Not applicable for consumer use

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheer is regulated by the Federal Food, Drug and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

Not applicable for consumer use

Clean Water Act: Not Applicable for consumer use

U.S. State Regulations:

California Proposition 65:

This product is not subject to warning label under California Proposition 65

International Regulations

Canada

WHMIS Hazardous Class

Not subject to WHMIS classification

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirement of CEPA.

International Inventories

TSCA Product is a personal care product and regulated under FDA

DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List

MANUFACTURER NAME: PRODUCT NAME:

CORETEX PRODUCTS
IVY X POST-CONTACT CLEANSER

FORMULA #: 3018-06

(Page 8 of 8)

SECTION 16: OTHER INFORMATION

.------

Issuing Date: 10/9/2014
Revision Date: 10/9/2014

Disclaimer

The information provided in the Safety Data Sheet is correct to the bet of our knowledge, information and belief at the date of it's publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with other materials or in any process, unless specific in the text.

END of MSDS



Safety Data Sheet

Copyright, 2014, Nortech Labs Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Nortech Labs Inc products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Nortech Labs Inc, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Issue Date: 07/30/14

SECTION 1: Identification

1.1. Product identifier

COOL™ Instant Cold Pack Urea INST56U, INST57U, INST68U

Product Identification Numbers

INST5624U, INST5680U, INST5650BXU, INST5716U, INST5724U, INST5748U, INST6816U, INST6824U

1.2. Recommended use and restrictions on use

Recommended use

Instant cold pack for First Aid & Therapy

1.3. Supplier's details:

MANUFACTURER: Nortech Labs Inc

ADDRESS: 125 Sherwood Ave, Farmingdale NY 11735

TELEPHONE: 888-COLD-PAK (265-3725)

1.4. Emergency telephone number

CHEMTREC - (800) 424-9300

SECTION 2: Hazard identification

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Hazards not otherwise classified

None.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
UREA	57-13-6	42 - 52
WATER	7732-18-5	40 - 50
OUTER FILM	None	5 - 10
INNER FILM	None	1 - 3

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements. If possible, store in a cool dry place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
UREA	57-13-6	AIHA	TWA(as total particulates):10	
			mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists AIHA:

American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration TWA:

Time-Weighted-Average

STEL: Short Term Exposure Limit CEIL:

Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form: Liquid

Odor, Color, Grade: White liquid with hazy color

Odor threshold No Data Available

pH

Boiling Point 212 °F

Flash PointNo flash pointEvaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor Pressure760 mmHg

Density No Data Available

Specific Gravity 1.33

Solubility in Water Complete

Solubility- non-water No Data Available

Partition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableViscosityNo Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Sparks and/or flames

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value

Serious Eye Damage/Irritation

Name	Species	Value

Skin Sensitization

Name	Species	Value

Respiratory Sensitization

Name	Species	Value

Germ Cell Mutagenicity

Name	Route	Value

Carcinogenicity

Name	Route	Species	Value

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure
					Duration

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration

Aspiration Hazard

Name	Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Eco toxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please call 888-COL-PAK (265-3725)

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact Nortech Labs Inc for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

15.2. State Regulations

Contact Nortech Labs Inc for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact Nortech Labs Inc for more information.

15.4. International Regulations

Contact Nortech Labs Inc for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 1 Flammability: 1 Instability: 1 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Nortech Labs Inc MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Nortech Labs Inc product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Nortech Labs Inc product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Nortech Labs Inc product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Nortech Labs Inc provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Nortech Labs Inc makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Nortech Labs Inc

Nortech Labs Inc SDSs are available at www.nortechlabs.com





Telephone: (845) 365-8200 * **Toll Free:** (888) DYNAREX *

Website: www.dynarex.com
Website: www.thcnet.com

Fax: (845) 365-8201

Reorder # 1108, 1201-1202-1207; HS-1125637

Reviewed on 1/7/15

Safety Data Sheet

SECTION 1. Product and Company Identification

Product/Trade Name: Povidone iodine pads

Povidone iodine swabsticks

Manufacturer's Name: Dynarex Corporation

Manufacturer's Address: 10 Glenshaw Street

Orangeburg, NY 10962

Emergency or Information Phone

888-DYNAREX or 845-365-8201

No.: At other times, contact the local Poison Control Center

SECTION 2. Hazards Identification

Flash Point: >200 °F (>90 °C)

Hazardous Decomposition of Byproducts: Emits iodine vapors at high temperatures

Hazard Rating (NFPA): Health: 1

Flammability: 1 Reactivity: 0 Specific: None

SECTION 3. Composition/Information on Ingredients

INGREDIENTS CAS NUMBER WT. % ACGIH-TLV
Povidone Iodine Complex 2565-5418 0.5 to 3 None Established

SECTION 4. First-Aid Measures

Skin Contact: Discontinue if rash or irritation is noted. Eye Contact: Flush with cool water for 15 minutes.

Inhalation: None

Ingestion: Do not induce vomiting. Get medical attention.





Telephone: (845) 365-8200 *
Toll Free: (888) DYNAREX *
Fax: (845) 365-8201

Website: www.dynarex.com Website: www.thcnet.com

Target Organs: N/A

SECTION 5. Fire-Fighting Measures

Extinguishing Media: Any Special Fire-fighting Procedures: None

Unusual Fire and Explosion Hazards: May emit toxic fumes of iodine in a fire.

SECTION 6. Accidental Release Measures

Use absorbent material and dispose per local regulations.

SECTION 7. Handling and Storage

Avoid storing at extreme temperatures.

Store under dry conditions.

SECTION 8. Exposure Controls/Personal Protection

Respiration: None Ventilation: None

Protective Gloves: If handling liquid

Eye Protection: If splashing is a hazard

Hygienic Practices: Good housekeeping practices should be followed.

Other: Wear apron to protect clothing.

SECTION 9. Physical and Chemical Properties

Color/Appearance: Applicator saturated with dark reddish brown liquid

Odor: Faint lodine

Boiling Point: N/A Vapor Density: N/A Evaporation Rate: N/A Solubility in Water: Specific Gravity ($H_20=1$): N/A





Telephone: (845) 365-8200 * **Toll Free:** (888) DYNAREX *

Website: www.dynarex.com
Website: www.thcnet.com

Fax: (845) 365-8201

SECTION 10. Stability and Reactivity

Stability: Stable

Conditions to avoid: None known

Incompatibility: Alkalis and reducing agents

Hazardous Decomposition of By-

products:

Emits iodine vapors at high temperatures

Polymerization: Will not occur

SECTION 11. Toxicological Information

Skin: May cause irritation Eyes: May be irritating

Inhalation: None Ingestion: Harmful

SECTION 12. Ecological Information

Ecotoxicity Not available
Environmental effects Not available
Aquatic toxicity Not available
Persistence / degradability Not available
Bioaccumulation / accumulation Not available
Partition coefficient Not available
Mobility in environmental media Not available
Chemical fate information Not available

Other adverse effects Not available

SECTION 13. Disposal Considerations

Follow local, state and federal regulations.

SECTION 14. Transport Information

DOT Shipping Name:

Technical Shipping Name:





Telephone: (845) 365-8200 * Toll Free: (888) DYNAREX * Website: www.dynarex.com Website: www.thcnet.com

Fax: (845) 365-8201

DOT Shipping Classification:

DOT not regulated

DOT ID Number:

DOT Label Requirements: UN/NA Number Regulations:

Reportable Quantity:

SECTION 15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

NPN 00489948 - Pad/ NPN 00489964 - Swabstick

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200 due to the presence of listed sensitizers. All components are on the U.S. EPA TSCA Inventory List.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical Yes

CERCLA (Superfund) reportable quantity

Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories**

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available Clean Water Act (CWA) Not available Safe Drinking Water Act (SDWA) Not available Drug Enforcement Agency (DEA) Not available

Food and Drug Administration

(FDA) Not available

WHMIS classification Exempt - Registered product - (NHP see above)

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.





Telephone: (845) 365-8200 * **Toll Free:** (888) DYNAREX *

Fax: (845) 365-8201

Website: www.dynarex.com Website: www.thcnet.com

SECTION 16. Other information

Abbreviations

N/A: Denotes no applicable information found or available

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

EU: European Union

R: Risk S: Safety

Disclaimer: This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Identifier #006

Product Name Cool Jel

Product Use Topical Skin Preparation

Manufacturer Water Jel Technologies LLC

50 Broad Street

Carlstadt, New Jersey 07072

 Telephone
 201-507-8300

 E-mail Address
 www.waterjel.com

 Emergency Telephone
 1-800-275-3433

 FAX Number
 201-507-8325

Issue Date: 06-01-2015

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	Common Name and Synonyms	CAS Number	%
Glycerin	1, 2, 3, Propanetriol	56-81-5	Proprietary
Triethanolamine	Trolamine	102-71-6	Proprietary
Propylene Glycol	1, 2, 3, Propanetriol 2-Hydroxypropanol	57-55-6	Proprietary

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview:

This product is regulated by the US FDA as a medical device.

For Consumers, consult the package for use directions and warnings information.

Warnings: For External Use Only.

When using this product, avoid contact with the eyes.

Do not use on large areas of the body or on broken, blistered or oozing skin.

Stop use and ask a doctor if condition worsens or symptoms persist for more than 7 days.

If swallowed, get medical help or contact a Poison Control Center immediately.

Physical Hazards:
Health Hazards:
Environmental Hazards:

OSHA Defined Hazards:
This mixture does not meet the classification criteria according to OSHA Hazcom 2012.
This mixture does not meet the classification criteria according to OSHA Hazcom 2012.
This mixture does not meet the classification criteria according to OSHA Hazcom 2012.
This mixture does not meet the classification criteria according to OSHA Hazcom 2012.

Label Elements:

Hazard Symbol: None

Signal Word: None

Hazard Statement: The mixture does not meet the criteria for classification.

Name: Cool Jel Issue Date: 06-01-2015



Precautionary Statement:

Prevention
Response
None required according to OSHA Hazcom 2012.
None required according to OSHA Hazcom 2012.
Storage
None required according to OSHA Hazcom 2012.
None required according to OSHA Hazcom 2012.

Hazards not otherwise

Classified (HNOC): None known.

Supplemental Information: None.

Route of Entry:

Skin Contact: May cause irritation, redness, inflammation or dryness.

Skin Absorption: No adverse conditions expected.

Eye Contact: Flush eyes with clear running water for a minimum of 15 minutes; if irritation persists, seek medical

attention.

Inhalation: Unlikely route of exposure.

Ingestion: May cause irritation of the digestive tract.

SECTION 4: FIRST AID MEASURES

Skin Contact: Wash off with warm water and soap. Get medical attention if symptoms occur.

Skin Absorption: No adverse conditions expected.

Eye Contact: Flush eyes with clear running water for a minimum of 15 minutes; if irritation persists, seek medical

attention.

Inhalation: Unlikely route of exposure.

Ingestion: May cause irritation of the digestive tract.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable: No

Means of Extinction: Use extinguishing media appropriate for surrounding fire. Use water spray, foam or dry

chemical.

In fires involving large quantities of this product, the use of large streams of water should be

avoided.

Use self-contained breathing apparatus when fighting fires that involve this material.

Flash Point and Method: NA

Upper Flammable Limit (% by volume):

NA
Lower Flammable Limit (% by volume):

NA
Autoignition Temperature (°C):

NA

Explosion Data – Sensitivity to Impact:

Explosion Data – Sensitivity to Impact:

No unusual fire or explosion hazards noted.

No unusual fire or explosion hazards noted.

No unusual fire or explosion hazards noted.

Carbon oxides. Nitrogen Oxides (NOx).

NFPA Health 1 Fire 0 Reactivity 0 Other NA

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions,

Name: Cool Jel Page 2 of 7 Issue Date: 06-01-2015



Protective equipment and

Emergency procedures: Wear appropriate personal protective equipment.

Methods and materials for containment

and clean up:

Absorb spill with vermiculite or other inert material, then place in a sealed container for

chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or

confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Environmental Precautions: Avoid discharge into drains and water sources.

SECTION 7: HANDLING AND STORAGE

Handling Procedures and Equipment: Keep this and other chemicals out of the reach of children.

Storage Temperature: Do not store or mix with strong acids or oxidizers. Store at room

temperature.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Components	ACGIH-TLVs	OSHA-PELs	NIOSH	Form
Glycerin (CAS 57-55-8)	NE	5 mg/m3		Aerosol
Propylene Glycol (CAS 57-55-6)	10 mg/m3	NE	NE	Aerosol
Triethanolamine (CAS 102-71-6)	5 mg/m3	NE	NE	Aerosol

Biological Limit Values: No biological Exposure limits noted for the ingredients.

Ventilation and Engineering Controls: Ensure adequate ventilation.

Personal Protective Equipment: None required under normal conditions **Hand Protection:** None required under normal conditions.

Eye and Face Protection: Eye protection, as necessary to prevent excessive contact.

Skin Protection: None required under normal conditions.

General Hygiene Considerations: Practice safe work habits.

Other Protective Equipment: Eye wash stations should be nearby and ready to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gel. Physical State: Gel.

Name: Cool Jel

Issue Date: 06-01-2015



Form: Gel.

Color: Opaque, white. Odor: Medicinal scent.

pH: No information available.

Boiling Point: 212°F

Melting Point: No information available.

Flash Point: N/A

Explosive Properties: No information available. **Oxidizing Properties:** No information available.

Specific Gravity: 0.997 Water Solubility: Soluble. **Partition Coefficient:**

No information available. Viscosity: No information available. Vapor Pressure (mm Hg): No information available. Vapor Density (Air=1): No information available. **Evaporation Rate:** No information available. % Volatile: No information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use.

Chemical Stability: Stable at normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur.

Conditions to Avoid: Extreme heat.

Materials to Avoid Strong oxidants and strong acids. Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Symptoms of Overexposure by Route of Exposure:

The health hazard information provided is for handling this product in an occupational setting.

Effects of Acute and Chronic Exposure:

Acute: The primary health effect that may be experienced in an occupational setting is mild irritation of contaminated skin. Accidental ingestion may be harmful. Although unlikely, irritation can irritate the respiratory system. Eye contact will cause irritation.

Chronic: NE

Acute: Occupational exposure: Skin, eyes. **Target Organs:**

Chronic: Occupational exposure: Skin.

Inhalation:

Although unlikely due to form of product, vapors may slightly irritate the nose, throat and lungs. Symptoms are generally alleviated upon breathing fresh air.

Skin Contact:

Skin contact may cause burning sensation, stinging, itching and tingling.

Eye contact can cause irritation, stinging, redness and tearing.

Name: Cool Jel

Issue Date: 06-01-2015



Ingestion:

Ingestion is not a significant route of occupational overexposure. Acute ingestion of large quantities of this product or chronic ingestion may cause adverse symptoms that may include nausea, vomiting and diarrhea.

Irritancy of the Product:

This product may cause mild to moderate irritation on damaged skin.

Skin Sensitization:

Not expected.

Respiratory Sensitization:

Not likely due to form of product.

LD50/LC50:

Propylene Glycol (CAS 57-55-6)

• Oral (rat): 2200mg/k

Dermal: (rabbit) 20800 mg/k

Triethanolamine):

Oral (rat): 6110 mg/kg

• Dermal: (rabbit): >19870 mg/k

Glycerin (Mist):

Oral (rat): 12,600 mg/kg

· Subcutaneous (rat): Not Available

Carcinogenicity: Not classified as a human carcinogen by IARC or ACGIH.

Reproductive Toxicity:

Mutagenic/Embryo Toxicity: The components of this product are not reported to cause mutagenic or embryonic effects in

humans.

Teratogenicity: Not available.

Reproductive Toxicity: Not available.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is currently available on the effect of this product on plants or animals in the environment. The product may be harmful to contaminated terrestrial and aquatic plant life in large quantities. The following aquatic toxicity data currently available for components of this product:

Propylene Glycol:

EC50 Green Algae (Desmodesmus subspicatus) 19000 mg/l 96 hours EC50 Water Flea (Daphnia magna) 43500 mg/l 48 hours LC 50 Fathead Minnow (Pimephales promelas) 46500 mg/l 96 hours

Triethanolamine:

EC50 Green Algae (Desmodesmus subspicatus) 512 mg/l 72 hours NOEC Water Flea (Daphnia magna) 16 mg/l 21 days LC 50 Fathead Minnow (Pimephales promelas) 11800 mg/l 96 hours

Name: Cool Jel Issue Date: 06-01-2015



Environmental Exposure Controls: Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

No component of this product is known to have ozone depletion potential.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Collect or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Classification: Not regulated for Domestic Transport. IATA Classification: Not regulated for International Transport. **IMDG Classification:** Not regulated for International Water Transport.

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Not regulated.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not listed.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) 304: Not regulated.

SARA 311/312 HAZARD CATEGORIES: Not regulated.

SARA 313 REPORTABLE INGREDIENTS: Not listed.

STATE REGULATIONS:

California Prop 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

New Jersey RTK: Glycerin (CAS 56-81-5) Propylene Glycol (CAS 57-55-6) Triethanolamine (CAS 102-71-6)

Massachusetts RTK:

Triethanolamine (CAS 102-71-6)

Pennsylvania RTK:

Propylene Glycol (CAS 57-55-6) Triethanolamine (CAS 102-71-6)

INTERNATIONAL REGULATIONS:

W 11101W 12 112002 1110110	^-	
Country or Region	Inventory Name	Listed
Australia	Australia Inventory of Chemical Substances	No
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
China:	Inventory of Existing Chemical Substances In China (IECSC)	Yes
Europe	European List of Notified Chemical Substances (EINECS)	Yes

Name: Cool Jel

Issue Date: 06-01-2015



European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No **Existing Chemicals List (ECL)** Korea Yes **New Zealand New Zealand Inventory** Yes Philippine Inventory of Chemicals and Chemical Substances (PICCS) **Philippines** No United States & Puerto Rico Toxic Substance Control Act (TSCA) Inventory No

Note: A "Yes" indicates that all components comply with the inventory requirements administered by the

governing country.

A "No" indicates that one or more components of the product are not listed or exempt from listing on

Page 7 of 7

the inventory administered by the governing country.

SECTION 16: OTHER INFORMATION

Issue Date: 06-15-2015

Version: 01

Disclaimer:

The information provided in this Safety Data Sheet (SDS) is accurate to the best of our knowledge. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or processes.

Name: Cool Jel

Issue Date: 06-01-2015