PO Box 510 Orchard Hill, GA 30266

Date: January 2009

MATERIAL SAFETY DATA SHEET

Section I – Product Identification

MANUFACTURER'S NAME:	ARI	EMERGENCY PHONE #:	800- 241-5064
ADDRESS:	PO BO	OX 510, ORCHARD HILL, GA	30266
TRADE NAME:	BURN	N SPRAY 6	
SYNONYMS:	AER(OSOL BURN SPRAY	
HMIS Health – 1 Fire - 3 Reactive	vity - 0		

Section II - Material Analysis/Active Ingredients

Component or Material	% of Mixture	CAS#	TLV
Chemical Name			
Benzocaine, USP	4.5%	94-09-7	Not established
Menthol	.15%	89-79-1	Not established
Benzethonium Chloride	.09%	57-09-0	Not established
Dipropylene Glycol	40.26%	025265-71-8	Not established
A-46 Hydrocarbon	55.0%	68476-86-8	1000 ppm

Section III - Physical Data

Boiling Point	449°F
Solubility in H20 % by weight	Completely miscible
Specific Gravity H2O = 1	1.032
Vapor pressure in can PSI at 70°F	46
% Volatiles by Volume	55.0%
PH	N/A
Appearance and Odor	Colorless liquid, slight menthol odor

Section IV – Fire and Explosion Data

Flash Point (Closed cup)	>200°F
Flammable Explosive Limits	Lower: N/A
(% volume in air)	Upper: 120°F
Extinguishing Methods	Dry chemical or CO2
Special fire and Explosion Procedures	Cool containers with water if exposed
Unusual Fire and Explosion Hazard	Product packaged in aerosol form, will

Section V – Health Hazard Information

HEALTH HAZARD DATA ROUTES OF EXPOSURE

Inhalation	May irritate upper respiratory tract and
	cause numbness.
Skin Contact	Mildly irritating
Eye Contact	Spray can cause pain and general
	inflammation.
Ingestion	May cause irritation and vomiting
Effects of Overexposure	Based on available data, repeated
	exposures are not anticipated to cause
	any significant adverse effects.

EMERGENCY AND FIRST AID PROCEDURES

Eye	Flush with large amounts of water, lifting
	upper lids.
Skin	Wash areas with soap and water
Ingestion	Rinse mouth, and consult a physician.
Inhalation	Remove to fresh air.

Section VI – Reactivity Data

Condition contributing to instability	Stable under normal storage conditions.
Incompatability	Strong oxidizing agents.
Hazardous decomposition products	Oxides of carbon, aldehides, and acids.
Conditions contributing to hazardous	Will not occur.
polymerization	

Section VII – Spill or Leak Procedures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

Neutralizing chemical	Flush spill area with water.
Waste disposal method	Dispose of in accordance with state, local
	and federal regulations.

Section VIII – Industrial Hygiene Control Measures

Ventillation Requirements:	Good general ventilation should be
	sufficient for most conditions.

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT

Respiratory (specific in detail)	None Required.
Eye	None Required.
Gloves	None Required.
Other Clothing and Equipment	None Required.

Section IX – Special Precautions

Precautionary Statements	Packaged under pressure. Do not
	puncture, incinerate or store above 120°F.
	Flammable. Keep away from heat source.
Other Handling and Storage Requirements	Store in well ventilated areas, away from
	heat, direct sunlight, and sources of
	ignition. Keep away from oxidizing
	agents. Containers should not be
	dropped. Install protective caps for
	shipment.
Department of Transportation Information	
PROPER SHIPPING NAME:	CONSUMER COMMODITY
HAZARD CLASS:	ORM-D
Prepared by: ARI	DATE: January 2009