SAFETY DATA SHEET FOR COATINGS, RESINS, AND RELATED MATERIALS DATE OF PREPARATION - 01-01-2014		UNUSUAL FIRE AND EXPLOSION HAZARDS: Syrene will polymerize at elevated temperatures of fire conditions. If this occurs in a closed container, there is a possibility of violent rupture.	
Pr	epared by: Compliance Dept.		
SECTION I - PRODUCT IDENTIFICATION		ROUTE(S) OF ENTRY: (X) INHALATION (X) SKIN (X) INGESTION	
MANUFACTURER: Munro Products		HEALTH HAZARDS (ACUTE AND CHRONIC): Objectionable odor, eye and nasal irritation, dizziness and drunkeness.	
DISTRIBUTOR:	9150 Clarence Center Road Clarence Center, NY 14032	CARCINOGENICITY: (X) NTP (NA) IARC (NA) OSHA SIGNS AND SYMPTOMS: Redness and/or swelling of affected area.	
INFORMATION: EMERGENCY:	716/741-9450 CHEMTREC <sup>®</sup> 1-800-424-9300	MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NA FIRST AID:	
PRODUCT CLASS:	FILLER	EYES: Flush with water for 15 minutes. Contact physician.	
TRADE NAME:	BathWorks DIY White High Speed Filler	SKIN: Wash with mild soap and water.	
CODE:	BW-FILLER	INHALATION:Remove from contamination to fresh air.INGESTION:DO NOT INDUCE VOMITING.	
SEC	TION II - HAZARDOUS INGREDIENTS		
		SECTION VI - REACTIVITY DATA	
COMMON NAME ACGIH OSHA	CHEMICAL NAME	STABILITY: Stable	
TLV PEL (PPM) (PPM)		CONDITIONS TO AVOID: Uncontrolled reactions with peroxides.	
UNSATURATED POLYESTER RESIN		INCOMPATIBILITY: Strong acids, peroxides, and oxidizing agents.	
5 mg/m3 5 mg/m3		HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NA	
STYRENE MONOMER 50 100		HAZARDOUS POLYMERIZATION: May Occur.	
		CONDITIONS TO AVOID: Sunlight, open flame, contamination.	
MAGNESIUM SILICATE 20 mppef 20 mppef			
BARIUM SULFATE		SECTION VII - SPILL OR LEAK PROCEDURES	
NE NE TIANIUM OXIDE		STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:Remove all sources of ignition.Absorb with inert materials and place in closed containers.Remove all sources of ignition.	
10 mg/m3 15 mg/m3		WASTE DISPOSAL METHOD: Burn in an adequate incinerator or bury in an approved landfill in accordance with applicable laws.	
	SECTION III - PHYSICAL DATA	PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in ambient temperature in a well ventilated area away from excessive heat or open flame.	
BOILING POINT: NA	SPECIFIC GRAVITY: 1.71	OTHER PRECAUTIONS: Avoid breathing vapors	
VAPOR PRESSURE: NA	MELTING POINT: NA	SECTION VIII - PROTECTIVE EQUIPMENT	
VAPOR DENSITY: NA	EVAPORATION RATE: Less than 1	RESPIRATORY PROTECTION: NA	
SOLUBILITY IN WATER: Slight		VENTILATION: Local Exhaust recommended. Mechanical good general ventilation.	
APPEARANCE AND ODOR: W	hite thick paste with typical styrene odor.	PROTECTIVE GLOVES: Polyethylene or rubber.	
		EYE PROTECTION: Safety glasses with side shields.	
SECTION IV - FIRE AND EXPLOSION HAZARD DATA		OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Clean clothing covering body.	
FLASH POINT: 100 F SFCC	FLAMMABLE LIMITS: NA	WORK/HYGIENE PRACTICES: Practice good hygiene and use with caution to avoid eye and skin	
LEL: NA	UEL: NA	contact.	
EXTINGUISHING MEDIA: Foan SPECIAL FIRE FIGHTING PROCEDU	n, carbon dioxide, dry chemical, water fog. IRES : NA	TUB REFINISHING, INC. DBA MUNRO PRODUCTS	

## NON WARRANTY

The information presented herein, while not guaranteed, is to the best of our knowledge true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product, since the manner of use is beyond our control. No suggestion for product use, nor anything contained herein, shall be construed as a recommendation for its use in infringement of any existing patent, and Munro assumes no responsibility or liability for operations that do infringe any such patents.

TUB REFINISHING, INC. DBA MUNRO PRODUCTS

SAFETY DATA SHEET FOR COATINGS, RESINS, AND RELATED MATERIALS DATE OF PREPARATION - 01-01-2014		SECTION V - HEALTH HAZARD DATA	
		ROUTE(S) OF ENTRY: INHALATION (Not Probable) SKIN (Possible) INGESTION (Not probable)	
		HEALTH HAZARDS (ACUTE AND CHRONIC): Not a highly toxic substance or a primary skin irritant.	
P	repared by: Compliance Dept.	CARCINOGENICITY: NTP (Yes) IARC (NE) OSHA (Yes)	
SECTION I - PRODUCT IDENTIFICATION		SIGNS AND SYMPTOMS OF EXPOSURE: Slight redness and/or swelling of affected areas.	
MANUFACTURER:	Munro Products	AGGRAVATED BY EXPOSURE: ND	
DISTRIBUTOR:	9150 Clarence Center Road Clarence Center, NY 14032	EMERGENCY AND FIRST AID PROCEDURES:	
	Clarence Center, NT 14032	EYES: Flush with water for 15 min. Contact physician.	
INFORMATION:	716/741-9450	SKIN: Wash with mild soap and water.	
EMERGENCY:	CHEMTREC <sup>®</sup> 1-800-424-9300	INGESTION: Administer an emetic. Contact physician.	
PRODUCT CLASS: TRADE NAME:	HARDENER PASTE BathWorks DIY Filler Cream Hardener	SECTION VI - REACTIVITY DATA	
	Bathworks Dir Filler Greath Hardener	STABILITY: Stable	
CODE:	BW-Filler Hardener	CONDITIONS TO AVOID: Store away from all sources of heat or flame.	
SEC	CTION II - HAZARDOUS INGREDIENTS	INCOMPATIBILITY(MATERIALS TO AVOID): Strong mineral acids, promoters or accelerators, strong oxidizers, or reducing agents.	
COMMON NAME	CHEMICAL NAME	HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Biphenyl, carbon dioxide, benzoic acid.	
ACGIH OSHA		HAZARDOUS POLYMERIZATION: Will not occur.	
TLV PEL (PPM) (PPM)		CONDITIONS TO AVOID: Uncontrolled contact with polymerizable materials.	
BENZEYL PEROXIDE 5 mg/m3 5 mg/m3		SECTION VII - SPILL OR LEAK PROCEDURES	
BUTYL BENZYL PHTHALATE NE NE		STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:Absorb with an inert material.Sweep up with non-sparking equipment.Sweep up with non-sparking equipment.	
WATER NE NE		WASTE DISPOSAL METHOD: Burn in an adequate incinerator or bury in a landfill in accordance with applicable laws.	
		HANDLING AND STORAGE PRECAUTIONS: Store below 90F in a well ventilated area away from excessive heat or open flame.	
SECTION III - PHYSICAL DATA		OTHER PRECAUTIONS: NA	
BOILING POINT: NA	SPECIFIC GRAVITY: 1.20		
VAPOR PRESSURE: NA	MELTING POINT: NA	SECTION VIII - PROTECTIVE EQUIPMENT	
VAPOR DENSITY: NA	EVAPORATION RATE: NA	RESPIRATORY PROTECTION: None normally needed.	
SOLUBILITY IN WATER: Slight		VENTILATION: Mechanical (General) - Usually is adequate.	
APPEARANCE AND ODOR: Creamy paste of various colors with slight fruity odor.		PROTECTIVE GLOVES: Polyethylene or rubber.	
		EYE PROTECTION: Safety glasses with side shields.	
SECTION	N IV - FIRE AND EXPLOSION HAZARD DATA	OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Clean, body covering clothing.	
FLASH POINT: ND LEL: NA UEL: NA		WORK/HYGIENIC PRACTICES: Practice good hygiene and use with caution to avoid skin and eye contact.	
EXTINGUISHING MEDIA: Water fog, dry chemical, alcohol, foam, CO2.			
SPECIAL FIREFIGHTING PROCEDURES: None		NON WARRANTY	
UNUSUAL FIRE AND EXPLOSION	HAZARDS: Fire resistant, negligible explosion hazard.	The information presented herein, while not guaranteed, is to the best of our knowledge true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product, since the manner of use is beyond our control. No suggestion for product use, nor anything contained herein, shall be construed as a recommendation for its use in infringement of any existing patent, and Munro assumes no responsibility or liability for operations that do infringe any such patents.	
		TUB REFINISHING, INC. DBA MUNRO PRODUCTS	