

SECTION 1 – GENERAL INFORMATION

Manufacturer: <u>HMIS Rating</u>

Modern Masters, Inc.HEALTH19380 San Fernando Road,FLAMMABILITY0Sun Valley, California 91352REACTIVITY0

818-683-0201

Emergency Telephone: 800-942-3166 **Preparation Date:** May 17, 2011

Product Name: Venetian Plaster Pre-Mixed Master Palette Colors Water-based Acrylic

Plasters

Product Codes:

VP4000 Adobe
VP4001 Caramel
VP4002 Cassis
VP4003 Ruby
VP4004 Sahara
VP4005 Sangria

VP4006 Dark Chocolate

VP4007 **Ebony** VP4008 Emerald VP4009 Fern VP4010 Slate Blue Violet VP4011 VP4012 Suede VP4013 Lapis VP4014 Marigold

SECTION 2 – HAZARDOUS INGREDIENTS

Hazardous Component CAS # OSHA PEL ACGIH TLV

Crystalline Silica 14808-60-7 0.05 mg/m³ 0.05 mg/m³

NA: Not Applicable N/D: Not Determined N/E: Not Established Modern Masters, Incorporated, 9380 San Fernando Road, Sun Valley, California 91352

Page 1 of 7 pages

N/R: Not Required Est.: Estimated 818-683-0201



SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview: These materials are pigmented acrylic decorative pastes. They are stable, non-flammable, highly viscous, opaque liquids with a flash point above 200°F.

Primary Routes of Exposure:

Inhalation Skin contact Eye contact Ingestion

Potential Acute Health Effects:

Inhalation: May cause respiratory tract irritation

Skin: Prolonged or repeated skin contact may cause irritation

Eye: May cause eye irritation

Ingestion: Not hazardous under intended use conditions

Potential Chronic Health Effects: None known

SECTION 4 – FIRST AID MEASURES

Eye contact: Flush eyes with clean water for 15 minutes. Seek medical attention.

Skin contact: Thoroughly wash with soap and warm water before the Venetian Plaster dries.

Inhalation: If irritation occurs, remove to fresh air and seek medical attention if cough or other symptoms develop. Seek medical attention if irritation persists.

N/R: Not Required

Est.: Estimated

818-683-0201

Ingestion: Do not induce vomiting. Seek medical attention.

Note to Physician: Treat symptomatically. This material is basically non-toxic. A small quantity (approximately one tablespoon) is unlikely to cause harm.



SECTION 5 – FIRE FIGHTING MEASURES

Flash Point (method): N/D (est. >200°F)

Extinguishing Media: Use water spray, foam, or carbon dioxide when fighting fires involving

this material.

Protection of Firefighters: As in any fire, wear NIOSH approved self-contained breathing

apparatus pressure-demand and full protective gear.

Fire and Explosion Hazards: Material will not burn.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Slippery: can cause slips and falls if walked on.

Clean Up Methods: Contain spill with sand or other diking material. Soak up small spills with absorbent material. Dispose of in accordance with federal, state, and local regulations.

(See also Section 8 for information on Exposure Controls and Personal Protective Equipment.)

SECTION 7 – HANDLING AND STORAGE

Handling: Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash hands with soap and warm water after use.

Storage: DO NOT FREEZE. Keep container tightly closed when not in use. Do not reuse containers, and properly dispose of empty containers.

N/R: Not Required

Est.: Estimated

818-683-0201



SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: If necessary, use general room dilution ventilation, process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Personal Protective Equipment (PPE):

Eye Protection: Eye contact should be avoided. Where eye contact is likely, wear chemical splash goggles and/or full-face shield.

Skin Protection: Wear gloves to prevent prolonged skin contact.

Respiratory Protection: None needed under normally anticipated use conditions. If vapor levels exceed allowable limits, wear a NIOSH approved air-purifying respirator with an organic vapor cartridge.

General Hygiene Practices: Avoid eye and skin contact. Avoid breathing vapors. Wash hands with soap and warm water before eating, drinking, or using the toilet.

SECTION 9 – PHYSICAL DATA

Appearance: Opaque paste Odor: Mild odor **Physical State:** Paste pH: 7 to 10 **Boiling Point:** N/A **Melting Point:** <32°F **Vapor Pressure:** N/D **Vapor Density:** N/D **Odor Threshold:** N/D Viscosity: >100,000 cps **Solubility in Water:** Dispersible in water Specific Gravity (water = 1): 1.3-1.8

N/R: Not Required

Est.: Estimated

818-683-0201

VOC: 80 grams/liter



SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable, non-reactive **Incompatibility:** None known

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: None known

SECTION 11 – TOXICOLOGICAL INFORMATION

Carcinogenicity: This material is not considered a carcinogen by IARC or NTP and is not regulated as a carcinogen by OSHA.

(See also Section 15 for related information.)

SECTION 12 – ECOLOGICAL INFORMATION

Chemical Fate and Effects: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Recommended Waste Disposal Method: This material is not considered hazardous waste under Federal Hazardous Waste Regulations (40CFR 261). However, state and local requirements for waste disposal may be more restrictive or otherwise differ from federal regulations. Chemical additions, processing, or otherwise altering this material may render the waste management information presented in this MSDS incomplete, inaccurate, or otherwise inappropriate. Consult all applicable federal, state, and local regulations regarding the proper disposal of this material.

SECTION 14 – TRANSPORTATION INFORMATION

N/R: Not Required

Est.: Estimated

818-683-0201

Regulated by the DOT: Not regulated

DOT Proper Shipping Name: Paint

NA: Not Applicable N/D: Not Determined N/E: Not Established Modern Masters, Incorporated, 9380 San Fernando Road, Sun Valley, California 91352

Page 5 of 7 pages



SECTION 15 – REGULATORY INFORMATION

CERCLA:

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u> <u>CAS #</u> <u>Maximum Concentration (Wt. %)</u>

none N/A N/A

SARA Title III, section 311/312:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311, and 312).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u> <u>CAS #</u> <u>Maximum Concentration (Wt. %)</u>

none N/A N/A

SARA Title III, section 313:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313).

Components present in this product at a level which could require reporting under the statute are:

Chemical Name CAS # Maximum Concentration (Wt. %)

none

TSCA:

The components of this mixture are listed in the Toxic Substance Control Act Inventory of Chemical Substances.

This product does not contain any chemicals that would require export notification under Section 12(b) of the TSCA regulation.



SECTION 16 – OTHER INFORMATION

Legend: N/A: Not Applicable N/D: Not Determined

N/E: Not Established
STEL: Short Term Exposure Limit
N/R: Not Required
C: Ceiling Value

cps: Centipoise mg/m³: milligrams per cubic meter

PPM: Parts Per Million **PPB:** Parts Per Billion

PEL: Permissible Exposure Limit **TLV:** Time Weighted Average

mppcf: million particles per cubic foot of air

ACGIH: American Conference of Governmental Industrial Hygienists

CPSC: Consumer Product Safety Commission **DOT:** US Department of Transportation

FHSA: Federal Hazardous Substance Act

OSHA: Occupational Safety and Health Administration (US Dept. of Labor)

RCRA: Resource Conservation and Recovery Act **SARA:** Superfund Amendment and Reauthorization Act

TSCA: Toxic Substance Control Act

HMIS Key

4 = Severe Hazard

3 = Serious Hazard

2 = Moderate Hazard

1 = Slight Hazard

0 = Minimal Hazard

Prepared by: Modern Masters Regulatory Compliance Manager, Technical Management Department, 9380 San Fernando Road, Sun Valley, California 91352

Disclaimer: Modern Masters, Inc. believes, to the best of its knowledge, information, and belief, the information contained herein to be accurate and reliable as of the date of this material safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials and make no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data to comply with all applicable international, federal, state, and local laws and regulations.

Est.: Estimated

818-683-0201

N/R: Not Required