SAFETY DATA SHEET

SECTION 1 -	PRODUCT AND COMPANY IDENTIFICATION				
Product Identifier Product Code Trade Name/Synonyms Recommended Use Manufacturer's name and address Manufacturer's name and address The W.W. Henry Company 400 Ardex Park Drive Aliquippa, PA 15001 USA	 Henry[®] 430 ClearPro[™] Clear VCT Floor Adhesive 70010432 Henry 430 Adhesive for installing Vinyl Composition Tile (VCT). 				
Information Telephone No. Website Address 24 Hr Emergency Telephone #	: (800) 232-4832 or (724) 203-8000 : <u>http://www.wwhenry.com</u> : CHEM-TEL: 1-800255-3924 OR 1-813-248-0585 (call collect)				
SECTION 2 – HAZARDS IDENTIFICATION					
GHS Classification per 29CFR 191	0 (OSHA Hazard Communication Standard) Not classified as hazardous.				
WHMIS Classification					
GHS Pictograms	This product is not a WHMIS Controlled Product.				
	None.				
Signal Word	None.				
Hazard Statements	None.				
Safe Handling Instructions:	Avoid eye and skin contact. It is recommended to use safety glasses and gloves during handling. During installation process, adequate ventilation of the work area should be maintained. Although the adhesive is low VOC, persons who are sensitive to odors or chemicals should avoid the work area during installation. Keep container closed.				
	During normal usage of the product as recommended, airborne dusts and mists will not be present. See Section 7 (Handling and Storage) for further details.				

Hazards Not Otherwise Classified

None.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 4 – FIRST		•
No hazardous ingredients	N/Ap	100
Ingredients	CAS #	% (by weight)

INICASURES

: Call a doctor if you feel unwell.

Henry[®] 430 ClearPro[™] Clear VCT Floor Adhesive 16-Aug-2014

Inhalation	: If a worker develops breathing problems while working with this material, remove the worker to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Wash with plenty of soap and water. If irritations or symptoms develop, seek medical attention/advice.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Call a doctor/physician if you feel unwell.
Notes for Physician	: Treat symptomatically.

Signs and symptoms of short-term (acute) exposure

Inhalation	: None known.
Skin	: Symptoms may include mild redness or itching.
Eyes	: Symptoms may include mild redness, itching, or pain.
Ingestion	: None known.

Effects of long-term (chronic) exposure

: None known.

Indication of need for immediate medical attention or special treatment

: Difficulty breathing persists after removing the person to fresh air. Any exposure to the eye which causes irritation.

SECTION 5 – FIRE FIGHTING MEASURES				
Suitable extinguishing media	: Carbon dioxide, dry chemical powder, alcohol foam or water spray.			
Unsuitable extinguishing media	: Water jet may spread the burning material.			
Hazardous combustion products	: Carbon monoxide, carbon dioxide, as well as other toxic vapors and gases which are common to thermal degradation of organic compounds.			
Special fire-fighting procedures/ed	uipment			
	: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. After fires have been extinguished, carefully clean all equipment and surfaces exposed to fumes.			
Environmental precautions	: Do not allow material to enter drains or contaminate ground water system.			
Fire hazards/conditions of flamma	bility			
	: Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.			
Flammability classification (OSHA	29 CFR 1910.1200, WHMIS)			
	: Not flammable.			
NFPA Rating	: 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe			

Flammability 1 Instability 0 Special Hazards: **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Health: 1

Personal precautions	: Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment. Never work alone when cleaning up a spill.
Protective equipment	 Refer to Section 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.
Emergency Procedures	 If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002). US CERCLA Reportable quantity (RQ): None reported.

Methods and materials for containment and cleaning up

None

Prohibited materials Environmental precautions	 Ventilate area of release. Stop spill or leak at source if safely possible. Contain product with inert absorbent material, preventing it from entering sewer lines or waterways. Gather up spilled material and place in suitable container for later disposal (see Section 13). Residual of product, while still wet, can be cleaned up with warm soapy water. Notify the appropriate authorities as required. None known. Do not allow product to enter drains or waterways. Do not allow material to contaminate ground water system.
Reference to other sections	: See Section 14 for disposal information.
	SECTION 7 – HANDLING AND STORAGE
Safe handling procedures	: Wear suitable protective equipment during handling. (See Section 8.) Observe good hygiene standards. Use only with adequate ventilation. Wash thoroughly after handling. Avoid contact with eyes, skin, or clothing. Sanding and grinding dusts may be harmful if inhaled. When removing this product from existing flooring (i.e. during a renovation), wear safety goggles and respiratory protection from dust due to blasting, chipping, or mechanically pulverizing. Keep container tightly closed.
Storage requirements	: Store in a cool, dry, well-ventilated area. Store away from heat and open flame. Avoid storing in direct sunlight. Store in original container. Keep tightly closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning.
Incompatible materials	: See Section 10.
Special packaging materials	: Always keep in containers made of the same materials as the supply container.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingredients		CAS #	ACGI	H TLV	OSH	A PEL
			TWA	STEL	PEL	STEL
No hazardous ingredients		N/Ap	N/Ap	N/Ap	N/Ap	N/Ap
Engineering Controls	recomm	eral or local exha ended exposure l of any vapor gene	imits. Ventilat	tion should ef	fectively remov	
Personal Protection Equipment						
Eye / face protection	: Chemica	: Chemical goggles or safety glasses, as appropriate for the job.				
Skin protection		Wear gloves which are impervious to the material. Materials such as nitrile rubber or Viton (fluorocarbon rubber) are recommended.				
Body protection		Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact.				
Respiratory protection	should r or dust,	Under normal conditions of use with adequate ventilation, respiratory protection should not be necessary. If work process generates excessive quantities of vapor or dust, or exposures in excess of any PEL, wear an appropriate organic vapor respirator.				
Site safety equipment	: An eyev working	vash station and s area.	afety shower	should be ma	de available in	the immediate
General hygiene considerations	drink or thoroug	ontact with eyes, s smoke when usin hly. Remove soile ent and clothing at	g this product. d clothing and	. Upon compl wash it thore	etion of work, v	vash hands

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Paste	Appearance	: Beige paste
Odor	: Mild	Odor threshold	: N/Av

 $\text{Henry}^{\texttt{8}}$ 430 $\text{ClearPro}^{^{\text{\tiny M}}}$ Clear VCT Floor Adhesive 16-Aug-2014

рН	:	8.5 – 9.5	Specific gravity	:	1.045
Boiling point	:	212°F (100°C)	Coefficient of water/oil distribution	:	N/Av
Melting/Freezing point	:	N/Av	Solubility in water	:	Miscible
Vapor pressure (mm Hg @ 20°C / 68°F)	:	N/Av	Evaporation rate (<i>n</i> -Butyl acetate = 1)	:	N/Av
Vapor density (Air = 1)	:	N/Av	Volatiles (% by weight)	:	Approximately 53 – 55%
Volatile organic compounds (VOCs)	:	1.1 g/L SCAQMD	1168		
Particle size	:	N/Av	Flammability classification	:	Not flammable
Flash point	:	>93.3°C (>200°F) Lower flammable limit (% by vol)	:	Not available
Flash point method	:	Setaflash closed	Upper flammable limit (% by vol)	:	Not available
Auto-ignition temperature	:	N/Av	Decomposition temperature	:	Not available
Viscosity	:	25,000 cSt	Oxidizing properties	:	Not available
Explosion data: Sensitivity to med	ha	inical impact / sta	atic discharge		

: Not expected to be sensitive to mechanical impact or static discharge.

SECTION 10 - REACTIVITY AND STABILITY INFORMATION

Reactivity	:	Not reactive.
Stability	:	Stable under the recommended storage and handling conditions prescribed.
Hazardous reactions	:	Hazardous polymerization does not occur.
Conditions to avoid	:	Extreme heat.
Materials to avoid and incompatabilit	y	
	:	Strong oxidizing agents.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of exposure	:	Inhalation: YES	Skin Absorption: NO	C	Skin and Eyes:	Yes	Ingestion: YES
Symptoms of exposure	:	See Section 4.					
Toxicological data	:	There are no availab below for individual i				ingre	dients. See

	LC50 (4 hr)	LD50	
Ingredients	Inhalation, rat	Oral, rat	Dermal, rabbit
No hazardous ingredients.	N/Av	N/Av	N/Av

Skin corrosion or irritation	: May cause mild irritation to skin.
Serious eye damage / eye irritation	: May cause mild, temporary irritation to eyes.
Respiratory or skin sensitization	: None known.
Germ cell mutagenicity	: None known.
Carcinogenic status	: No components are classified as carcinogenic by IARC, ACGIH, NTP, and OSHA.
Reproductive toxicity	: None known.
Specific Target Organ Toxicity, Single	e Exposure
	: None known.
Specific Target Organ Toxicity, Repea	ated Exposure
	: None known.
Aspiration hazard	: None known.
Additional information	: N/Av

SECTION 12 – ECOLOGICAL INFORMATION

Environmental effects

: The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Henry[®] 430 ClearPro[™] Clear VCT Floor Adhesive 16-Aug-2014

Ecotoxicity	:	No data available.
Biodegradability	:	No data available.
Bioaccumulative potential	:	No data available.
Mobility in soil	:	No data available.
PBT and vPvB assessment	:	No data available.
Other adverse effects	:	No data available.

SECTION 13 – DISPOSAL CONSIDERATION

•	 Handle waste according to recommendations in Section 7. You must test your waste using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
Packaging	: Handle contaminated packaging in the same manner as the product.
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 – TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	This product is not regulated according to Canadian TDG regulations.	None	None	None
TDG Additional Information	None				
49 CFR/DOT	None	This product is not regulated according to US DOT regulations.	None	None	None
49 CFR/DOT Additional Information	None				

SECTION 15 – REGULATORY INFORMATION

Canadian Information:

Canadian WHMIS Classification: This product is not a WHMIS Controlled Product. It does not meet the criteria for a controlled product provided in Part IV of the Controlled Products Regulations (CPR).

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Canadian Environmental Protection Act (CEPA) information: All ingredients appear on the Domestic Substances List (DSL). It does not contain any components above the *de minimus* level on the Canadian HPA Ingredient Disclosure List:

US Federal Information:

TSCA: All ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Not Hazardous.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above *de minimus* concentrations.

U.S. State Right To Know Laws

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

Other State Right to Know Laws: Not applicable.

Health: 1 Flammability 1 Reactivity 0 PPE: Gloves, safety glass Legend : ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Lia Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System IARC: International Agency for Research on Cancer Inh: Inh: Inhalation N/Av: Not Available N/Ap: Not Applicable NIOSH: National Institute of Occupational Safety and Health NTP: National Institute of Occupational Safety and Health NTP: National Institute of Occupational Safety and Health NTP: NOSH: Nocal Agency for Resource Conservation PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act STEL: Strell: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations	SECTION 16 – OTHER INFORMATION		
CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Lia Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System IARC: International Agency for Research on Cancer Inh: Inhalation N/Av: Not Available N/Ap: Not Available N/Ap: Not Applicable NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values	HMIS Rating	: <u>* - Chronic Hazard</u> 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe Health: 1 Flammability 1 Reactivity 0 PPE: Gloves, safety glasses	
TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System	Legend	CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System IARC: International Agency for Research on Cancer Inh: Inhalation N/Av: Not Available N/Ap: Not Available NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average	

Disclaimer of Liability

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

No warranty of any kind is given or implied. The W.W. Henry Company will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein. This Safety Data Sheet is valid for three (3) years.

Prepared By:

The W.W. Henry Company 400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001

(724) 203-8000 Visit our Website: http://www.wwhenry.com

Revision date:

: 13-Aug-2014

End of Document