MATERIAL SAFETY DATA SHEET

	SECTION 1 - IDENTIFICATION		
Manufacturer's name and address:	Supplier's name	and address:	
HENRY.	Refer to Manufac	turer	
The W.W. Henry Company 400 Ardex Park Dr. Aliquippa, PA 15001 USA			
Information Telephone No. : Website Address : 24 Hr Emergency Telephone # : Product Identifier : Chemical Name : Chemical Formula` : Molecular Weight :	(724) 203-8000 http://www.wwhenry.com CHEM-TEL: 1-800-255-3924 OR 1-813-2 Henry [®] 336 Floor Primer & Late N/Ap Chemical Family N/Ap Trade Name/Synonyms N/A Material Use Uses Advised Against	48-0585 (call collect EX Liquid Addit Mixture Henry 336 Water based lates No Information av	ive additive.
SECT	ION 2 – HAZARDS IDENTIFICA	TION	
GHS Classification per 29 CFR 191	0.1200 (OSHA HCS 2012) and HPR (WHM Not classified as hazardous.	IS 2015)	
GHS Pictograms	Neee		
Signal Word	None.		
Hazard Statements	None.		
	None.		
Safe Handling Instructions:	Avoid eye and skin contact. It is recommend gloves during handling. During installation work area should be maintained. Although who are sensitive to odors or chemicals sh installation. Keep container closed.	process, adequate the adhesive is low	ventilation of the VOC, persons
Hazards Not Otherwise Classified			
% With Unknown Acute Toxicity	None.		
	None.		
SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredients		CAS #	% (by weight)
No hazardous ingredients		N/Ap	100
SE	CTION 4 – FIRST AID MEASUR	ES	

General	: Call a doctor if you feel unwell.
Inhalation	If a worker develops breathing problems while working with this material, remove the worker to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Wash with plenty of soap and water. If irritations or symptoms develop, seek medical attention/advice.

Henry[®] 336 Floor Primer & Latex Liquid Additive 23-Apr-2015

23-Api-2013					
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.				
Ingestion	: Rinse mouth. Do NOT induce vomiting. Call a doctor/physician if you feel unwell.				
Notes for Physician	: Treat symptomatically.				
Signs and symptoms of short-te	erm (acute) exposure				
Inhalation	: None known.				
Skin	Symptoms may include mild redness or itching.				
Eyes	: Symptoms may include mild redness, itching, or pain.				
Ingestion	: None known.				
Effects of long-term (chronic) ex	cposure				
	: None known.				
Indication of need for immediate r	nedical attention or special treatment				
	: Difficulty breathing persists after removing the person to fresh air.				
	Any exposure to the eye which causes irritation.				
SE	CTION 5 – FIRE FIGHTING MEASURES				
Suitable extinguishing media	: Carbon dioxide, dry chemical powder, alcohol foam or water spray.				
Unsuitable extinguishing media	: Water jet may spread the burning material.				
Hazardous combustion products	: Carbon monoxide, carbon dioxide, as well as other toxic vapors and gases which are common to thermal degradation of organic compounds.				
Special fire-fighting procedures/educed	quipment				
	: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. After fires have been extinguished, carefully clean all equipment and surfaces exposed to fumes.				
Environmental precautions	: Do not allow material to enter drains or contaminate ground water system.				
Fire hazards/conditions of flamma					
	: Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.				
Flammability classification (OSHA	29 CFR 1910.1200, WHMIS 2015)				
	: Not flammable.				
NFPA Rating	: 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe				
C C	Health: 1 Flammability 1 Instability 0 Special Hazards: None				
SECTIO	ON 6 – ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment.				
Protective equipment	 Refer to Section 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional information on acceptable personal protective equipment. 				
F B b					

Emergency Procedures : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).

US CERCLA Reportable quantity (RQ): None reported.

Methods and materials for containment and cleaning up

	:	Ventilate area of release. Stop spill or leak at source if safely possible. Contain product with inert absorbent material, preventing it from entering sewer lines or waterways. Gather up spilled material and place in suitable container for later disposal (see Section 13). Residual of product, while still wet, can be cleaned up with warm soapy water. Notify the appropriate authorities as required.
		with warm soupy water. Notify the appropriate authonities as required.
Prohibited materials	:	None known.

Environmental precautions Reference to other sections	Do not allow product to enter drains or waterways. Do not allow material to contaminate ground water system.See Section 14 for disposal information.
	SECTION 7 – HANDLING AND STORAGE
Safe handling procedures	: Wear suitable protective equipment during handling. (See Section 8.) Observe good hygiene standards. Use only with adequate ventilation. Wash thoroughly after handling. Avoid contact with eyes, skin, or clothing. Keep container tightly closed.
Storage requirements	 Store in a cool, dry, well-ventilated area. Store away from heat and open flame. Avoid storing in direct sunlight. Store in original container. Keep tightly closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning.
Incompatible materials	: See Section 10.
Special packaging materials	: Always keep in containers made of the same materials as the supply container.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible Exposure Limits		ure limits have been here components in		for the produc	ct itself. Below	are exposure
Ingredients		CAS #	ACGI	H TLV	OSH	HA PEL
			TWA	STEL	PEL	STEL
No hazardous ingredients		N/Ap	N/Ap	N/Ap	N/Ap	N/Ap
Engineering Controls	recomme	eral or local exhau ended exposure li f any vapor gene	mits. Ventilat	ion should ef	fectively remov	
Personal Protection Equipment						
Eye / face protection	: Chemica	l goggles or safet	y glasses, as	appropriate f	or the job.	
Skin protection		Wear gloves which are impervious to the material. Materials such as nitrile rubber or Viton (fluorocarbon rubber) are recommended.				
Body protection		Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact.				
Respiratory protection	should no or dust, c	Under normal conditions of use with adequate ventilation, respiratory protection should not be necessary. If work process generates excessive quantities of vapor or dust, or exposures in excess of any PEL, wear an appropriate organic vapor respirator.				ntities of vapor
Site safety equipment	: An eyewa working a	ash station and sa area.	afety shower s	should be ma	ide available ir	the immediate
General hygiene considerations	drink or s thorough	ntact with eyes, s moke when using ly. Remove soiled nt and clothing at	g this product. d clothing and	Upon compl wash it thore	etion of work,	wash hands

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid	Appearance	:	Milky white
Odor	:	Mild	Odor threshold	:	N/Av
рН	:	9.0	Specific gravity	:	1.01
Boiling point	:	212°F (100°C)	Coefficient of water/oil distribution	:	N/Av
Melting/Freezing point	:	N/Av	Solubility in water	:	Dispersible
Vapor pressure (mm Hg @ 20°C / 68°F)	:	N/Av	Evaporation rate (n-Butyl acetate = 1)	:	N/Av
Vapor density (Air = 1)	:	N/Av	Volatiles (% by weight)	:	85 – 90%
Volatile organic compounds (VOCs)	:	0 g/L SCAQMD			
Particle size	:	N/Av	Flammability classification	:	Not flammable
Flash point	:	>93.3°C (>200°F) Lower flammable limit (% by vol)	:	Not available

Flash point method	:	Setaflash closed	Upper flammable limit (% by vol)	:	Not available
Auto-ignition temperature	:	N/Av	Decomposition temperature	:	Not available
Viscosity	:	N/Av	Oxidizing properties	:	Not available
Explosion data: Sensitivity to mechanical impact / static discharge					

: Not expected to be sensitive to mechanical impact or static discharge.

SECTION 10 – REACTIVITY AND STABILITY INFORMATION

Reactivity	:	Not reactive.
Stability	:	Stable under the recommended storage and handling conditions prescribed.
Hazardous reactions	:	Hazardous polymerization does not occur.
Conditions to avoid	:	Extreme heat.
Materials to avoid and incompatabilit	y	
	:	Strong oxidizing agents.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of exposure	: Inhalation: YES	Skin Absorption: NO	Skin and Eyes: Yes Ind	gestion: YES				
Symptoms of exposure	: See Section 4.	,	,	, ,				
Calculated Acute Toxicity Estim	ates for the Product							
Inhalation	: > 100 mg/L							
Oral	: > 15000 mg/kg	> 15000 mg/kg						
Dermal	: > 15000 mg/kg	> 15000 mg/kg						
Toxicological data	: See below for individ	dual ingredient acute to	icity data.					
	LC50 (4 hr)		LD50					
Ingredients	Inhalation, rat	Oral, rat	Dermal,	rabbit				
No hazardous ingredients.	N/Av	N/A	v					
Skin corrosion or irritation:May cause mild irritation to skin.Serious eye damage / eye irritation:May cause mild, temporary irritation to eyes.Respiratory or skin sensitization:None known.Germ cell mutagenicity:None known.								
Carcinogenic status	: No components are classified as carcinogenic by IARC, ACGIH, NTP, and OSHA.							
•	Reproductive toxicity : None known.							
Specific Target Organ Toxicity,	Specific Target Organ Toxicity, Single Exposure							
: None known.								
Specific Target Organ Toxicity,	Specific Target Organ Toxicity, Repeated Exposure							
	: None known.							
Aspiration hazard	: None known.	: None known.						
Additional information	: N/Av							

SECTION 12 – ECOLOGICAL INFORMATION

Environmental effects

: The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Henry[®] 336 Floor Primer & Latex Liquid Additive 23-Apr-2015

Ecotoxicity	:	No data available.
Biodegradability	:	No data available.
Bioaccumulative potential	:	No data available.
Mobility in soil	:	No data available.
PBT and vPvB assessment	:	No data available.
Other adverse effects	:	No data available.

SECTION 13 – DISPOSAL CONSIDERATION

Handling for disposal Methods of disposal	 Handle waste according to recommendations in Section 7. You must test your waste using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
Packaging	: Handle contaminated packaging in the same manner as the product.
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 – TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	This product is not regulated according to Canadian TDG regulations.	None	None	None
TDG Additional Information	None				
49 CFR/DOT	None	This product is not regulated according to US DOT regulations.	None	None	None
49 CFR/DOT Additional Information	None				

IATA

: Not regulated for Air Transport

IMDG

: Not regulated for Ocean Transport

SECTION 15 – REGULATORY INFORMATION

Canadian Information:

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR). This SDS contains all of the information required by the HPR.

Canadian Environmental Protection Act (CEPA) information: All ingredients appear on the Domestic Substances List (DSL).

US Federal Information:

TSCA: All ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Not Hazardous.

Henry[®] 336 Floor Primer & Latex Liquid Additive 23-Apr-2015

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above *de minimus* concentrations.

U.S. State Right To Know Laws

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

Other State Right to Know Laws: Not applicable.

SECTION 16 – OTHER INFORMATION				
HMIS Rating	: * - Chronic Hazard 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe			
	Health: 1 Flammability 1 Physical Hazard 0 PPE: Gloves, safety glasses			
Legend	: ACGIH: American Conference of Governmental Industrial Hygienists			
	CAS: Chemical Abstract Services			
	CERCLA: Comprehensive Environmental Response, Compensation, and Liability			
	Act of 1980			
	CFR: Code of Federal Regulations			
	DOT: Department of Transportation			
	DSL: Domestic Substances List			
	EPA: Environmental Protection Agency			
	GHS: Globally Harmonized System			
	HPR: Hazardous Products Regulations			
	IARC: International Agency for Research on Cancer			
	Inh: Inhalation			
	N/Av: Not Available			
	N/Ap: Not Applicable			
	NIOSH: National Institute of Occupational Safety and Health			
	NTP: National Toxicology Program			
	OSHA: Occupational Safety and Health Administration			
	PEL: Permissible exposure limit			
	RCRA: Resource Conservation and Recovery Act			
	SARA: Superfund Amendments and Reauthorization Act			
	STEL: Short Term Exposure Limit			
	TDG: Canadian Transportation of Dangerous Goods Act & Regulations			
	TLV: Threshold Limit Values			
	TSCA: Toxic Substance Control Act			
	TWA: Time Weighted Average			
	WHMIS: Workplace Hazardous Materials Identification System			
	Disclaimer of Liability			

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

No warranty of any kind is given or implied. The W.W. Henry Company will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

Prepared By:

The W.W. Henry Company 400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001

(724) 203-8000 Visit our Website: http://www.wwhenry.com

Revision date:

: 23-Apr-2015

End of Document