## **Section 1: Product & Company Identification**

Product Name: Di-Electric Grease

Product Number (s): 02085

**Product Use:** Lubricates, protects and insulates electrical connections

Manufacturer / Supplier Contact Information:

<u>In United States</u>: <u>In Canada</u>: <u>In Mexico</u>:

CRC Industries, Inc.

CRC Canada Co.

CRC Industries Mexico

Av. Benito Juárez 4055 G

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

<u>www.crcindustries.com</u> <u>www.crc-canada.ca</u> San Luís Potosí, SLP CP 78394 1-215-674-4300(General) 1-905-670-2291 <u>www.crc-mexico.com</u>

(800) 521-3168 (Technical) (800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

### **Section 2: Hazards Identification**

Emergency Overview

52-444-824-1666

**CAUTION:** Contents Under Pressure.

As defined by OSHA's Hazard Communication Standard, this product is nonhazardous Appearance & Odor: Opaque white gel, low odor

### **Potential Health Effects:**

**ACUTE EFFECTS:** 

EYE: May cause mild, temporary irritation.

SKIN: For hypersensitive persons, may irritate the skin after prolonged periods of contact.

INHALATION: Viscous nature may block breathing passages if inhaled.

INGESTION: May cause diarrhea.

CHRONIC EFFECTS: None known

TARGET ORGANS: None known

Medical Conditions Aggravated by Exposure: Pre-existing skin sensitivities

See Section 11 for toxicology and carcinogenicity information on product ingredients.

**Product Name:** Di-Electric Grease

# **Section 3: Composition/Information on Ingredients**

COMPONENT	CAS NUMBER	% by Wt.		
Silicone gel mixture	63148-62-9 / 7631-86-9	> 95		
Nitrogen	7727-37-9	< 5		

## **Section 4: First Aid Measures**

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Clear air passage if blocked. Keep person calm. If not breathing, give

artificial respiration. If breathing is difficult give oxygen. Call a physician.

Ingestion: Wash out mouth immediately. Consult physician.

*Note to Physicians*: Treat symptomatically.

## **Section 5: Fire-Fighting Measures**

**Flammable Properties:** As defined by OSHA, this product is not flammable.

Flash Point: > 500 F (COC) Upper Explosive Limit: ND
Autoignition Temperature: > 600 F Lower Explosive Limit: ND

### Fire and Explosion Data:

Suitable Extinguishing Media: Foam, dry powder, carbon dioxide, sand, earth and water mist. Do not use water jet.

Products of Combustion: Smoke, airborne soot, hydrocarbons and oxides of carbon and silicone

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

### Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains.

Methods for Containment & Clean-up: Scrape up the bulk of the material and then wipe up the remainder with a cloth.

To prevent a slippery surface or walking hazard, pick up the remaining residue

with diatomaceous earth.

Product Number (s): 02085

### **Section 7: Handling and Storage**

**Product Name:** Di-Electric Grease

Handling Procedures: Wash hands after use and before handling food items. Use caution around energized

equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For directions on how to use

this product see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to

prevent cans from rupturing.

Aerosol Storage Level: I

# **Section 8: Exposure Controls/Personal Protection**

#### **Exposure Guidelines:**

	OSHA		ACGIH		OTHER		
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Silicone gel mixture	NE	NE	NE	NE	NE		
Nitrogen	NE	NE	NE	NE	NE		
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

### **Controls and Protection:**

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. Use a self-contained

breathing apparatus in confined spaces and for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile. Also, use full protective clothing if there is prolonged or

repeated contact of liquid with skin.

## **Section 9: Physical and Chemical Properties**

Physical State: gel Color: opaque white

Odor: low

Odor Threshold: ND
Specific Gravity: 1.06
Initial Boiling Point: > 600°F
Freezing Point: ND

Vapor Pressure: < 0.01 kPa

Vapor Density: > 5 (air = 1)

Evaporation Rate: slow

Solubility: ND

Coefficient of water/oil distribution: ND

pH: neutral

Volatile Organic Compounds: wt %: 0 g/L: 0 lbs./gal: 0

Product Name: Di-Electric Grease Product Number (s): 02085

## **Section 10: Stability and Reactivity**

Stability: Stable

Conditions to Avoid: Powerful sources of ignition and extreme temperatures

Incompatible Materials: Strong inorganic and organic acids, oxidizing agents

Hazardous Decomposition Products: Burning generates smoke, airborne soot, hydrocarbons and oxides of carbon and

silicone. Residue mainly comprised of soot and mineral oxides.

Possibility of Hazardous Reactions: No

## **Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

### **Acute Toxicity:**

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Silicone gel mixture	No data	No data	No data
Nitrogen	No data	No data	No data

### **Chronic Toxicity:**

	OSHA	IARC	NTP		
<u>Component</u>	<u>Carcinogen</u>	<u>Carcinogen</u>	<u>Carcinogen</u>	<u>Irritant</u>	<u>Sensitizer</u>
Silicone gel mixture	No	No	No	No	Unknown
Nitrogen	No	No	No	No	Unknown

E – Eye S – Skin R - Respiratory

Reproductive Toxicity:
Teratogenicity:
Mutagenicity:
Synergistic Effects:
No information available
No information available
No information available

## **Section 12: Ecological Information**

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: Unlikely to act as a marine pollutant.

Persistence / Degradability: No information available

Bioaccumulation / Accumulation: Bioaccumulation potential is negligible.

Mobility in Environment: No information available

## **Section 13: Disposal Considerations**

<u>Waste Classification</u>: The dispensed liquid product is not a RCRA hazardous waste. Pressurized containers may be

considered a hazardous waste for the characteristic of reactivity with a waste code of D003.

(See 40 CFR Part 261.20 – 261.33)

Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

## **Section 14: Transport Information**

US DOT (ground): Consumer Commodity, ORM-D

ICAO/IATA (air): Consumer Commodity, ID8000, 9

IMO/IMDG (water): Aerosols, UN1950, 2.2, Limited Quantity

Special Provisions: None

## Section 15: Regulatory Information

#### **U.S. Federal Regulations:**

### Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

### Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

### Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard No

Reactive Hazard No Release of Pressure Yes Acute Health Hazard No Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

None

#### Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

#### **U.S. State Regulations:**

### California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of

California to cause cancer, birth defects or other reproductive harm: None

Consumer Products VOC Regulations: This product is not regulated.

### State Right to Know:

 New Jersey:
 7727-37-9

 Pennsylvania:
 7727-37-9

 Massachusetts:
 7727-37-9

 Rhode Island:
 7727-37-9

### **Product Name:** Di-Electric Grease

### **Canadian Regulations:**

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

WHMIS Hazard Class: A

### **European Union Regulations:**

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as


listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

### **Section 16: Other Information**

HMIS® (II)				
Health:	0			
Flammability:	1			
Reactivity:	0			
PPE:	В			

Ratings range from 0 (no hazard) to 4 (severe hazard)



Prepared By: Michelle Rudnick

CRC #: 113 Revision Date: 08/07/2008

Changes since last revision: MSDS reformatted to meet the requirements of the Canadian Controlled Products

Regulations.

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation
DSL: Domestic Substance List

g/L: grams per Liter

HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization

lbs./gal: pounds per gallon LC: Lethal Concentration

LD: Lethal Dose

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup
PPE: Personal Protection Equipment

ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information System