

Material Safety Data Sheet



TRI-STAR CLEARLY SOFT

Section 1. Chemical product and company identification

Trade name : TRI-STAR CLEARLY SOFT
Product use : Laundry softener
Supplier : Ecolab Inc. Institutional Division
370 N. Wabasha Street
St. Paul, MN 55102
1-800-352-5326
Code : 900648-02
Date of issue : ~~20~~July-2007

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
poly(oxy-1,2-ethanediyl), alpha-[2-[bis(2-aminoethyl)methylammonio]ethyl]-omega-hydroxy-, n,n'- ditallow acyl derivs., me sulfates (salts)	68410-69-5	5 - 20
propan-2-ol	67-63-0	1 - 5

Section 3. Hazards identification

Physical state : Liquid. [Liquid.]
Emergency overview : CAUTION!

MAY CAUSE EYE IRRITATION.
COMBUSTIBLE LIQUID AND VAPOR.
Repeated or prolonged contact with irritants may cause dermatitis.
Avoid contact with eyes. Keep away from heat, sparks and flame. Keep container closed.
Use only with adequate ventilation. Wash thoroughly after handling.

Potential acute health effects

Eyes : Moderately irritating to eyes.
Skin : Slightly irritating to the skin.
Inhalation : Slightly irritating to the respiratory system.
Ingestion : No known significant effects or critical hazards.

See toxicological information (section 11)

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact : Flush contaminated skin with plenty of water. Wash clothing before reuse.

Inhalation : If inhaled, remove to fresh air.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

Section 5. Fire fighting measures

- Flash point** : 65.5556 °C (Closed cup)
Product does not support combustion.
- Fire-fighting media and instructions** : In case of fire, use water spray (fog), foam, dry chemical, or CO₂.
Dike liquid for later disposal.
Combustible liquid and vapor.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

- Personal precautions** : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up** : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

- Handling** : Avoid contact with eyes. Keep away from heat, sparks and flame. To avoid fire, eliminate ignition sources. Wash thoroughly after handling.
- Storage** : Keep out of the reach of children. Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).
Store between the following temperatures: 10 and °C

Section 8. Exposure controls, personal protection

- Engineering measures** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection :

- Eyes** : Eye protection recommended.
- Hands** : No protective equipment is needed under normal use conditions.
- Skin** : No protective equipment is needed under normal use conditions.
- Respiratory** : A respirator is not needed under normal and intended conditions of product use.

Name

propan-2-ol

Exposure limits

ACGIH TLV (United States, 1/2006).

STEL: 400 ppm 15 minute(s).

TWA: 200 ppm 8 hour(s).

OSHA PEL (United States, 11/2006).

TWA: 980 mg/m³ 8 hour(s).

TWA: 400 ppm 8 hour(s).

Section 9. Physical and chemical properties

Physical state	: Liquid. [Liquid.]
Color	: Off-white. [Light]
Odor	: Fragrance-like.
pH	: 6.5 [Conc. (% w/w): 100%]
Boiling/condensation point	: >35°C (>95°F)
Specific gravity	: 1.01
Solubility	: Partially soluble in hot water. Very slightly soluble in cold water.

Section 10. Stability and reactivity

Stability	: The product is stable.
Reactivity	: Slightly reactive to reactive with alkalis.

Section 11. Toxicological information

Potential acute health effects

Eyes	: Moderately irritating to eyes.
Skin	: Slightly irritating to the skin.
Inhalation	: Slightly irritating to the respiratory system.
Ingestion	: No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects on humans	: Contains material which causes damage to the following organs: upper respiratory tract, central nervous system (CNS).
---------------------------	---

Section 12. Ecological information

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	Not regulated.	-	-	-	Not available.

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

HCS Classification : Combustible liquid
 Irritating material
 Target organ effects

U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.

TSCA 8(b) inventory : All materials are listed or exempt.

California Prop. 65 : No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :	Health	*	1
	Flammability		2
	Physical hazards		0

Date of issue : 20-July-2007.

Responsible name : Regulatory Affairs

Date of previous issue : No previous validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, **NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.**