MATERIAL SAFETY DATA SHEET



SUMA ULTRA L2

HMIS NFPA		NFPA	Personal protective equipment
Health	3	3	and some
Fire Hazard	0	0	
Reactivity	0	0	

Version Number: 2 Preparation date: 2009-02-06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: SUMA ULTRA L2

MSDS #: MS0300053

Product Code: 57250100, 57250280

Recommended use: Warew ashing product. Detergent. This product is intended to be diluted prior to use.

Phone: 1-800-668-3131

Manufacturer, importer, supplier:

US Headquarters
JohnsonDiversey, Inc.
8310 16th St.
Sturtevant, Wisconsin 53177-1964

Canadian Headquarters
JohnsonDiversey - Canada, Inc.
2401 Bristol Circle
Oakville, Ontario L6H 6P1

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: CORROSIVE: CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Eye contact. Skin contact. Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Skin contact: Corrosive. Causes permanent damage.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium hydroxide	1310-73-2	10 - 20%	140	1350 mg/kg	Not available
Trisodium salt of NTA	5064-31-3	0.1 - 1.5%	920	Not available	>5 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Immediately flush with plenty of water for 15-20 minutes. Get medical attention immediately.

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion: If sw allow ed, rinse mouth. Give a cupful of w ater or milk . THEN IMMEDIATELY CONTACT A PHYSICIAN

OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may

be more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Extinguish fire using agent suitable for surrounding fire.

Specific hazards: None know n.

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: None know n.

Autoignition temperature: No information available.

SUMA ULTRA L2 1 of 4

5. FIRE-FIGHTING MEASURES

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods:

Sw eep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Mix only with water. Do not mix with any other product or chemical. May react to release hazardous gases. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Storage must only be in original container. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves

Skin and body protection: Protective footw ear. If major exposure is possible, wear suitable protective clothing and footw ear. Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

w orkplace conditions w arrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico	
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)	2 mg/m³ (Ceiling)	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Bulk density: No information available pH: 12.6 Dilution pH: 12.29 (0.25%) Liquid Vapor density: No information available Appearance: Color: Clear Colorless **Evaporation Rate** No information available

 Odor:
 Characteristic
 Boiling point/range:
 Not determined

 Specific gravity:
 1.29
 Melting point/range:
 Not determined

 Density:
 10.765 | lbs/gal
 Decomposition temperature:
 Not determined

 VOC:
 0% *
 Autoignition temperature:
 No information available

Flash point: >200°F >93.4°C Partition coefficient (n-octanol/water): No information available
Solubility: Completely Soluble Solubility in other solvents: No information available

Viscosity: No information available Elemental Phosphorus: 0 %P

10. STABILITY AND REACTIVITY

Stability: Stable.

Polymerization: None under normal processing.

Hazardous decomposition products: None known.

Materials to avoid: w ater. Acids. Organic materials. Metals.

Conditions to avoid: Do not freeze.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Corrosive Oral LD50 estimated to be between 500 - 2000 mg/kg

Component Information: See Section 3

SUMA ULTRA L2 2 of 4

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

11. TOXICOLOGICAL INFORMATION

Chronic toxicity: Based upon ingestion of NTA in lifetime feeding studies, NTA has been shown to induce tumors in the

urinary tracts of rats and mice. How ever, on a practical basis and according to guidelines for classification of experimental animal carcinogens of the American Council of Governmental Industrial Hygienists (ACGIH), NTA would not be considered an occupational carcinogen of any practical

significance. .

Specific effects

 Carcinogenic effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

Hazardous ingredients

ai dous ingredients							
Ingredient(s)	CAS#	NTP	IARC	OSHA			
Trisodium salt of NTA	5064-31-3		2B	X			

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste.

RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Sodium hydroxide	1310-73-2	X	X	X	Χ
Trisodium salt of NTA	5064-31-3	X	-	-	-
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Water	7732-18-5	-	-	-	-
Sodium polyacrylate	9003-04-7	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	10 - 20%	1000		

SARA 311/312 Hazard Categories

Immediate: x
Delayed: x
Fire: Reactivity: Sudden Release of Pressure: -

Canada

WHMIS hazard class: E Corrosive material.



16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

SUMA ULTRA L2 3 of 4

16. OTHER INFORMATION

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

SUMA ULTRA L2 4 of 4