

ENFORCER Products A Division of Acuity Specialty Products Group, Inc. P.O. Box 1060 Cartersville, GA 30120 1-888-805-HELP www.zepcommercial.com

Material Safety Data Sheet

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification **Product name** 10-Minute Hair Clog Remover

Product Code ZHCR-NG

Date of issue 04/04/07 **Supersedes** 06/10/04

Emergency For a Medical Emergency:

Telephone INFOTRAC

Numbers (877) 541-2016 (Toll Free - Calls Recorded)

For a Transportation Emergency:

CHEMTREC

(800) 424-9300 (Toll Free - Calls Recorded)

HMIS

Health

Fire Hazard

Reactivity

Protection

3

0

1

В

Prepared by Compliance Services Group

> Acuity Specialty Products Group 1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Printing Date:

Name of Hazardous Ingredients	CAS#	% by Weight	Exposure Limits
POTASSIUM HYDROXIDE; caustic potash; lye	1310-58-3	1-10	ACGIH /OSHA (United States).
			CEIL: 2 mg/m ³
SODIUM HYPOCHLORITE; hypochlorous acid, sodium	7681-52-9	1-10	ACGIH TLV (United States).
salt; bleach			TWA: 0.5 ppm 8 hour(s). Form:
			As Cl ₂
			STEL: 1 ppm 15 minute(s). Form:
			As Cl ₂
			OSHA PEL 1989 (United States).
			TWA: 1 ppm 8 hour(s). Form: As
			Cl ₂
			STEL: 3 ppm 15 minute(s). Form:
			As Cl ₂

Section 3. Hazards Identification

Routes of Entry Dermal contact. Eye contact. Inhalation. Ingestion. **Acute Effects**

Skin Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, or

reddening.

Corrosive to eyes. Direct contact with the eyes can cause irreversible damage including **Personal Eyes**

Inhalation Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by

coughing, choking, or shortness of breath. Over-exposure by inhalation may cause respiratory

irritation.

Ingestion May be fatal if swallowed. Ingestion may cause erosion of mucous membranes and perforation of the esophagus of stomach.

Carcinogenic

Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Effects Chronic Effects

Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce

respiratory tract irritation leading to frequent attacks of bronchial infection.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention immediately.

Ingestion If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person. Get medical attention immediately.

Page: 1/3

Section 5. Fire Fighting Measures

Flash Point Not applicable. Flammable Limits Not applicable.

Fire Hazard Non-flammable.

Not applicable.

Fire-Fighting Procedures Use an extinguishing agent suitable for surrounding fires.

Section 6. Accidental Release Measures

Spill Clean up Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal

container.

Section 7. Handling and Storage

Handling Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mists. Keep container closed. Use

only with adequate ventilation. Wash thoroughly after handling. Do not reuse product container. Do not use with

other products. Observe label precautions.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection

Personal Protection

Protective Clothing (Pictograms)

Eyes Splash goggles.

Body Protective gloves should be worn during handling. Recommended:

Rubber gloves.

Respiratory Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.

Section 9. Physical and Chemical Properties

VOC (Consumer) 0 (g/l).

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Extremely reactive or incompatible with acids.

Reactive with organic materials, metals.

Do not use with other products.

Hazardous Polymerization Will not occur.

Hazardous Decomposition carbon oxides (CO, CO₂)

Products

Section 11. Toxicological Information

Toxicity to Animals Potassium Hydroxide:

ORAL (LD50): Acute: 365 mg/kg [Rat.].

Sodium Hypochlorite:

ORAL (LD50): Acute: 8910 mg/kg [Rat].
DERMAL (LD50): Acute: >10000 mg/kg [Rabbit].

Section 12. Ecological Information

Ecotoxicity Not available. **Biodegradable/OECD** Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control

regulations.

Waste Stream RCRA Code: D002 Consult your local or regional authorities.

Section 14. Transport Information

Proper shipping name None. Not regulated.

DOT Classification Not restricted per 49 CFR 172.101(c)(12)(iv).

UN number None assigned.

TDG Classification Not restricted per 49 CFR 172.101(c)(12)(iv)

Product Code ZHCR-NG	Material Safety Data Sheet	Product Name 10-Minute Hair Clog Remover
----------------------	----------------------------	--

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 311: Potassium hydroxide; Sodium Hypochlorite Clean air act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA inventory.

State Regulations California prop. 65: No products were found.

WHMIS (Canada) Class D-1A: Material causing immediate and serious toxic effects (VERY TOXIC).

Class E: Corrosive liquid.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.