



MSDS

MATERIAL SAFETY DATA SHEET

PRODUCT TRADE NAME:

HOMAX PRODUCTS, INC.

TILE GUARD TILE GROUT COATING

ITEM #9310,9310-36,9312,9314,9315,9316,9317

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME:
HOMAX PRODUCTS, INC.
468 WEST HORTON ROAD
BELLINGHAM, WA 98226

24 HOUR EMERGENCY PHONE NUMBER:
CHEMTREC 1-800-424-9300
INFORMATION PHONE NUMBER: 1-800-729-9029
DATE OF PREPARATION: 03/27/03

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

CONTAINS LOW LEVELS OF CHRYSTALLINE SILICA NOT IN A FREE FORM.

THIS PRODUCT DOES NOT CONTAIN SUBSTANCE (S) SUBJECT TO SECTION 313 OF SARA TITLE III AND 40 CFR 372.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

APPEARANCE AND ODOR:	THICK, WHITE, POURABLE SOLUTION. CHARACTERISTIC ODOR.
BOILING POINT:	210F
PH:	7.75
VAPOR PRESSURE (MMHG)	N/D
WATER SOLUBILITY (%):	DISPERSIBLE
VAPOR DENSITY:	N/D
SPECIFIC GRAVITY:	1.31
MELTING POINT:	BELOW 32F
VOC CONTENT:	NONE

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (METHOD USED):	NONE TO BOILING, PMCC
FLAMMABLE LIMITS IN AIR % BY VOL:	N/A
EXTINGUISHING MEDIA:	APPROPRIATE TO THE SURROUNDING FIRE.
SPECIAL FIRE FIGHTING PROCEDURES:	NONE
UNUSUAL FIRE AND EXPLOSION HAZARD:	NONE

SECTION V - REACTIVITY DATA

STABILITY:
STABLE.

INCOMPATIBILITY (MATERIALS TO AVOID):
NONE

HAZARDOUS DECOMPOSITION PRODUCTS:
WILL NOT OCCUR

HAZARDOUS POLYMERIZATION:
WILL NOT OCCUR

SECTION VI – HEALTH HAZARD DATA

PRIMARY ROUTE OF ENTRY:
SKIN

EFFECTS OF OVEREXPOSURE:
INHALATION: N/A
EYES: MAY CAUSE MODERATE IRRITATION.
SKIN: MAY CAUSE IRRITATION ON EXTENDED OR REPEATED PERIODS OF CONTACT.
INGESTION: SMALL AMOUNTS SHOULD NOT INJURE. SWALLOWING LARGE AMOUNTS MAY BE HARMFUL.

EMERGENCY AND FIRST AID PROCEDURES:
INGESTION: IF SWALLOWED IN LARGE AMOUNTS, TAKE 1-2 GLASSES OF WATER. INDUCE VOMITING, GET MEDICAL ATTENTION.
INHALATION: N/A
EYES: FLUSH IMMEDIATELY WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.
SKIN: WASH WITH SOAP AND WATER.
CARCINOGENICITY: COMPONENTS OF THE PRODUCT ARE NOT LISTED BY NTP, IARC OR REGULATED BY OSHA.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN INCASE MATERIAL IS RELEASED OR SPILLED:
USE ABSORBENT MATERIAL TO COLLECT, CONTAIN FOR DISPOSAL.

WASTE DISPOSAL METHOD:
DISPOSE ACCORDING TO APPLICABLE REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
STORE IN COOL, DRY PLACE.

SHIPPING INFORMATION:
THIS PRODUCT IS NOT HAZARDOUS MATERIAL OR HAZARDOUS SUBSTANCE DEFINED BY THE DEPARTMENT OF TRANSPORTATION, NOR IS IT A DANGEROUS GOOD AS DEFINED BY IATA FOR AIR TRANSPORTATION.

SECTION VIII – CONTROL MEASURES

RESPIRATORY PROTECTION:
NOT APPLICABLE

VENTILATION RECOMMENDATIONS:
NO SPECIAL VENTILATION REQUIRED.

SKIN:
AVOID CONTACT BY WEARING RUBBER GLOVES.

EYE PROTECTION:
SAFETY GLASSES.

SECTION XI - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HERE IN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY HOMAX CORPORATION TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCTS ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THESE PRODUCTS OR THE INFORMATION PROVIDED HEREWITH.