MATERIAL SAFETY DATA SHEET		
Section 1		
Manufacturer's Name: Roman Decorating Products 824 State Street	Emergency As 1-800 HMIS Razard	-486 - 6117
there. Italians on a	FIRE=0 HEALTH=1 REACTIVITY=1 ONAL PROTECTION=E	Least=0 Slight=1 Moderate=2 High=3 Extreme=4
Revised:		
Trade name and Synonyma:	,	
ULTRA PLUS MILDEW PROOF PRIMER E Chemical Name and Synonyms: Acrylic em Chemical Family: Pigmented resin emuls	ulsion primer ion	
Section 2-Hazardous Ingredients/Identi	ty Information	
CAS No. Chemical Name(s) O	SHA PEL ACG	IH TLV R
No Hazardous Ingredients		
Section 3-Physical/Chemical Characteri		
December of the state of the st	stics	
Appearance and Odor: White viscous light Specific Gravity(water=1): 1.32 Percent Solids by Weight: 56 by Volume: 42 Solubility in Water: Miscible in all probability in Water: miscible in all probability: same as water vapor Density: same as water vapor Pressure: same as water Evaporation Foint: same as water Melting Point: n.a. Volatile Organic Compounds (VOC, less	mid, mild acrid or proportions water): max. 50	
Appearance and Odor: White viscous lights Specific Gravity(water=1): 1.32 Percent Solids by Weight: 56	mid, mild acrid or proportions water): max. 50	
Appearance and Odor: White viscous light Specific Gravity(water=1): 1.32 Percent Solids by Weight: 56 by Volume: 42 Solubility in Water: Miscible in all probability in Water: miscible in all probability: same as water vapor Density: same as water vapor Pressure: same as water Evaporation Foint: same as water Melting Point: n.a. Volatile Organic Compounds (VOC, less	mid, mild acrid or or operations water): max. 50 (g/l;0.42 lb/gl
Appearance and Odor: White viscous lights Specific Gravity(water=1): 1.32 Percent Solids by Weight: 56 by Volume: 42 Solubility in Water: Miscible in all probability in Water: Miscible in all probability in Water: Miscible in all probability: same as water vapor Density: same as water vapor Pressure: same as water Evaporation Point: same as water Melting Point: n.a. Volatile Organic Compounds (VOC, less Section 4-Fire and Explosion Hazard Date of the Point (methods used) n.a. Extinguishing Methods: Special Fire Fighting Procedures: Self contained breathing apparatus should be apparatus should b	mid, mild acrid or or operations water): max. 50 (g/l;0.42 lb/gl

page 2 of 3

ULTRA PLUS MILDEW PROOF PRIMER PRO-990; 11601, 11605

Overexposure--Under current OSHA criteria this product is considered non-hazardous.

Emergency First Aid Procedures

Eyes- Mild irritant. If contact occurs, flush eyes with water for 15 minutes and seek medical attention.

Skin- If contact occurs wash from skin at first opportunity. Protective gloves may be indicated for those with sensitivity to mild irritants.

Inhalation- Remove to fresh air.

Ingestion- If ingestion occurs, if conscious, give water to drink and seek medical attention. Do not give anything by mouth to an unconscious person.

Section 6-Reactivity Data

This product is stable and compatible with all compounds that are compatible with water and water solutions. Hazardous polymerization does not occur.

Section 7-Precautions for Safe Handling and Use

Steps to be taken in case the product is released or spilled:

Spills of 1-2 gallons or less may be diluted 50:1 with water and washed down the drain.

Large spills should be recovered as much as possible and disposed of as a non-hazardous waste. Incinerate or landfill in accordance with Federal, State and Local regulations.

Section 8-Control Measures

Respiratory protection is not usually required, however any room where this product is used should have good ventilation, i.e., open windows, exhaust fans, etc. A good, normal precaution is to wear protective gloves and glasses. No other protection equipment is necessary.

Section 9- Special Precautions

Store at moderate temperatures (50-100 F). Protect from freezing. Keep out of the reach of children. Keep container closed when not in use.

SUPPLEMENTAL INFORMATION

Waste Disposal

This product can handled as a non-hazardous industrial waste.

REGULATORY INFORMATION

Workplace Classifications

This product is considered non-hazardous under the OSMA Mazard Communication Standard (29CFR 1910.1200).

page 3 of 3

ULTRA PLUS MILDEW PROOF PRIMER PRO-990; 11601, 11605
This product is not a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS).

Transportation Classifications

US DOT Shipping Class --- 60

US DOT Description --- Adhesive Paste NOI

Emergency Planning and Community Right to Know (SARA Title 3) Section 311/312 Categorizations (40CFR 370)

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

Section 313 Information (40CFR 372)

This product does not contain a chemical which is listed in Section 313 above de minimis concentrations.

CERCLA Information (40CFR 302.4)

Releases of this material to air, land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation and Liability Act or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act, Title III Section 304.

RCRA Information

When this product becomes a waste, it is classified as a non-hazardous waste under criteria of the Resource Conservation and Recovery Act (40CFR 261).

Chemical Control Law Status

All components of this product are listed on the US-EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

All components of this product are listed on the Canadian Environmental Protection Act Domestic Substances List (CEPA-DSL).