

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT AND TILE SEALER

### HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	H

### 1. Product And Company Identification

#### Supplier

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA  
Telephone Number: (562) 968-2980 Ext 103  
FAX Number: (562) 903-2697  
E-Mail: georgem@cbpmail.net  
Web Site: www.custombuildingproducts.com

#### Manufacturer

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA  
Telephone Number: (562) 968-2980 Ext 103  
FAX Number: (562) 903-2697  
E-Mail: georgem@cbpmail.net  
Web Site: www.custombuildingproducts.com

#### Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

#### Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

Issue Date: 03/17/2006

Product Name: TILE LAB GROUT AND TILE SEALER  
CAS Number: Not Established  
Chemical Formula: MIXTURE  
MSDS Number: 577  
Product Code: 3054

### 2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
PERFLUOROALKYLMETHACRYLIC COPOLYMER	Not establish	1 - 5

THIS PRODUCT DOES NOT CONTAIN HAZARDOUS CHEMICALS AS DEFINED BY 29 CFR 1910.1200.

### 3. Hazards Identification

#### Primary Routes(s) Of Entry

EYES, SKIN AND NOSE.

#### Eye Hazards

MAY CAUSE IRRITATION, DISCOMFORT, BLURRED VISION.

#### Skin Hazards

MAY CAUSE IRRITATION, DISCOMFORT OR RASH.

#### Ingestion Hazards

SWALLOWING SUBSTANTIAL AMOUNTS MAY CAUSE HARM.

#### Inhalation Hazards

INHALATION OF SPRAY OR MIST MAY CAUSE IRRITATION OF THROAT OR LUNGS. INHALATION OF LARGE AMOUNTS MAY CAUSE PULMONARY EDEMA. SYMPTOMS, SEVERE SHORTNESS OF BREATH MAY BE DELAYED. GET IMMEDIATE MEDICAL ATTENTION. OVER EXPOSURE MAYBE FATAL

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT AND TILE SEALER

### 3. Hazards Identification - Continued

#### Conditions Aggravated By Exposure

MAY ENHANCE ALLERGIC CONDITIONS.

#### Conditions Aggravated By Overexposure

PRE EXISTING SKIN CONDITIONS.

### 4. First Aid Measures

#### Eye

FLUSH WITH WATER FOR 15 MINUTES. OBTAIN IMMEDIATE MEDICAL ATTENTION.

#### Skin

FLUSH WITH WATER. WASH CONTAMINATED CLOTHING BEFORE REUSE.

#### Ingestion

DO NOT INDUCE VOMITTING. IF CONSCIOUS GIVE 2 GLASSES OF WATER OBTAIN MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

#### Inhalation

REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY. IF BREATHING IS DIFFICULT GIVE OXYGEN. OBTAIN MEDICAL ATTENTION.

### 5. Fire Fighting Measures

**Flash Point:** NONE °F

**Lower Explosive Limit:** N/A

**Upper Explosive Limit:** N/A

#### Fire And Explosion Hazards

NOT APPLICABLE.

#### Extinguishing Media

PRODUCT IS NON-COMBUSTIBLE.

#### Fire Fighting Instructions

SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

### 6. Accidental Release Measures

IN CASE MATERIAL IS RELEASED OR SPILLED, USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

### 7. Handling And Storage

#### Handling And Storage Precautions

STORE IN COOL PLACE.

#### Work/Hygienic Practices

GOOD PRACTICES REQUIRE THAT GROSS AMOUNT OF ANY CHEMICAL BE REMOVED FROM SENSITIVE SKIN AS SOON AS POSSIBLE.

OBSERVE GOOD HOUSEKEEPING PRACTICES.

### 8. Exposure Controls/Personal Protection

#### Eye/Face Protection

USE SAFETY GOGGLES.

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT AND TILE SEALER

### 8. Exposure Controls/Personal Protection - Continued

#### Skin Protection

USE PROTECTIVE GLOVES AS A MINIMUM AND WASH PROMPTLY.

#### Respiratory Protection

LOCAL EXHAUST VENTILATION IS USUALLY ADEQUATE.

#### Other/General Protection

LOCAL EXHAUST IS RECOMMENDED.

### 9. Physical And Chemical Properties

#### Appearance

PALE LIQUID.

**Chemical Type:** Mixture

**Physical State:** Liquid

**Boiling Point:** 212 °F 100 °C

**Specific Gravity:** 1.0

**Percent Volatiles:** 97.5

**Vapor Density:** HEAVIER THAN AIR.

**pH Factor:** NEUTRAL

**Solubility:** FULLY MISCIBLE

**Evaporation Rate:** SLOWER THAN ETHER.

### 10. Stability And Reactivity

**Stability:** STABLE

**Hazardous Polymerization:** WILL NOT OCCUR.

#### Conditions To Avoid (Stability)

EXCESSIVE HEAT.

### 11. Toxicological Information

No Data Available...

### 12. Ecological Information

No Data Available...

### 13. Disposal Considerations

DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, FEDERAL REGULATIONS, CONCERNING HEALTH AND POLLUTION.

#### RCRA Information

NOT RCRA WASTE

### 14. Transport Information

No Data Available...

### 15. Regulatory Information

No Data Available...

### 16. Other Information

#### HMIS Rating

**Health:** 1

**Fire:** 0

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT AND TILE SEALER

### 16. Other Information - Continued

#### HMIS Rating - Continued

Reactivity: 0

Personal Protection: H

#### Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: 562/968-2980 EXT 103

This MSDS Supercedes A Previous MSDS Dated: 03/16/2006

#### Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

CUSTOM BUILDING PRODUCTS

Printed Using MSDS Generator™ 2000