



North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 05/04/2009
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Gem Products, Inc.

Product Name: A + B Epoxy Putty (USE FRSS00000402 & HBFU00040701) (DISCONTINUED)

GEMLINE

**GEMLINE PART NUMBER:
EPOXY PUTTY**

MATERIAL SAFETY DATA SHEET

**ISSUE DATE: 1/2/80
SUPERSEDED:**

Gem Products, Incorporated
18478 Edison Way
Garden Grove, California 92641

Telephone: (714)898-9788

PRODUCT CODE:

* NA = Not Applicable NE = Not Established

SECTION I - NOMENCLATURE

TRADE NAME A + B Epoxy Putty
SYNONYMS Epoxy Resin.

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS MATERIAL Not applicable.

SECTION III - PHYSICAL DATA

BOILING PT	Not applicable
SPECIFIC GRAVITY	1.08
VAPOR PRESSURE	Not applicable
PCT VOLATILE BY VOL	0
VAPOR DENSITY	Not applicable
EVAPORATION RATE	N/A
SOLUBILITY IN WATER	Insoluble
APPEARANCE AND ODOR	Very light gray colored putty, mild epoxy odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	470°F
METHOD USED	TCO
LOWER EXPLO LEVEL	No data
UPPER EXPLO LEVEL	No data
EXTINGUISHING MEDIA	Water spray, foam, CO ₂ , dry chemical.
UNUSUAL HAZARDS	None.
SPECIAL FIRE FIGHTING PROCEDURES	None.

SECTION V - HEALTH HAZARD DATA

HEALTH HAZARD DATA: Potential irritant.
ROUTES OF EXPOSURE

INHALATION	No known adverse effects.
SKIN CONTACT	May cause irritation.
SKIN ABSORPTION	Non toxic by percutaneous absorption.
EYE CONTACT	May cause irritation and burns.
INGESTION	No known adverse effects.

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE

ACUTE OVEREXPOSURE May cause severe irritation.
CHRONIC OVEREXPOSURE May cause sensitization.

EMERGENCY AND FIRST AID PROCEDURES

EYES Flush immediately with copious amounts of water, seek medical aid.
SKIN Wash with soap and H₂O or waterless hand cleaners.
INHALATION Remove to fresh air.
INGESTION Seek medical aid if unusual symptoms develop.

SECTION VI - REACTIVITY DATA

CONDITIONS CONTRIBUTION TO INSTABILITY None.
INCOMPATIBILITY None.
HAZARDOUS DECOMPOSITION PRODUCTS None.
CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERIZATION None.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED
Scrape up excess (absorbents may be used). Wash down with acetone, IPA or chlorinated solvents taking care to observe fire and toxic hazards of solvents used.

WASTE DISPOSAL METHOD Standard industrial waste disposal.

SECTION VIII - SPECIAL PROTECTION INFORMATION

VENTILATION REQUIREMENTS Not required except for comfort.

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY: Not needed.
EYE: None required unless likelihood of contact is great.
GLOVES: None required if areas of contact are washed reasonably soon after contact occurs.

SECTION IX - SPECIAL PRECAUTIONS

STORAGE AND HANDLING
Store in cool area in closed containers.

PRECAUTIONARY STATEMENTS
For industrial use only.

Avoid gross contamination of skin and eye contact. If eye contact occurs flush promptly with plenty of water and seek medical aid.

BPI Classification 1.

SOURCE:
Applied Plastics, Co., Inc.
612 E. Franklin Avenue
El Segundo, CA 90245

Telephone Number: 313-322-5972