



Product name: LC41M, LC47M, LC900M  
LC41M BL, LC47M BL, LC900M BL

Page: 1 of 5  
First issue: Mar. 12, 2004  
Revised: Jan. 22, 2007  
MSDS No.: BHM010

## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	LC41M	LC47M	LC900M
Product Code	LK1121001	LK1560001	LK1386001
Product Name	LC41M BL	LC47M BL	LC900M BL
Product Code	LK1309001	LK1571001	LK1412001
General Use	Inkjet printing		
Product Description	Water based ink cartridge for inkjet printing machine.		
MSDS No.	BHM010		
Manufacturer	BROTHER INDUSTRIES, LTD. 5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN Telephone Number for Information +81-52-824-3445		
Importer in USA	BROTHER INTERNATIONAL CORPORATION 100 Somerset Corporate Boulevard, P.O.Box 6911, Bridgewater, NJ 08807-0911, USA Telephone Number for Information +1-800-284-4329		
Importer in Europe	BROTHER INTERNATIONAL EUROPE LTD. Brother house, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK Telephone Number for Information +44-161-330-6531		
Importer in Canada	BROTHER INTERNATIONAL CORP. (Canada) LTD. 1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA Telephone Number for Information +1-514-685-0600		
Importer in Australia	BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835 7 Khartoum Road, North Ryde, N.S.W. 2113 08875-6714, AUSTRALIA Telephone Number for Information +61-2-9887-4344		
Importer in China	BROTHER INDUSTRIES (SHEN ZHEN) LTD. Bag Lung Industrial Estate, Longgang, Shenzhen, China Telephone Number for Information +86-755-2871-2766		

Please telephone to the above office during our business hours.

**MATERIAL SAFETY DATA SHEET**

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL NAME	CAS# / EC#	% by weight	USA OSHA PEL	ACGIH TLV	EU Symbol / Risk Phrases
Glycerol	56-81-5 / 200-289-5	10 - 30	(as mist) Total dust TWA 15mg/m <sup>3</sup> Respirable fraction TWA 5mg/m <sup>3</sup>	(as mist) Total dust TWA 10mg/m <sup>3</sup>	Not classified
Diethylene glycol	111-46-6 / 203-872-2	1 - 8	Not established	Not established	Xn / R22
Triethylene glycol monobutyl ether	143-22-6 / 205-592-6	1 - 5	Not established	Not established	Xi / R41
Red dye	Registered	1 - 5	Not established	Not established	Xi / R36, R52, R53
Water	7732-18-5 / 231-791-2	50 - 70	Not established	Not established	Not established

**3. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

Ink in cartridge is dark red liquid with slight odor.  
Keep out of reach of children.  
Ink poses little or no immediate hazard if spilled.

**POTENTIAL HEALTH EFFECTS**

Inhalation : Not expected to be a route of exposure under normal use.  
Eye : Ink may cause slight irritation.  
Skin : Prolonged exposure to ink may cause irritation.  
Ingestion : Ink may cause gastrointestinal or other adverse effects.

**CHRONIC EFFECTS / CARCINOGENICITY**

All ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.

**4. FIRST AID MEASURES**

INHALATION : Remove to fresh air area and get medical attention.  
EYE : Flush immediately with running water for at least 15 minutes and get medical attention.  
SKIN : Wash with water and soap.  
INGESTION : Dilute with water and get medical attention.

## MATERIAL SAFETY DATA SHEET

### 5. FIRE FIGHTING MEASURES

#### FLAMMABLE PROPERTIES

Auto-ignition temperature : 415°C  
Flammability : LEL : Not available UEL : Not available  
Flash point : Does not flash (>90°C)  
(Tag closed cup & Cleveland opened cup)

#### EXTINGUISHING MEDIA

Suitable: Water, CO<sub>2</sub>, Foam, Dry chemical.  
Not to be used : None

#### FIRE FIGHTING INSTRUCTIONS

Special exposure hazards : Refer to section 10.  
Special protect equipment for fire-fighters : Use self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTION : In case of ink vapor formation use respirator.  
ENVIRONMENTAL PRECAUTION : Take care to minimize ink that reaches to a sewer.  
METHODES FOR CLEANING UP : Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.

### 7. HANDLING AND STORAGE

HANDLING : Avoid skin contact with ink. Prevent eye contact with ink.  
STORAGE : Keep out of reach of children. Store in a cool, dark, and dry place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES : Refer to section 2.

#### EXPOSURE CONTROLS

Engineering controls : Ventilation is not required under normal use.  
Personal protection  
Respiratory protection : Not required under normal use.  
Hand protection : Not required under normal use.  
Eye protection : Not required under normal use.  
Skin protection : Not required under normal use.

## MATERIAL SAFETY DATA SHEET

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance :	Dark red liquid
Auto-ignition temperature :	415°C
Boiling point :	105°C
Density :	1.08 g/ml
Flammability :	LEL : Not available    UEL : Not available
Flash point :	Does not flash (>90°C) (Tag closed cup & Cleveland opened cup)
Freezing point :	-19°C
Odor :	Slight odor
Partition coefficient (n-octanol/water) :	Not available
pH :	7 - 10
Solubility in water :	Soluble
Vapor density (Air=1) :	Not available
Vapor pressure :	Not available
Viscosity :	2 - 5 mPa·s

### 10. STABILITY AND REACTIVITY

STABILITY :	Stable
CONDITIONS TO AVOID :	None
MATERIALS TO AVOID :	Strong oxidizing agents
HAZARDOUS DECOMPOSITION PRODUCTS :	Carbon monoxide, Carbon dioxide
HAZARDOUS POLYMERIZATION :	Does not occur

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity :	LD <sub>50</sub> of ink is greater than 2500mg/kg.
Eye irritation :	Ink is classified as a MINIMAL IRRITANT.
Skin irritation :	Ink is classified as a NON IRRITANT.

### 12. ECOLOGICAL INFORMATION

PERSISTENCE AND DEGRADABILITY :	Not available
BIOACCUMULATIVE POTENTIAL :	Not available

### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

US DEPARTMENT OF TRANSPORTATION (DOT) :	Not applicable
MARITIME TRANSPORT IMDG :	Not applicable
AIR TRANSPORT ICAO/IATA :	Not applicable

## MATERIAL SAFETY DATA SHEET

### 15. REGULATORY INFORMATION

#### US REGULATIONS

TSCA STATUS : All components in ink are listed on TSCA inventory.

#### EUROPEAN REGULATIONS

EU NOTIFICATION : All components in ink are listed on EINECS or NLP Inventory.  
EU HAZARD LABEL : Ink does not need to be labeled in accordance with EC-Directive 1999/45/EC.

### 16. OTHER INFORMATION

The information relates only to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).

EU Hazard Symbols : Xn : Harmful  
Xi : Irritant  
EU Risk (R) Phrase definitions : R22 : Harmful if swallowed.  
R36 : Irritant to eyes.  
R41 : Risk of serious damage to eyes.  
R52 : Harmful to aquatic organisms.  
R53 : May cause long-term adverse effects in the aquatic environment.

#### Key

ACGIH TLV TLV (Threshold Limit Value) under American Conference of Governmental Industrial Hygienists  
DOT Department Of Transportation (USA)  
EINECS European Inventory of Existing Commercial Chemical Substances (EU)  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IMDG International Maritime Dangerous Goods  
NLP No-Longer Polymers List (EU)  
NTP National Toxicology Program (USA)  
OSHA Occupational Safety and Health Administration (USA)  
OSHA HCS Hazard Communication Standard issued by Occupational Safety and Health Administration (USA)  
OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)  
TSCA Toxic Substances Control Act (USA)