

**MSDS - Material Safety Data Sheet****Product Name: Faucet & Valve Grease**

MSDS No.: 050115

**Part Numbers Covered:**

050005-30	050035-12	050050-D	050120
050010-12	050035-48	050053-12	050125
050010-48	050035-C	050055-12	050190
050020	050050-12	050055-48	050200
050025	050050-48	050060-48	
050030	050050-C	050115	

**I. Basic Information:**

Manufacturer: WILLIAM H. HARVEY COMPANY

Address: 4334 SOUTH 67TH STREET

City, ST Zip: OMAHA, NE 68117-1019

Emergency Contact: CHEMTREC


Emergency Telephone Number: (800)424-9300

Contact: Ray Rael / Jason Hertz

Information Telephone Number: (800)228-9681

Last Update: 07/08/2002

Expiration Date:

Chemical State:  Liquid  Gas  SolidChemical Type:  Pure  Mixture

1	Health
1	Flammability
0	Reactivity
B	Pers. Protection

**II. Ingredients:** Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB	Z	313				
8012951	NAPHTHENIC MINERAL OIL	80-97							5 MG/M3	5 MG/M3	NI

**III. Hazardous Identification:**

Hazard Category:

 Acute  Chronic  Fire  Pressure  Reactive

Hazardous Identification Information:

NDA

**IV. First Aid Measures:**

Route(s) of Entry:

SKIN AND INHALATION

Health Hazards (Acute and Chronic):

ACUTE- SEE MEDICAL CONDITIONS BELOW

CHRONIC- LAB STUDIES IN WHICH MATERIALS SIMILAR TO SOME OF THE OILS IN THIS PRODUCT ARE APPLIED TO ANIMALS FOR THEIR LIFETIMES CAUSED TUMORS. AVOID THIS HAZARD BY USING GOOD PERSONAL HYGIENE.

Signs and Symptoms:

# MSDS - Material Safety Data Sheet

## Product Name: Faucet & Valve Grease

MSDS No.: 050115

GENERALLY NONE DURING SHORT PERIOD OF EXPOSURE.

### Medical Conditions Generally Aggravated by Exposure:

SKIN: PROLONGED OR REPEATED CONTACT MAY CAUSE MILD IRRITATION.

INHALATION: MIST MAY CAUSE IRRITATION

### Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

EYES: FLUSH IMMEDIATELY WITH COLD WATER AND CALL A PHYSICIAN

SKIN: WASH EXPOSED AREA WITH SOAP AND WATER

INGESTION: DO NOT INDUCE VOMITING; CONTACT A PHYSICIAN IMMEDIATELY

### Other Health Warnings:

NI

### V. Fire Fighting Measures:

Flash Point: 450 F DEG

Lower Explosive Limit: NI

Upper Explosive Limit:

F.P. Method:

Fire Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, OR FOAM

### Special Fire Fighting Procedures:

AVOID BREATHING VAPORS. USE BREATHING APPARATUS IN CONFINED AREAS. COOL EXPOSED CONTAINERS WITH WATER SPRAY.

### Unusual Fire and Explosion:

NI

### VI. Accidental Release Measures:

#### Steps to be Taken in Case Material is Released or Spilled:

SCOOP UP MATERIAL AND PLACE IN TRASH CONTAINER; WASH DOWN SPILL AREA WITH SOAP AND WATER BUT KEEP PETROLEUM PRODUCTS OUT OF SEWERS AND WATER COURSES.

### VII. Handling and Storage:

#### Precautions to be Taken:

KEEP CONTAINERS CLOSED WHEN NOT IN USE.. DO NOT HANDLE OR STORE NEAR HEAT, FLAMES, SPARKS, OR STRONG OXIDANTS. DO NOT WELD, HEAT, OR DRILL ON EMPTIED CONTAINERS.

#### Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS!

### VIII. Exposure Controls/Personal Protection:

#### Ventilation Requirements:

HAVE LOCAL EXHAUST AS NECESSARY TO PREVENT VAPOR BUILDUP

#### Personal Protective Equipment:

WEAR CHEMICALLY RESISTANT RUBBER GLOVES, APRON, COVERALLS, OR STANDARD WORK APPAREL, AND SAFETY GOGGLES ARE USEFUL. USE NORMAL GOOD SAFETY AND HEALTH PROCEDURES. REMOVE ANY CONTAMINATED CLOTHING AND LAUNDRER BEFORE RE-USE.

**MSDS - Material Safety Data Sheet****Product Name: Faucet & Valve Grease**

MSDS No.: 050115

**IX. Physical and Chemical Properties:**

Boiling Point: NI

Melting Point: 170 C D

Evaporation Rate (Butyl Acetate = 1): &gt;1.0

Vapor Pressure (mm Hg.): 0.1

Specific Gravity (H2O = 1): 1.00000

Vapor Density (AIR = 1): 1.0

Solubility In Water: NEGLIGIBLE

Appearance and Odor: SEMI-SOLID GEL, AMBER COLOR WITH MI

Other Information:

**X. Stability and Reactivity:**

Stability:

STABLE

Incompatibility (Materials to Avoid):

NI

Decomposition/By Products:

CARBON MONOXIDE, CARBON DIOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS

Hazardous Polymerization:

WILL NOT OCCUR

**XI. Toxicological Information:**

NDA

**XII. Ecological Information:**

NDA

**XIII. Disposal Considerations:**

DISPOSE OF ACCORDING TO APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.

**XIV. Transport Information:**

TRANSPORATION INFORMATION:

DOT PROPER SHIPPING NAME: N/A

DOT LABEL: N/A

DOT NUMBER: N/A

UN NUMBER: N/A

MCO CLASS: N/A

DOT HAZARD CLASSIFICATION: N/A

**XV. Regulatory Information:**

NDA

# *MSDS - Material Safety Data Sheet*

*Product Name: Faucet & Valve Grease*

*MSDS No.: 050115*

**XVI. Other Information:**

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE  
N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.