

Material Safety Data Sheet Title:

Issued: 12/01/03 Page: 1 of 6

Material Safety Data Sheet

Date of Issue: 09-08-03

COMPANY DETAILS

Company: Falcon Waterfree Technologies LLC

Address: 1593 Galbraith Ave SE, Suite 205

Grand Rapids MI 49546 USA

Phone: +01-616-954-3570 Fax: +01-616-954-3579

In case of emergency contact:

USA:1-800-424-9300 Int'l: +01-703-527-3887

SECTION I: PRODUCT IDENTIFICATION

PRODUCT NAME OR NUMBER: ANER 01538 TRADE NAME OR CHEMICAL NAME: SEALANT

SYNONYMS: N/A

FORMULA: PROPRIETARY BLEND OF ALCOHOLS

CHEMICAL FAMILY: **CLEANER**

MOLECULAR WEIGHT: N/A

SECTION II: HAZARDS IDENTIFICATION

IARC CHEMICAL NAMES CAS NUMBER TLV-ACGIH PEL-OSHA SEC.313 NTP PROP.65 % WT .003% 4-Chloro-3,5-dimethylphenol 88-04-0 NA NA NA No

SECTION III: FIRST AID MEASURES

FIRST AID MEASURES / GENERAL INFORMATION REMOVE CONTAMINATED SOAKED CLOTHING IMMEDIATELY AND DISPOSE OF SAFELY.

FIRST AID MEASURES / SKIN CONTACT

IN CASE OF CONTACT WITH SKIN WASH OFF IMMEDIATELY WITH PLENTY OF WATER.

FIRST AID MEASURES / EYE CONTACT

IN CASE OF CONTACT WITH EYES RINSE THOROUGHLY WITH PLENTY

OF WATER AND SEEK MEDICAL ADVICE.

Issued: 12/01/03 Page: 2 of 6

SECTION IV: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

FOAM CARBON DIOXIDE WATER MIST DRY POWDER

EXTINGUISHING MEDIA THAT MUST NOT BE USED FOR SAFETY REASONS: FULL WATER JET

SPECIAL EXPOSURE HAZARDS ARISING FROM THE SUBSTANCE OR PREPARATION ITSELF, COMBUSTION PRODUCTS OR RESULTING GASES IN THE EVENT OF FIRE, THE FOLLOWING CAN BE RELEASED:

UNBURNED HYDROCARBONS

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS USE SELF CONTAINED BREATHING APPARATUS.

ADDITIONAL INFORMATION (4.5)

COOL CONTAINERS AT RISK WITH WATER SPRAY JET.

SECTION V: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

ENSURE ADEQUATE VENTILATION

KEEP AWAY SOURCES OF IGNITION

METHODS FOR CLEANING UP / TAKING UP

TAKE UP WITH ABSORBENT MATERIAL (E.G. SAND, SAWDUST, GENERAL-PURPOSE BINDER, KIESELGUHR).

SEND IN SUITABLE CONTAINERS FOR RECOVERY OR DISPOSAL.

Issued: 12/01/03 Page: 3 of 6

SECTION VI: HANDLING AND STORAGE

HANDLING

ADVICE ON PROTECTION AGAINST FIRE AND EXPLOSION: KEEP AWAY FROM SOURCES OF IGNITION

DO NOT SMOKE
TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES

STORAGE

ADVICE ON STORAGE COMPATIBLILTY:

DO NOT STORE TOGETHER WITH OXIDIZING AGENTS.

FURTHER INFORMATION ON STORAGE CONDITIONS: KEEP IN A COOL PLACE.

SECTION VII: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS WITH OCCUPATIONAL EXPOSURE LIMITS TO BE MONITORED: NONE

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION:

BREATHING APPARATUS IN THE EVENT OF HIGH CONCENTRATIONS SHORT TERM: FILTER APPARATUS, COMBINATION FILTER A-P2

HAND PROTECTION:

RUBBER GLOVES PLASTIC GLOVES

EYE PROTECTION:

TIGHTLY FITTING GOGGLES

GENERAL PROTECTIVE MEASURES:

AVOID CONTACT WITH EYES AND SKIN

HYGIENE MEASURES:

REMOVE SOILED OR SOAKED CLOTHING IMMEDIATELY. WASH HANDS BEFORE BREAKS AND AFTER WORK AT WORK DO NOT EAT, DRINK, SMOKE OR TAKE DRUGS.

Issued: 12/01/03 Page: 4 of 6

SECTION VIII: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

FORM: LIQUID COLOUR: BLUE ODOUR: FRUITY

RELEVANT SAFETY DATA

| CHANGE IN PHYS. STATE | REFERENCE VALUE | VALUE FROM | TO |
|--|------------------|------------|--------------|
| STARTS TO BOIL | | | 240°C |
| METHOD POURPOINT | ASTM-D-1078 APP | | |
| METHOD MELTING RANGE | DIN/ISO 3016 APP | | -70°C |
| METHOD | DIN 51583 APP | | <-30°C |
| FLASH POINT METHOD | APP DIN 51758 | | 100°C |
| IGNITION TEMPERATURE METHOD | APP DIN 51794 | | 235°C |
| LOWER EXPL. LIMIT METHOD | ND | | |
| UPPER EXPL. LIMIT METHOD | ND | | |
| VAPOR PRESS AT 20°C METHOD | | | < 1,000 MBAR |
| DENSITY AT 20°C METHOD | APP DIN 51757 | | 0.870 G/CM3 |
| SOLUBILITY IN WATER AT UNS 20°C METHOD | | | |
| VISCOSITY DYNAMIC AT 20°C METHOD | APP DIN 51562 | | 20 mPa.s |
| pH VALUE AT °C/ METHOD | NA | | |

SECTION IX: STABILITY AND REACTIVITY

HAZARDOUS REACTIONS
REACTIONS WITH OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS
CARBON MONOXIDE
CARBON DIOXIDE

Issued: 12/01/03 Page: 5 of 6

SECTION X: TOXICOLOGICAL INFORMATION

ACUTE ORAL TOXICITY / L050:

RAT

> 2000 MG/KG

SECTION XI: ECOLOGICAL INFORMATION

BIOLOGICAL DEGRADABILITY / VALIDATION: BIODEGRADABLE

BIOLOGICAL DEGRADABILITY / OTHER ADVICES:

THE PRODUCT IS SLIGHTLY SOLUBLE IN WATER. IT CAN BE LARGELY ELIMINATED FOR THE WATER BY ABIOTIC PROCESSES. E.G. MECHANICAL SEPARATION.

SECTION XII: TRANSPORT INFORMATION

THE PRODUCT DOES NOT CONSTITUTE A HAZARDOUS SUBSTANCE IN NATIONAL/INTERNATIONAL ROAD, RAIL, SEA AND AIR TRANSPORT.

SECTION XIII: REGULATORY INFORMATION

LABELLING

THE PRODUCT DOES NOT REQUIRE A HAZARD WARNING LABEL IN ACCORDANCE WITH EC DIRECTIVES/GERMAN REGULATIONS ON DANGEROUS SUSTANCES.

SECTION XIV: OTHER INFORMATION

FURTHER INFORMATION:

ABBREVIATIONS:

NA = NOT APPLICABLE

ND = NO DATA AVAILABLE

UNS = UNSOLUBLE

SOL = SOLUBLE

MI = MIXABLE

MODIFICATIONS / SUPPLEMENTS:

MODIFICATIONS ARE MARKED WITH AN ASTERISK (*) AT THE LEFT MARGIN OF THE PAGE.

SUPPLEMENTS ARE MARKED WITH A CROSS (+) AT THE LEST MARGIN OF THE PAGE.

Issued: 12/01/03 Page: 6 of 6

THESE DATA ARE BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THEY SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID RELATIONSHIP.

Legal Disclaimer: The information contained herein has been compiled by Falcon Waterfree Technologies from outside sources and is provided for reference purposes only. In providing this information, Falcon Waterfree Technologies makes no guaranty or warranty and assumes no liability with respect to the accuracy or completeness of such information, or the results as described herein will be obtained. American Waterless disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose other than for the specific use with the patented waterfree urinal system.



Falcon Waterfree Technologies, LLC 1593 Galbraith Avenue SE Grand Rapids, MI 49546 Tel: 866.275.3718 (toll-free)

Fax: 616.954.3579

E-mail: info@falconwaterfree.com

www.falconwaterfree.com