

# MATERIAL SAFETY DATA SHEET

## SECTION I IDENTIFICATION

**Manufacturer's Name:** InPro Corporation  
**Address/Phone:** S80 W18766 Apollo Dr.  
Muskego, WI 53150  
262-679-9010  
**Non Emergency Phone No.:** 800-222-5556  
**Product Class:** Acrylic Latex  
**Trade Name:** InProBond Adhesive  
**Date Revised:** 3/4/08

## SECTION II HAZARDOUS INGREDIENTS

**None per OSHA Regulation:** 29 CFR 1910.1200  
**SARA Title III Section 313 Chemicals:** None  
**NFPA**      **HMIS**  
                  H = 1  
                  F = 0  
                  R = 0

## SECTION III PHYSICAL DATA

**Boiling Point:** 212°F  
**Evaporation Rate/Vapor Density:** Same as water.  
**Vapor Pressure:** Same as water  
**LBS/GAL:** 8.2 – 8.6  
**Percent Volatile:** 38 (by weight)  
**Odor:** Acrylic  
**Color:** White  
**Grams V.O.C. per liter of material:** 0 (calculated)

## SECTION IV FIRE AND EXPLOSION HAZARD DATA

**DOT Category:** Not regulated  
**Flash Point:** N/A  
**LEL:** N/A  
**Extinguishing Media:** Water spray, dry chemical,  
CO<sub>2</sub> foam  
**Unusual Fire and Explosion Hazards:** None Known  
**Special Fire Fighting Procedures:** Use self contained-  
breathing apparatus and turn out gear.

## SECTION V HEALTH HAZARD DATA

### Symptoms of Over Exposure

**Eyes:** Vapor may cause irritation  
**Skin:** May cause slight irritation  
**Inhalation:** May cause slight irritation of the respiratory tract  
**Ingestion:** Not a likely route of entry under proper handling conditions. May cause vomiting. Symptoms may be same as inhalation.

### First Aid Procedures:

**Eyes:** Flush with water  
**Skin:** Wash with soap and water  
**Inhalation:** Remove to fresh air if needed

## SECTION VI REACTIVITY DATA

**Stability:** Stable  
**Conditions to avoid:** Protect from freezing  
**Hazardous decomposition products:** Oxides of carbon, water, and organic compounds of unknown structure.  
**Hazardous polymerization:** Will not occur  
**Incompatibility/Materials to avoid:** Oxidizing materials

## SECTION VII SPILL OR LEAK PROCEDURES

**Steps to Be Taken if Material is Spilled:** Keep out of sewer systems to prevent blockage due to polymer deposits. Use absorbent materials to collect and contain for salvage or disposal.

**Waste Disposal:** Abide by all state, federal and local regulations.

## SECTION VIII SPECIAL PROTECTION INFORMATION

**Respiratory protection:** NIOSH respirator if needed  
**Ventilation:** Local exhaust  
**Protective gloves:** Chemical resistant gloves  
**Eyes:** Goggles  
**Other protective equipment:** None

## SECTION IX SPECIAL PRECAUTIONS

**Precaution for Handling and Storing:** Do not puncture, protect from freezing and excessive heat.

**KEEP OUT OF REACH OF CHILDREN**

[www.inprocorp.com](http://www.inprocorp.com)