

Zep, Inc. 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-877-I-BUY-ZEP (428-9937) www.zep.com

Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product name	Zep METEF	R MIST - BLUE SKY
Product use	Aerosol Room I	Deodorizer/Odor Counteractant
Product code	3362	
Date of issue	09/30/13	Supersedes 11/09/12

Emergency Telephone Numbers

For MSDS Information:

Compliance Services 1-877-I-BUY-ZEP (428-9937)

For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded In the District of Columbia (202) 483-7616

Prepared By

Compliance Services 1420 Seaboard Industrial Blvd. Atlanta, GA 30318

			, 				
Section 2. Ha	azards Identification						
Emergency o			*Hazard Determina	tion System (HDS):	Health, Flammability,	Reactivity	
WARNING!				1	3 ()	
CAUSES EYE	IRRITATION. MAY C	AUSE SKIN II	RRITATION.				
CONTENTS L	JNDER PRESSURE.						
	ata pertains to the product a fety precautions, including					rse effects ar	e lessened by follow
Acute Effects	Routes of Er	ntry Eye	contact. Inha	lation.			
	Direct contact may cause is redness, watering and itch		dness. Inflam	mation of the	eye is character	rized by	
Skin 1	May cause skin irritation.	Skin inflamma	tion is charac	terized by itch	ing, scaling, or	reddening.	
Inhalation	Avoid direct inhalation of	spray. Over-ex	posure by inh	nalation may ca	ause respiratory	irritation.	
	May be harmful if swallov Jamage.	wed. Aspiration	hazard if swa	allowed. Can e	enter lungs and	cause	
Chronic effect Carcinogenici	nervous system	(CNS).	ause uamage	to the following	ig organs. Kund	eys, nver, ce	intai
Product/ingre			IARC	EPA	NIOSH	NTP	OSHA
acetone	dient name	A4	-	<u>-</u>	-	<u>.</u>	-
	Additio	nal Information:	See Toxicolo	gical Informatio	n (Section 11)		
Section 3. Co	mposition/Informatio	n on Inaredie	ents				
Name of Hazardo	•	j			CAS	<u>S number</u>	<u>% by Weight</u>
acetone propane						-64-1 -98-6	60 - 100 10 - 30
Section 4. Fir	rst Aid Measures						
Eye Contact	Immediately flush eyes remove any contact ler						
Skin Contact	Rinse with plenty of ru	unning water.	Get medical a	ttention if irrit	ation develops.		-
Inhalation	Move exposed person	-			•		
manution	more exposed person	to mobil un. II	minution pers	nous, get mean	an anomnom.		

Product code 33	Material Safety Data Sheet Product Name Zep METER MIST - BLUE SKY
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. If affected person is conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Section 5. Fire	Fighting Measures
Flash Point	Not available.
Flammable Lim	its Not available.
Flammability	Flammable aerosol
Fire hazard	CONTENTS UNDER PRESSURE. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Bursting aerosol containers may be propelled from a fire at high speed.
Fire-Fighting Procedures	Use an extinguishing agent suitable for the surrounding fire. Cool closed containers exposed to fire with water. Fire-fighters should wear appropriate protective equipment.
Section 6. Acci	idental Release Measures
Spill Clean up	Large spills are unlikely due to packaging.
Section 7. Han	dling and Storage
or in	it on appropriate personal protective equipment (see Section 8). Store and use away from heat, sparks, open flame any other ignition source. Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Do not gest. Use only with adequate ventilation. Observe label precautions. Wash thoroughly after handling. ONTENTS UNDER PRESSURE. Do not puncture, incinerate or store the container at temperatures above 49°C
	20°F) or in direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.
Section 8. Exp	osure Controls/Personal Protection
Product name acetone	Exposure limits ACGIH TLV (United States, 2/2010). TWA: 500 ppm 8 hour(s). TWA: 1188 mg/m ³ 8 hour(s). STEL: 750 ppm 15 minute(s). STEL: 7182 mg/m ³ 15 minute(s). OSHA PEL 1989 (United States, 3/1989). TWA: 750 ppm 8 hour(s). TWA: 750 ppm 8 hour(s). STEL: 1000 ppm 15 minute(s). STEL: 1000 mg/m ³ 8 hour(s). STEL: 2400 mg/m ³ 15 minute(s). NIOSH REL (United States, 6/2009). TWA: 250 pm 10 hour(s). TWA: 500 mg/m ³ 10 hour(s). OSHA PEL 1989 (United States, 3/1989). TWA: 2400 mg/m ³ 8 hour(s). OSHA PEL 1989 (United States, 3/1989). TWA: 1800 mg/m ³ 8 hour(s). OSHA PEL 1989 (United States, 3/1989). TWA: 1800 mg/m ³ 8 hour(s). OSHA PEL (United States, 6/2010). TWA: 1800 mg/m ³ 8 hour(s). OSHA PEL (United States, 6/2009). TWA: 1800 mg/m ³ 10 hour(s). OSHA PEL (United States, 6/2010). TWA: 1800 mg/m ³ 8 hour(s). OSHA PEL (United States, 6/2010). TWA: 1800 mg/
	ctive Equipment (PPE)
-	Recommended: Safety glasses.
	No special protective clothing is required. Avoid direct inhalation of spray. Use with adequate ventilation.

Product code 3362		Material Safety Data Shee	t Proc	duct Name Zep METER M	IST - BLUE SKY
Section 9. Physic	cal and Chemical Pro	operties			
Physical State pH Boiling Point Specific Gravity Solubility		n the following materials: er.	Vapor Pres Vapor De Evaporation	Color Clear. Colorless Odor Floral. Fresh asure Not determined nsity Not determined Rate <1 (Water = 1) Imer) 241.2 g/l (29.7	
Section 10. Stab	ility and Reactivity				
Stability and Read Incompatibility Hazardous Polym Hazardous Decor	Keep awa materials merization Will not o	ay from heat, sparks and flame. coxidizing materials. occur. carbon oxides (CO, CO ₂)	Slightly reactive	or incompatible with	the following
Section 11. Toxic	cological Information	1			
Acute Toxicity Product/ingredie acetone	nt name LD50 Oral	Result	Species Rat	Dose 5800 mg/kg	Exposure -
Section 12. Ecol	ogical Information				
Environmental Ef Aquatic Ecotoxic		n significant effects or critical h	azards.		
acetone		100 wat - Acc L M - Acc ug/l - Acc Free - Acc	tte EC50 5600000 to 00000 ug/L Fresh er te EC50 20.565 mg/ larine water tte LC50 6000000 L Fresh water tte LC50 10000 ug/L sh water tte LC50 >100000 L Fresh water	Selenastrum sp. Algae - Green algae - Ulva pertusa Crustaceans - Scud - Gammarus pulex Daphnia - Water flea - Daphnia magna Fish - Fathead minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) -	72 hours 96 hours 48 hours 48 hours 96 hours
			onic NOEC 0.1 ml/ resh water	0.2 to 0.5 g Daphnia - Water flea - Daphnia magna - Neonate - 6 to 24 hours	21 days

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste

Section 14. Transport Information					
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	None.	Consumer commodity or Limited quantity			
IMDG Class	UN1950	AEROSOLS,Flammable (acetone)	2.1		

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

Section 15. Regulatory Information

U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

United States inventory (TSCA 8b): All components are listed or exempted.

State Regulations

California Prop 65 No products were found.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.