FABRICATION FORM — TABLETOP AND PERSONAL PROTECTION BARRIERS, ACRYLIC SHEETS, MIRRORS AND GLASS

EMAIL TO FMFABRICATIONS@HDSUPPLY.COM SHIPPING ADDRESS □ SAME AS ACCOUNT □ QUOTE □ ORDER REQUEST TYPE ORDER DATE SHIP TO (Property Name) PO NUMBER ACCOUNT NUMBER SHIPPING ADDRESS CUSTOMER PHONE NUMBER CUSTOMER NAME CITY PHONE STATE ZIP SALES REP NAME SALES REP PHONE NUMBER EMAIL CONFIRMATION TO: NAME: EMAIL: TABLETOP PROTECTIVE BARRIERS - .220 THICKNESS **LENGTH** (Only required HEIGHT OTY WIDTH COMMENTS (Recommended height of 23.5") for rectangular tables) PERSONAL PROTECTIVE BARRIERS - .220 THICKNESS WIDTH COMMENTS PASS-THROUGH ☐ YES **□**NO TYES □ NO TYES **□**NO ACRYLIC SHEETS - .093 POLYCARBONATE OR .100/.220 ACRYLIC WIDTH HEIGHT THICKNESS .93/,100/,220 COMMENTS QTY MIRRORS - .125" SAFETY BACKED OR .188" VANITY QTY WIDTH HEIGHT THICKNESS COMMENTS GLASS - .094" THICK WIDTH HEIGHT COMMENTS QTY 1. Glass and acrylic dimensions are edge to edge, to the 5. Personal protective barriers are available in sizes from 24" to 36" W nearest .0625" (W x L). and 24" to 36" H and each comes with an acrylic supporting base. 6. Desktop protective barriers are available in widths from 23.75" to 67.75" 2. Glass is single strength and is sold by the square foot. for round and square tables; and widths of 23.75" to 47.75" and lengths 3. All cut edges will be sanded. of 23.75" to 95.75" for rectangular tables. For rectangular tables, please 4. Acrylic sheet thickness options are .100 or .220 acrylic, specify 4-section, 6-section or 8-section barriers. or .093 polycarbonate. MIRROR, GLASS, PERSONAL PROTECTION BARRIER AND ACRYLIC SHEET ORDER TERMS Due to custom requirements and lead times, glass, mirror, and acrylic sheet orders may not be cancelled and glass, mirror, and acrylic sheets are not returnable. Any additional charges for changing sizes or quantities after the initial order is placed will require a new worksheet, and an additional invoice will be created. By signing below, you agree to the terms

stated above.

Please check all measurements shown above before signing this order form.

DATE: _