



## Clax Hypo Conc 42B1 Bleach - low temp - hypochlorite

Version Number: 1

Preparation date: 2014-05-20

### 1. IDENTIFICATION

**Product name:** Clax Hypo Conc 42B1 Bleach - low temp - hypochlorite  
**Product Code:** 95750345, 95722862, 95750450  
**SDS #:** MS0800081  
**Recommended use:**

- Industrial/Institutional
- Laundry care

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com	Canadian Headquarters Diversey, Inc. - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131
--	---

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Metal Corrosion	Category 1



**Signal Word:** Danger

#### Precautionary Statements

##### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Do not breathe vapors. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: DO NOT MIX WITH ACIDS, TOILET BOWL CLEANERS, AMMONIA, SOURS, RUST REMOVERS, OR ANY OTHER CHEMICAL. Can react to release chlorine gas.

Clax Hypo Conc 42B1 Bleach - low temp  
- hypochlorite

1 of 5



**Health hazards not otherwise classified (HHNOC)** - Not applicable  
**Physical hazards not otherwise classified (PHNOC)** - Not applicable

### Classification for the diluted product @ @ RTU

This product is intended to be used neat.

#### Precautionary Statements

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classified Ingredients

Ingredient(s)	CAS #	Weight %
Sodium hypochlorite	7681-52-9	10 - 20%
Sodium hydroxide	1310-73-2	1% - < 3%

\*Exact percentages are being withheld as trade secret information

### 4. FIRST AID MEASURES

#### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Notes to physician:** Treat symptomatically.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

#### Diluted Product:

This product is intended to be used neat.

**Eyes:** See undiluted product information above.

**Skin:** See undiluted product information above.

**Inhalation:** See undiluted product information above.

**Ingestion:** See undiluted product information above.

### 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** None.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.). Attention! Corrosive material. Ensure adequate ventilation.

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Prevent product from entering drains. Use a water rinse for final clean-up.

### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. **DO NOT MIX WITH ACIDS, TOILET BOWL CLEANERS, AMMONIA, SOURS, RUST REMOVERS, OR ANY OTHER CHEMICAL.** Can react to release chlorine gas. All precautions for handling the product must be used in handling the empty container and residue. **FOR COMMERCIAL AND INDUSTRIAL USE ONLY.**

**Storage:**

Protect from freezing. Keep tightly closed in a cool, dry, well-ventilated area out of direct sunlight. **KEEP OUT OF REACH OF CHILDREN.**

**Aerosol Level (if applicable) :** Not applicable

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Sodium hypochlorite	7681-52-9	-	-
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup> (Ceiling)	2 mg/m <sup>3</sup> (TWA)

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment**

- Eye protection:** Chemical-splash goggles.
- Hand protection:** Chemical-resistant gloves.
- Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
- Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:**

This product is intended to be used neat.

**Personal Protective Equipment**

- Eye protection:** Chemical-splash goggles.
- Hand protection:** Chemical-resistant gloves.
- Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
- Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
- Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES:**

- |   |  |
|---|--|
| <p><b>Physical State:</b> Liquid</p> <p><b>Evaporation Rate:</b> No information available</p> <p><b>Odor threshold:</b> No information available.</p> <p><b>Melting point/range:</b> Not determined</p> <p><b>Autoignition temperature:</b> No information available</p> <p><b>Solubility in other solvents:</b> No information available</p> <p><b>Density:</b> 10.27 lbs/gal 1.232 Kg/L</p> <p><b>Bulk density:</b> No information available</p> <p><b>Flash point:</b> &gt; 200 °F &gt; 93.3 °C</p> <p><b>Dilution Flash Point:</b> &gt; 200 °F &gt; 93.3 °C</p> <p><b>Elemental Phosphorus:</b> 0 % by wt.</p> <p><b>pH:</b> 11.5</p> <p><b>Dilution pH:</b> 11.5 @ RTU</p> <p><b>Metal Corrosion:</b> Not determined</p> <p><b>Explosion limits:</b> - upper: Not determined - lower: Not determined</p> | <p><b>Color:</b> Clear, Light, Yellow</p> <p><b>Odor:</b> Chlorine</p> <p><b>Boiling point/range:</b> Not determined</p> <p><b>Decomposition temperature:</b> Not determined</p> <p><b>Solubility:</b> Completely Soluble</p> <p><b>Relative Density (relative to water):</b> 1.232</p> <p><b>Vapor density:</b> No information available</p> <p><b>Vapor pressure:</b> No information available.</p> <p><b>Partition coefficient (n-octanol/water):</b> No information available</p> <p><b>Viscosity:</b> No information available</p> <p><b>VOC:</b> 0 % *</p> <p><b>VOC % by wt. at use dilution:</b> 0 % *</p> <p><b>Flammability (Solid or Gas):</b> Not applicable</p> |
|---|--|

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

**Reactivity:** Not Applicable

**Stability:** Stable at normal conditions Unstable at elevated temperatures and pressures  
**Hazardous decomposition products:** Chlorine; Oxygen.  
**Materials to avoid:** Incompatible with acids; Oxidizing agents; Ammonia; Do not mix with acids or acid detergents.  
**Conditions to avoid:** Do not freeze. Extremes of temperature and direct sunlight.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure:**

Eye contact, Skin contact, Inhalation, Ingestion

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Numerical measures of toxicity**

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Contaminated Packaging:** Do not re-use empty containers.

**RCRA Hazard Class (undiluted product):** Not Regulated

**RCRA Hazard Class (diluted product):** Not Regulated

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Please refer to the Bill of Lading/receiving documents for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, sodium hypochlorite), 8, III

**IMDG (Ocean) Bill of Lading Description:** UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, sodium hypochlorite), 8, III, MARINE POLLUTANT

## 15. REGULATORY INFORMATION

**International Inventories at CAS# Level**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL).

**U.S. Regulations**

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium hypochlorite	7681-52-9	X	X	X	X

Sodium hydroxide	1310-73-2	X	X	X	X
------------------	-----------	---	---	---	---

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hypochlorite	7681-52-9	10 - 20%	100		
Sodium hydroxide	1310-73-2	1% - < 3%	1000		

CAA HAP/CAA ODS/CWA Priority Pollutants: None

**SARA 311/312 Hazard Categories**

Immediate: X  
 Delayed: -  
 Fire: -  
 Reactivity: -  
 Sudden Release of Pressure: -

**Canada**

**16. OTHER INFORMATION**

**NFPA**

Health 3  
 Flammability 0  
 Instability 1

Version Number: 1  
 Preparation date: 2014-05-20

Reason for revision: Not applicable  
 Prepared by: NAPRAC  
 Additional advice: • Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*