

SAFETY DATA SHEET

Revision Date: 18-Aug-2015 **Item Number(s):** 1101, 1105, 11201, 11205, 12114

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name PRO-935 R-35® ADHESION PROMOTING WALLCOVERING PRIMER

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Primers (Paint or Paint-Related)

Uses advised against See Technical Data Sheet

Details of the supplier of the safety data sheet

Supplier Name Roman Decorating Products, LLC

Supplier Address 824 State Street

Calumet City, IL

60409 US

Supplier Phone Number Phone: 708-891-0770

Fax: 708-891-4746

Supplier Email technicalhelp@romandec.com

Emergency telephone number

Company Emergency Phone

Number

708-891-0770

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin sensitization	Category 1
Reproductive Toxicity	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Hazard Statements

May cause an allergic skin reaction Suspected of damaging fertility or the unborn child



Appearance Milky white

Physical state Liquid

Odor Ammonia

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful if swallowed Harmful to aquatic life with long lasting effects

Page 2/13

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons INHALATION MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Supplier Trade Secret	Proprietary	10 - 30	*
Toluene	108-88-3	0.1 - 1	*
Ammonium hydroxide	1336-21-6	0.1 - 1	*
Ammonia	7664-41-7	0.1 - 1	*
1,2-Benzisothiazolin-3-one	2634-33-5	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Itching. Rashes. Hives.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization of susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code Sensitizer: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage <u>Do not freeze.</u> Keep containers tightly closed in a dry, cool and well-ventilated place. Store

locked up. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents. Strong acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm (vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 560 mg/m³ Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³
Ammonia 7664-41-7	STEL: 35 ppm TWA: 25 ppm	TWA: 50 ppm TWA: 35 mg/m³ (vacated) STEL: 35 ppm (vacated) STEL: 27 mg/m³	IDLH: 300 ppm TWA: 18 mg/m ³ TWA: 25 ppm STEL: 27 mg/m ³ STEL: 35 ppm

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical stateLiquidAppearanceMilky whiteOdorAmmonia

Color Milky white Odor Threshold No information available

No data available

No data available

None known

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

None known pН 9.3 Melting / freezing point 0 °C / 32 °F None known Boiling point / boiling range 100 °C / 212 °F None known Flash Point Not applicable None known **Evaporation Rate** No data available None known Flammability (solid, gas) Not applicable None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density
Not applicable
No data available

Water Solubility
Solubility in other solvents
Partition coefficient: n-octanol/water Not applicable
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No data available
Not applicable

Explosive propertiesNot applicable
Not applicable

Other Information

Softening Point Not applicable

VOC Content (g/L) 44.5

Particle Size Not applicable

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents. Strong acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

Page 6/13

No data a

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	= 636 mg/kg (Rat)	= 8390 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
108-88-3			> 26700 ppm (Rat) 1 h
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Ammonia 7664-41-7	= 350 mg/kg (Rat)	-	= 2000 ppm (Rat) 4 h

Information on toxicological effects

Symptoms Itching. Rashes. Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		
108-88-3		·		

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Contains a known or suspected reproductive toxin. Product is or contains a chemical which

is a known or suspected reproductive hazard.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Chronic Toxicity No known effect based on information supplied. Contains a known or suspected

carcinogen. Contains a known or suspected reproductive toxin. Possible risk of irreversible effects. Contains toluene. Exposure to toluene in animals via inhalation and intentional overexposure to toluene in humans has caused adverse fetal development effects.

Target Organ Effects Skin. Reproductive System. Central Nervous System (CNS). Liver. Kidney.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
2,119.00 mg/kg
ATEmix (inhalation-dust/mist)
223.66 mg/l
ATEmix (inhalation-vapor)
1,339.00 ATEmix

Page 8 / 13

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Toluene 108-88-3	96h EC50: > 433 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 12.5 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 15.22 - 19.05 mg/L (Pimephales promelas) 96h LC50: 5.89 - 7.81 mg/L (Oncorhynchus mykiss) 96h LC50: 14.1 - 17.16 mg/L (Oncorhynchus mykiss) 96h LC50: = 12.6 mg/L (Pimephales promelas) 96h LC50: = 5.8 mg/L (Oncorhynchus mykiss) 96h LC50: 11.0 - 15.0 mg/L (Lepomis macrochirus) 96h LC50: = 54 mg/L (Oryzias latipes) 96h LC50: = 28.2 mg/L (Poecilia reticulata) 96h LC50: 50.87 - 70.34 mg/L (Poecilia reticulata)	EC50 = 19.7 mg/L 30 min	48h EC50: 5.46 - 9.83 mg/L 48h EC50: = 11.5 mg/L
Ammonium hydroxide 1336-21-6		96h LC50: = 8.2 mg/L (Pimephales promelas)		48h EC50: = 0.66 mg/L
Ammonia 7664-41-7		96h LC50: = 0.44 mg/L (Cyprinus carpio) 96h LC50: = 1.19 mg/L (Poecilia reticulata) 96h LC50: > 1.5 mg/L (Poecilia reticulata) 96h LC50: = 5.9 mg/L (Pimephales promelas) 96h LC50: 0.73 - 2.35 mg/L (Pimephales promelas) 96h LC50: = 1.17 mg/L (Lepomis macrochirus) 96h LC50: 0.26 - 4.6 mg/L (Lepomis macrochirus)		48h LC50: = 25.4 mg/L

<u>Persistence and Degradability</u> No information available.

Bioaccumulation

Chemical Name	Log Pow
Toluene	2.65
108-88-3	
Ammonia	-1.14
7664-41-7	
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

Other adverse effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Do not reuse empty containers.

US EPA Waste Number U220

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Toluene	U220	Included in waste streams:		U220
108-88-3		F005, F024, F025, F039,		
		K015, K036, K037, K149,		
		K151		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Waste
Toluene			Toxic waste	
108-88-3			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free radical	
			catalyzed processes.	
			These chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Toluene	Toxic
108-88-3	Ignitable
Ammonium hydroxide	Toxic
1336-21-6	Corrosive

14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	0.1 - 1	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	0.1 - 1	1.0
Ammonia - 7664-41-7	7664-41-7	0.1 - 1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Toluene	1000 lb	X	X	X
108-88-3				
Ammonium hydroxide	1000 lb			X
1336-21-6				
Ammonia	100 lb			X
7664-41-7				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances	RQ
		RQs	
Toluene	1000 lb		RQ 1000 lb final RQ
108-88-3			RQ 454 kg final RQ
Ammonium hydroxide	1000 lb		RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Ammonia	100 lb	100 lb	RQ 100 lb final RQ
7664-41-7			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ammonium hydroxide 1336-21-6	X	X	Х	X	
Toluene 108-88-3	Х	Х	Х	Х	Х
Ammonia 7664-41-7	Х	Х	Х	Х	

International Regulations

Component	Carcinogen Status	Exposure Limits
Toluene		Mexico: TWA 50 ppm
108-88-3 (0.1 - 1)		Mexico: TWA 188 mg/m ³
Ammonia		Mexico: TWA 25 ppm
7664-41-7 (0.1 - 1)		Mexico: TWA 18 mg/m ³
		Mexico: STEL 35 ppm
		Mexico: STEL 27 mg/m ³

Canada

WHMIS Hazard Class

Not determined

Revision Date

16. OTHER INFORMATION

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 2 * Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 18-Aug-2015

Χ

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet