MATERIAL SAFETY DATA SHEET

FOR COATINGS, RESINS, AND RELATED MATERIALS NPCA 1-84

MANUFACTURER'S NAME EMERGENCY TELEPHONE NO.

Mad Dog Paint Products 309 Plum Street North

Northfield, MN 55057

(507) 645-7431

DATE OF PREPARATION INFORMATION TELEPHONE NO.

NOVEMBER 2009 (507) 645-7431

SECTION I --- PRODUCT IDENTIFICATION

PRODUCT CODE MDCF-01

PRODUCT NAME Mad Dog Crack Fix

PRODUCT CLASS Water Thinned Compound

SECTION II --- HAZARDOUS INGREDIENTS

INGREDIENT

NAME <u>CAS#</u> <u>PERCENT</u>

Texanol 25265-77-4 \geq 1% Propylene Glycol 57-55-6 \geq 1%

SECTION III --- PHYSICAL DATA

BOILING POINT: 100 deg. C (212 deg. F)
VAPOR DENSITY: Lighter than Air

VAPOR DENSITY: Lighter than Air EVAPORATION RATE: Equal to Water

% VOLATILE VOLUME: 55 WT/GAL: 8.7 lbs VOC: 0.38 lbs/gal

OF HAZARDOUS MATERIAL

SECTION IV --- FIRE AND EXPLOSION HAZARD DATA

NFPA FLAMMABILITY CLASSIFICATION: NA FLASHPOINT: OVER 225 DEG. F. SFCC

EXTINGUISHING MEDIA:

Use NFPA Class B Fire extinguishers (carbon dioxide all purpose dry chemical or alcohol foam) designed to extinguish flammable liquid fires. Polymer foam is preferred for large fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

SECTION IV --- FIRE AND EXPLOSION HAZARD DATA (CONTINUED)

SPECIAL FIREFIGHTING PROCEDURES

Firefighters should wear self-contained breathing apparatus. Water may be ineffective, but may be used to cool exposed containers to prevent pressure build-up and possible auto-ignition or explosion when exposed to extreme heat. If water is used, fog nozzles are preferable.

......

SECTION V --- REACTIVITY DATA

.....

STABILITY

Normally stable

CONDITIONS TO AVOID

Avoid excessive heat and sources of ignition

INCOMPATABILITY (MATERIALS TO AVOID)

None known

HAZARDOUS DECOMPOSITION PRODUCTS

Burning, including when heated by welding or cutting, will produce smoke, carbon monoxide and carbon dioxide

HAZARDOUS POLYMERIZATION

Will not occur

CONDITIONS TO AVOID

None known

SECTION VI --- HEALTH HAZARD DATA

EFFECTS OF SHORT TERM OVEREXPOSURE

SWALLOWING

Unknown

INHALATION

Unknown

EYE

Unknown

SKIN

Unknown

EFFECTS OF OVEREXPOSURE --- ACUTE:

Inhalation --- Irritation of the respiratory tract

Skin and Eye Contact --- Primary irritation

Ingestion of lage amounts could cause serious injury

EFFECTS OF OVEREXPOSURE --- CHRONIC:

None known

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE:

None expected when used in accordance with Safe Handling and Use (Section IX)

PRIMARY ROUTE (S) OF ENTRY: DERMAL INHALATION INGESTION

PAGE 3

SECTION VII --- FIRST AID AND EMERGENCY PROCEDURES

.....

SWALLOWING

If swallowed call Poison Control Center, Hospital Emergency Room, or Physician immediately. Drink 1 or 2 glasses of water to dilute.

INHALATION

Remove to fresh air immediately. Get medical help for any breathing difficulty.

EYE

Flush with water until relieved. Consult a physician.

SKIN

Wash with soap and water.

NOTES TO PHYSICIAN:

Any treatment that might be required for overexposure should be directed at the control of symptoms and the clinical conditions.

SECTION VIII --- ENVIRONMENTAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Confine in small area: use absorbent to clean up. Place in container for disposal.

WASTE DISPOSAL METHOD

Dispose in accordance with federal, state and local laws.

RCRA CLASSIFICATION

As produced, this product is not a waste. If discarded as is, it is not classified a hazardous waste under RCRA.

ENVIRONMENTAL HAZARDS

None known

SECTION IX -- SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION

Use NIOSH approved respirator specified for protection against paint spray mist and sanding dust in restricted or confined areas.

VENTILATION

Provide general dilution and local exhaust ventilation in sufficient volume and pattern to maintain concentrations of hazardous substances listed in Section II below the lowest exposure limits stated.

PROTECTIVE GLOVES: Waterproof during repeated contact

EYE PROTECTION: Splash goggles or safety glasses with side shields

OTHER PROTECTIVE EQUIPMENT: Clothing adequate to protect skin

HYGIENIC PRACTICES: Remove and wash clothing before reuse. Wash hands before eating,

smoking or using the washroom.

SECTION X --- SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Do not throw or drop containers.

OTHER PRECAUTIONS

Avoid contact with eyes and prolonged contact with skin or breathing of spray mist or sanding dust. Close container after each use. Keep out of reach of children. Do not take internally.

CECTION VI OTHER INCORMATION

SECTION XI --- OTHER INFORMATION

US DOT INFORMATION

HAZARD CLASS: NOT HAZARDOUS BY DOT

ID NIUMBER: UN 1263

PROPER SHIPPING NAME: PAINT

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. WHILE THE INFORMATION IS BELIEVED TO BE RELIABLE, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. SINCE THE USE OF THIS INFORMATION AND THE CONDITIONS AND USE OF THIS PRODUCT ARE CONTROLLED BY THE USER, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCT.