

# SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

# SECTION 1: Identification

**Product identifier** 

Product name Calcium Buffer

Product number R-0010

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.

manufacturer.

Manufacturer Taylor Technologies, Inc.

> 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

# SECTION 2: Hazard(s) identification

Physical hazards Corrosive to metals Category 1 Health hazards Eve damage/irritation Category 1

Skin corrosion/irritation Category 1A

**Environmental hazards** 

Label elements

Hazard pictograms



Signal word Danger

Hazard statements May be corrosive to metals. Causes severe skin burns and serious eye damage.

Precautionary statements

Prevention Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face protection if contact is

likely to occur.

Response Absorb spillage to prevent material damage. IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting. IF ON SKIN (OR HAIR): Immediately take off all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician or poison control center. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a physician or poison control

center.

Storage Store in corrosive-resistant container with corrosive-resistant inner liner. Keep tightly capped.

Store out of direct sunlight between 36°F-85°F. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise classified Not applicable

# SECTION 3: Composition/information on ingredients

### **Mixture**

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	80-100
Sodium Hydroxide	Caustic Soda	1310-73-2	1-5

# SECTION 4: First-aid measures

### If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

SDS US Calcium Buffer; R-0010

#### In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops. Chemical burns must be treated by a physician.

#### In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Immediately call a physician or poison control center. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

### Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

#### Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

#### General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

### SECTION 5: Firefighting measures

### Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity May be corrosive to metals

Hazardous combustion products Sodium oxides. Other irritating fumes and smoke.

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefiahtina Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

# SECTION 6: Accidental release measures

### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

#### **Environmental precautions**

Avoid discharge into drains, watercourses, or onto the ground.

#### Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Dilute base with water and neutralize with dilute acid. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

### SECTION 7: Handling and storage

### Personal precautions, protective equipment, and emergency procedures

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

SDS US Calcium Buffer; R-0010 Page 2 of 7

### Conditions for safe storage, including any incompatibilities

Store locked up. Store in corrosive-resistant container with corrosive-resistant inner liner. Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store away from incompatible materials (refer to section 10 of the SDS).

# SECTION 8: Exposure controls/personal protection

### Occupational exposure limits

### **US ACGIH Threshold Limit Values**

Value Components Type Ceiling 2 ma/m3 Sodium Hydroxide (CAS 1310-73-2)

**US NIOSH: Pocket Guide to Chemical Hazards** 

Value Components Type Sodium Hydroxide (CAS 1310-73-2) Ceiling  $2 \text{ mg/m}^3$ 

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components Sodium Hydroxide (CAS 1310-73-2) TWA  $2 \text{ mg/m}^3$ 

#### **Biological limit values**

No biological exposure limits noted for the ingredient(s)

#### **Exposure controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates Appropriate engineering controls

> should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling

this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing if contact is likely to occur

In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA Respiratory protection

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the

exposure limits. Advice should be sought from respiratory protection suppliers.

## SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless or nearly colorless

Odor Odorless

Odor threshold No data available

13.1 pΗ

Evaporation rate No data available Melting point No data available No data available Freezing point Initial boiling point (boiling range) No data available Flash point No data available Specific gravity No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Upper Flammability Limit No data available Lower Flammability Limit No data available Vapor pressure No data available Vapor density No data available

Calcium Buffer; R-0010 Page 3 of 7 Relative density No data available

Solubility Soluble in all proportions

Partition coefficient (n-octanol/water)

Oxidizing properties

No data available

Viscosity Explosive properties

No data available No data available No data available

# SECTION 10: Stability and reactivity

Reactivity May be corrosive to metals

**Chemical stability** Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoid Contact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Acids, metals, and oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products under normal conditions

# SECTION 11: Toxicological information

### Information on toxicological effects

Likely routes of exposure are skin/eye contact and ingestion.

Most important

symptoms/effects, acute and delayed

Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring.

Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and

scarring.

Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, and

bleeding.

**Acute toxicity** This product is not classified as an acute toxicity hazard. See below for product and individual

ingredient acute toxicity data.

**Product Acute Toxicity Estimate (ATE)** Species

Calcium Buffer Reagent (CAS Mixture)

Acute

Dermal

No data available LD<sub>50</sub> Rat

Inhalation

LC<sub>50</sub> Rat No data available

Oral

>2000 mg/kg LD<sub>50</sub> Rat

Components **Species Acute Toxicity Data** 

Sodium hydroxide (CAS 1310-73-2)

Acute

Dermal

I Deo Rat No data available

Inhalation

LC<sub>50</sub> No data available Rat

Oral

LD<sub>50</sub> Rat 140-340 mg/kg

Skin corrosion/irritation Causes severe skin burns Serious eye damage/eye irritation Causes serious eye damage

Respiratory sensitization No data available

Calcium Buffer; R-0010 Page 4 of 7 Skin sensitization No data available Germ cell mutagenicity No data available

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not classifiable

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

**US National Toxicology Program (NTP) Report on Carcinogens** 

Not regulated

Reproductive toxicity No data available Specific target organ toxicity No data available

(single exposure)

Specific target organ toxicity

(repeated exposure)

No data available

No data available Aspiration hazard

SECTION 12: Ecological information

**Ecotoxicity** This product is not classified as environmentally hazardous.

Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available

Other adverse effects Large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

# SECTION 14: Transport information

DOT

**UN** number UN1824

**UN Proper shipping name** Sodium hydroxide solution

5000 lbs Reportable Quantity

Class (Subsidiary risk) 8 Label(s) 8 Packing group Ш

Special provisions IB3, N34, T4, TP1

154 Packaging exceptions Packaging, non-bulk 203

IATA

**UN** number UN1824

**UN Proper shipping name** Sodium hydroxide solution

8 Class (Subsidiary risk) Ш Packing group Special provisions A803

**IMDG** 

**UN** number UN1824

**UN Proper shipping name** Sodium hydroxide solution

Class (Subsidiary risk) 8 Packing group Ш

**Environmental hazards** 

Marine pollutant No 223 Special provisions

SDS US Calcium Buffer; R-0010

**EmS** F-A, S-B

Special precautions for user

Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

**DOT** hazard pictograms

IATA; IMDG hazard pictograms

# SECTION 15: Regulatory information

### **US** federal regulations

CERCLA Hazardous Substance (40 CFR 302.4)

**Chemical name CAS** number **Reportable Quantity** 

1000 lbs Sodium Hydroxide 1310-73-2

SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Not regulated

### **SARA 304 Emergency Release Notification**

Not regulated

#### SARA 311/312 Hazardous Chemical

Chemical name CAS number

1310-73-2 Sodium hydroxide

### SARA 313 (TRI reporting)

Not regulated

#### TSCA Section 8(b) Chemical Inventory

All components are on the U.S. EPA TSCA Inventory list.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

# Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A)

Not regulated

# Safe Drinking Water Act (SDWA)

Not regulated

# **US** state regulations

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

Not regulated

### Massachusetts Right-to-Know Act

Not regulated

#### **New Jersey Worker and Community Right-to-Know Act**

**Chemical name** CAS number Sodium hydroxide 1310-73-2

## Pennsylvania Worker and Community Right-to-Know Act

**Chemical name CAS** number

SDS US

Calcium Buffer; R-0010 Page 6 of 7 Sodium hydroxide 1310-73-2

# Rhode Island Right-to-Know Act

**Chemical name** CAS number

Sodium hydroxide 1310-73-2

# **SECTION 16: Other information**

# **NFPA Rating**

Health hazard 2 Fire hazard 0 1 Reactivity Specific N/A

### Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

#### Issue date:

May 2015

### Last revisions

April 2018

SDS US Calcium Buffer; R-0010 Page 7 of 7