

TOP
M WILL SOUND



**Safety Technology
International**



Product Catalog

www.sti-usa.com



It all started with
The Original Stopper®

ABOUT STI

It all started with a solution to a challenge

Who We Are

Family owned and operated for over 35 years, we take great pride in STI's products and exemplary service. Our entire team works just as hard to make you a satisfied customer as we do to make the world a safer place, one product at a time.

What We Do

STI manufactures protective polycarbonate covers, enclosures, push buttons, wire cages and wireless alarms to help prevent theft and vandalism to important fire and safety devices. Covers and cages protect: detectors, lights, manual pull stations, and much more. Alarms protect: fire extinguishers, exit doors, etc. Many options and variations of products are available to protect the things that protect you.

Where We Came From

The STI story begins three decades ago with a challenge made by a suburban Detroit school administrator who wanted to stop false fire alarms. Our Founder, Jack Taylor, used his expertise in security systems to invent the original Stopper® pull station protector. Today, STI has hundreds of innovative products that help make homes, businesses and workplaces around the world safe, smart and secure.

Rely on STI!®

Learn more at www.sti-usa.com

TABLE OF CONTENTS

FIRE & SAFETY

Stopper II®	5
Weather Stopper®	5
Universal Stopper®	5
Break Glass Stopper®	5
Horn/Strobe/Damage Stopper®	6
Stopper® Dome	6
Horn/Strobe/Speaker	
Damage Stopper®	7

ENCLOSURES, COVERS & CAGES

EnviroArmour® Waterproof Enclosures	9	AED Protective Cabinets	18
Metal Protective Cabinet		Access Control Housing	18
with AC/Heat	13	Thermostat Protector	18
Heated Polycarbonate Enclosure	13	Bopper Stoppers®	19
Stopper® Heated Enclosures	13	Single-Gang Protective Cover	19
Universal Stopper® Dome and		Bio Protectors	19
Low Profile	15	Smoke Detector Cages	21
Polycarbonate Covers/Enclosures		Exit, Clock/Bell, Camera, Light,	
/Cabinets	17	Motion Detector Cages	22
Metal Protective Cabinets	17	Custom Cages	22

BUTTONS & SWITCHES

Stopper® Stations	24
Universal Button	25
Momentary Emergency	
Button Kit	25
Universal Touch Free	25
Universal Pneumatic Button	25
Global ReSet	25

WIRELESS PRODUCTS

Wireless Receivers	27
Wireless Transmitters	27
Fire Extinguisher Theft Stopper®	27
Wireless Motion Detectors	27

HOME & WORK SERIES

Wireless Entry Alert®	29
Wireless Motion-Activated Sensor	29
Wireless Doorbell Chime	29
Rex Plus II® Electronic Watchdog	29

VANDALISM & THEFT

Exit Stopper®	31
Select-Alert Alarm	31
Quickstop Fire Sprinkler Tool	31

Indoor/outdoor polycarbonate cover helps stop false fire alarms without restricting legitimate operation of pull stations. It is ideal for schools, hospitals, nursing homes, stores, hotels and public buildings of almost every kind.

Other colors and models available. Three year guarantee against breakage of polycarbonate in normal use (one year on electro mechanical and electronic components).

FIRE & SAFETY

Universal Stopper[®]

DESIGN

Protective cover with horn. Prevents false fire alarms, without hindering legitimate operation of a manual pull station in the event of an emergency.

INSTALLATION

Quick & easy protection in minutes. Can accommodate flush or surface mount applications. Gaskets included.



ELECTRONICS

95/105 dB self-contained alarm draws immediate attention to the area. Available with or without horn, powered by an included battery.

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material. Housing can take the severest knocks preventing vandalism or accidental damage to the manual pull station.



1



2



3



4



5

1. Stopper II®

Protective cover prevents false fire alarms. Does not restrict legitimate access. Self-contained alarm.

STI-1100 Horn, Flush

STI-1130 Horn, Surface

STI-1200 Flush

STI-1230 Surface

2. Weather Stopper®

Waterproof cover protects pull stations, push buttons and more against ingress of dust or water.

STI-3150
Without Horn, Surface

STI-1250
Without Horn, Flush

3. Universal Stopper®

Indoor/outdoor cover protects pull stations, push buttons and more.

STI-13010FR Flush
STI-13020FR Horn, Flush

STI-13210 Surface
STI-13220FR Horn, Surface

4. Universal Stopper®

Indoor/outdoor cover protects pull stations, push buttons and more.

STI-13410FR
Without Horn, Enclosed Back Box, Sealed Mounting Plate, Surface

STI-13520FR
Horn, Enclosed Back Box, Open Mounting Plate, Surface

5. Break Glass Stopper®

Designed for areas where a "break glass" cover is specified. Simple glass replacement.

STI-6100
Small

STI-4100
Large

STI-4130
Large, with Spacer



1. Horn/Strobe Damage Stopper®

Polycarbonate cover, slotted for horn and/or strobe appliances.

STI-1210D
Open Back Box, Conduit Knockout

STI-1210A
Encl. Back Box, 4" Deep

STI-1210B
Encl. Back Box, Double-Gang Outlet Box

STI-1210C
Open Back Box, External Mounting Tabs

STI-1210E
Open Back Box, Flush



2. Strobe Damage Stopper®

Polycarbonate cover, solid for a strobe only unit.

STI-1221A
Encl. Back Box, 4" Deep

STI-1221B
Solid Encl. Back Box, Double-Gang Outlet Box

STI-1221C
Open Back Box, External Mounting Tabs

STI-1221D
Open Back Box, Conduit Knockout

STI-1221E
Open Back Box



3. Stopper® Dome

Polycarbonate cover slotted for horn/strobe or speaker/strobe units

STI-1215
Flush Mount

STI-1217
Open Back Box

STI-1219
Enclosed Back Box



The only
UL Listed
wire cage



1



2



3



4

1. Horn/Strobe/Speaker Damage Stopper®

Wire guard provides protection for System Sensor SpectrAlert® series notification appliances.

STI-9708-R
Surface Mount, Red

STI-9708
Surface Mount, White

2. Horn/Strobe/Speaker Damage Stopper®

Wire guard provides protection for System Sensor SpectrAlert® series notification appliances.

STI-9705
Flush Mount, White

STI-9705-R
Flush Mount, Red

3. Horn/Strobe/Speaker Damage Stopper®

Wire guard provides protection for System Sensor units.

STI-9720
Surface Mount

STI-9717
Flush Mount

4. Horn/Strobe/Speaker Damage Stopper®

Wire guard provides protection for System Sensor SpectrAlert® Series notification appliances.

STI-9711
Flush Mount, White

STI-9714
Surface Mount, White

STI's non-metallic EnviroArmour Enclosures are lockable and help protect from weather, vandalism, tampering and theft.

Many models available. Three year guarantee against breakage in normal use (one year on electro mechanical and electronic components).

COVERS & CAGES

EnviroArmour Enclosures

DESIGN

Covers protect against vandalism and accidental damage, weather, dirt, dust and grime.

Door: removable, lockable, screw-down, has a draw-down latch.

OPTIONS

Many sizes available. Lockable. Mounting plates available.



ELECTRONICS

A/C, heat, A/C with heat, pressure compensation vents, filter fans, drain vent available.

CONSTRUCTION

Non-metallic. Tough polycarbonate or fiberglass. UV resistant.



**Custom Cabinets
Small to
Extra Large**



EnviroArmour® Waterproof Enclosures

There are over 40 fiberglass and polycarbonate enclosures offered to meet specific needs. The non-metallic lockable enclosures are durable and reliable to help guard sensitive devices

against weather, vandalism, tampering and theft. Custom fiberglass models are also available upon request. Rated UL50 Type 3R, 4, 4X, 6P, 12, UL/cUL Listed. 48" x 60" x 24" shown



EF-O



EF-W

1



EP-O



EP-T

2



1. Waterproof Fiberglass Enclosures

Non-metallic multipurpose lockable fiberglass enclosures help guard against vandalism, dirt, dust and grime. Has a removable opaque or window door. 10 sizes to choose from.

2. Waterproof Polycarbonate Enclosures

Non-metallic multipurpose lockable polycarbonate enclosures help guard against vandalism, dirt, dust and grime. Has a removable opaque or translucent door. 13 sizes to choose from.



1



2



3



4

EnviroArmour® Accessories

For use with fiberglass or polycarbonate enclosures.

Heater, AC, heater/AC, panels, thermostats, vents, hygrometers (helps control humidity), filter fans, pole mount brackets (polycarbonate enclosures only) and more.

1. Temperature Control

120VAC, 60Hz heaters, AC, heaters/AC. NEMA 3R filter fan with filter vent, and more.

2. Mounting Plates

Aluminum or fiberglass panels with brackets for height variance and swing options.

3. Thermostats

Helps control temperature inside enclosures. Fahrenheit and Celsius.

4. Vents

NEMA 4X breather, NEMA 4X drain vent, louver plate, and more.

With STI's environmental enclosures you can reduce costly equipment replacement and repairs, and assure operation of important devices.

Many models available. Three year guarantee against breakage of polycarbonate in normal use (one year on electro mechanical and electronic components).

COVERS & CAGES

Environmental Cabinets

DESIGN

Protective cover with heat. Protects a wide range of devices, components and sensitive units from vandalism and accidental damage as well as weather, dirt, dust and grime.



ELECTRONICS

With or without heat and/or AC. Heater offers three thermostats. Radiant heat plate prevents LCD from becoming sluggish or freezing. Operates on 12, 16.5, or 24 VAC/VDC.

INSTALLATION

Several mounting options available. With or without lock. Mounting hardware and gaskets included.

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material. Powder coated metal helps protect against corrosion.



1



2



3



4



5

1. Metal Protective Cabinet

Heavy-duty metal enclosure with A/C & heat.

STI-7560AC
A/C, Window

STI-7560AH
A/C, Heat, Window

STI-7561AC
A/C, No Window

STI-7561AH
A/C, Heat, No Window

2. Heated Polycarbonate Enclosure

Tough polycarbonate cover with heat.

STI-7520-HTR
Key Lock

STI-7521-HTR
Thumb Lock

3. Heated Polycarbonate Enclosure

Tough polycarbonate cover with heat.

STI-7510A-HTR
Key Lock, Encl. Deep Back Box

STI-7510F-HTR
Key Lock, Encl. Back Box

Thumb Lock Models Available

4. Stopper II® Heated Enclosure

Cover protects devices where temperatures or environmental conditions exceed operating range.

STI-1200A-HTR
Heated Enclosure, 110 VAC

STI-1200A-HTR240
Heated Enclosure, 240 VAC

5. Stopper® Dome Heated Enclosure

Type 4X environmental enclosure with heater for strobes only.

STI-1229HTR
110 VAC

STI-1229HTR240
240 VAC

Indoor/outdoor polycarbonate cover helps prevent malicious or accidental damage to manual call points, electrical switches and more. It is ideal for public buildings of almost any kind.

Other colors and models available. Three year guarantee against breakage of polycarbonate in normal use (one year on electro mechanical and electronic components).

COVERS & CAGES

Universal Stoppers[®]

DESIGN

Protective cover with or without horn. Prevents malicious or accidental damage to manual call points, electrical switches and the like.

INSTALLATION

Quick and easy protection in minutes. Can accommodate flush or surface mount applications. Gaskets included.



ELECTRONICS

95/105 dB self-contained alarm draws immediate attention to the area. Available with or without horn, powered by an included battery.

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material. Housing can take the severest knocks preventing vandalism or accidental damage to the manual pull station.



1. Universal Stopper®

Tough indoor/outdoor dome polycarbonate cover protects indoor/outdoor devices.

STI-13310CG - Green Enclosed Flush Back Box, Custom Label

STI-13320CG - Green Horn, Enclosed Flush Back Box, Custom Label

2. Universal Stopper® Flat Low Profile

Tough indoor/outdoor low profile polycarbonate cover protects indoor/outdoor devices.

STI-14400NY - Yellow Enclosed Back Box, Sealed Mounting Plate, No Label

STI-14500NY - Yellow Enclosed Back Box, Open Mounting Plate, No Label

3. Universal Stopper® Dome

Tough indoor/outdoor dome clear polycarbonate cover protects devices.

STI-13000NC Flush Mount

STI-13200NC Surface Mount

STI-13300NC Enclosed Flush Back Box

4. Universal Stopper® Flat Low Profile

Tough indoor/outdoor low profile clear polycarbonate cover protects devices.

STI-14000NC Flush Mount

STI-14200NC Surface Mount

STI-14300NC Backplate for Flush Devices

Shown are examples of our many different cover options. Use our online configurator to build your perfect cover.

www.sti-usa.com/c1

With STI's polycarbonate covers, you can reduce costly equipment replacement and repairs, and assure operation of important safety and security devices.

Many models available. Three year guarantee against breakage of polycarbonate in normal use (one year on electro mechanical and electronic components).

COVERS & CAGES


Polycarbonate Protectors

DESIGN

Helps protect a wide range of devices from vandalism and accidental damage while still allowing them to be accessible.

INSTALLATION

Several mounting options available. With or without lock. Most models include mounting hardware.



ELECTRONICS

Select models available with a choice of alarm.

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material.



1



2



3



4



5

1. Polycarbonate Cover

Polycarbonate cover protects against vandalism and accidental damage.

STI-7730

Enclosed Back Box, Gasket, Lock

STI-7700

Open Back Box

STI-7710

Open Back Box, Lock

2. Polycarbonate Enclosure

Multipurpose lockable enclosure with six back box options.

STI-7510A

Enclosed Deep Back Box

STI-7510B

Enclosed Back Box with Double-Gang Electrical Box

3. Type 4X Protective Cabinet

Multipurpose lockable cabinet protects fire alarm controls and more against abuse and the environment.

STI-7520

Key Lock

STI-7521

Thumb Lock

4. Metal Protective Cabinets

Enclosures for electrical and electronic equipment provide protection from hazardous parts.

STI-EM07123.5

STI-EM08073.5

STI-EM111103

STI-EM111504

STI-EM121204

STI-EM151804

5. Type 4 Metal Protective Cabinets

Enclosures for electrical and electronic equipment provide protection from hazardous parts.

STI-7560

With Window

STI-7561

No Window



1



2



3

1. AED Protective Cabinet

Clear, polycarbonate cabinet for remote AED units requiring physical protection.

STI-7535AED
Thumb Lock, Siren/Strobe

STI-7531AED
Thumb Lock

2. Access Control Housing

Water resistant, sealed off-white cabinet mounts to a wall or pedestal. Ideal for access controls, keypads and wireless equipment.

STI-7510A-OW
Key Lock, Enclosed Deep White Back Box

STI-7520-OW
Key Lock, Backplate

STI-7730-OW
Key Lock, Gasket, Enclosed Back Box

5. Thermostat Protector

Holes in frame allow air to circulate freely for proper operation of protected thermostats, while second inner wall prevents tampering. Key lock.

STI-9100
4 H x 2.5 W x 3" D

STI-9105
4.62 H x 5.5 W x 3" D

STI-9110
5.37 H x 8.5 W x 3.62" D



1



2



3



4

1. Bopper Stopper®

Cover with spring loaded hinge protects everything from electrical outlets to push buttons.

STI-6518
Polycarbonate Cover

2. Single-Gang Protective Cover

Hinged polycarbonate cover has mounting plate molded into frame.

STI-6519
Polycarbonate Cover

3. Mini Bopper Stopper®

Protective cover's stainless steel torsion spring maintains cover in a closed position.

STI-6516
Clear Polycarbonate

4. Bio Protector

Identification reader cover helps protect fingerprint readers and similar devices.

STI-6520-S
Smoke Color
STI-6520-C
Clear Polycarbonate

These heavy-duty steel cages are designed to protect smoke detectors, PIRs, exit signs and more from vandalism and misuse, while leaving the devices fully accessible and operational.


Three year guarantee against breakage in normal use.

COVERS & CAGES

Steel Web Stoppers[®]

DESIGN

These steel cages are designed to protect devices from vandalism and misuse. Designed so there is no interference with the operation of the protected unit.



INSTALLATION


Quick and easy installation, can retrofit and protect units within minutes.

OPTIONS

Stainless steel versions are available for flush or surface mount applications. Where additional security is required from theft or misuse, tamper resistant bits are available.

CONSTRUCTION


Constructed of 9-gauge steel wire with corrosion resistant polyester coating or 9-gauge stainless steel wire.



1



2



3



4



5

1. Steel Web Stopper®

Steel wire guard helps protect smoke detectors where abuse is severe. Six sizes available.

STI-9604
Flush

STI-9605
Surface

See website for other sizes.

2. Beam Smoke Damage Stopper®

Protects costly sensor units of beam type smoke detectors from damage leading to misalignment.

STI-9706
Flush Mount

STI-9707
Surface Mount

3. Steel Web Stopper®

Steel wire guard protects photoelectric smoke detectors from abuse and damage.

STI-9712
For Photoelectric Smoke Detector, Surface Mount

STI-9713
Flush Mount UL Listed

4. Smoke Detector Damage Stopper®

Heavy-duty steel cover for smoke detectors where abuse is severe.

STI-8200-W
Flush, Coated Steel

STI-8230-W
Surface, Coated Steel




Stainless Steel also available.

5. Smoke Detector Damage Stopper®

Tough polycarbonate cover extremely effective in reducing malfunctions to smoke detectors where abuse is severe. Available in smoke, white and clear.

STI-8100
Flush Mount

STI-8130
Surface Mount



1. Exit Sign Damage Stopper®

Protects a wide range of exit signs from vandalism and damage.

STI-9640

Small

STI-9740

Large

STI-9741

Ceiling Mount

2. Clock/Bell Damage Stopper®

Highly recommended for gymnasiums and other areas where abuse is severe.

STI-9631

10.5" Diameter

STI-9632

16.5" Diameter

STI-9633

20" Diameter

3. Camera Damage Stopper®

Designed to protect cameras from vandalism and damage.

STI-9729

Small

STI-9730

Large

4. Light Damage Stopper®

Protects outdoor lights where vandalism and damage are prevalent.

STI-9703

9-gauge Steel Wire Guard

5. Motion Detector Damage Stopper®

Tough cage extremely effective in reducing malfunctions to PIR units where abuse is severe.

STI-9620

9-gauge Steel Wire Guard

STI-9621

9-gauge Steel Wire Guard

STI-9622

9-gauge Steel Wire Guard

6. Custom Wire Guards

Protects appliances from vandalism and accidental damage. Available in stainless steel or corrosion resistant polyester coated steel wire. Contact the sales department to help assist in developing a cage for your protection needs.

BUTTONS & SWITCHES

Stopper® Stations

DESIGN

Incorporates a unique, patented design that helps dramatically stop accidental activation.



INSTALLATION

5VA flammability rating on backplate and spacer.

ELECTRONICS

Multiple button functions available:

Key-to-Reset, Momentary, Turn-to-Reset, Pneumatic, Key-to-Activate

Three 12-24 volt LED color indicators.

CONSTRUCTION

Station housing molded of tough polycarbonate. Stainless steel backplate.



ADA Compliant multipurpose buttons/switches cover a wide range of applications indoors and outdoors. A number of standard models are available or STI can create custom units to meet specific needs.

Other colors and models available. Three year guarantee against breakage of polycarbonate in normal use (one year on electro mechanical and electronic components).

FIRE &
SAFETY

COVERS &
CAGES

BUTTONS &
SWITCHES

HOME & WORK
SERIES

WIRELESS
PRODUCTS

VANDALISM
& THEFT

Models shown are examples. Visit our website to see over 3000 buttons.



1. Stopper® Station

ADA Compliant, multipurpose button/switch covers a wide range of applications.

SS2102XT-EN
Key-to-Reset Illuminated, Green, EXIT Label

2. Stopper® Station

ADA Compliant, multipurpose button/switch covers a wide range of applications.

SS2422LD-EN
Key-to-Reset Illuminated, Blue, LOCKDOWN Label

SS2005EM-EN
Momentary Illuminated, Red, EMERGENCY Label

SS2209PS-EN
Turn-to-Reset Illuminated, Yellow, FUEL PUMP SHUT-DOWN Label

SS2308ZA-EN
Pneumatic Illuminated, White, CUSTOM Label

SS2102XT-EN
Key-to-Reset Illuminated, Green, EXIT Label

3. Stopper® Station

ADA Compliant, multipurpose button/switch covers a wide range of applications.

SS2249AB-EN
Turn-to-Reset Illuminated, Yellow, ABORT Label, Universal Stopper® Cover

4. Stopper® Station

All buttons available in Spanish.

SS2305ES-ES
Momentary Illuminated, White, EMERGENCY STOP Label, Spanish

5. Stopper® Station

All buttons available in French.

SS2402AB-FR
Key-to-Reset Illuminated, Blue, ABORT Label, French

*Wireless available



1



2



3



4



5



1. Universal Button

Momentary push button offers over 300 combinations in one convenient package.

*UB-1
Universal Button Kit*

*UB-2
2" Universal Button*

2. Universal Button White

This momentary button kit includes a white mounting plate with 2" activation button. Includes green and blue buttons, blue Emergency and green Exit plates, Push and Push to Exit button inserts.

*UB-2WEE
White Universal Button Kit*

3. Universal Touch Free Button

Button with NoTouch® technology allows user to exit protected door without the touch of a button.

*UB-1TF
Universal Touch Free Button*

*UB-2TF
2" Universal Touch Free Button*

4. Universal Pneumatic Button

Pneumatic adjustable timer opens or closes a circuit and has a timed delay before reset.

*UB-1PN
Pneumatic Push Button*

5. Global ReSet

Switch simulates break glass activation with no broken glass. Versatile mounting plate fits to U.S., European, double-gang and single-gang mounting box.

Visit website for part numbers

Easily monitor doors, windows, pools, driveways, mailboxes—without wires! Receivers monitor up to 4 or 8 different STI devices and will chime or speak custom voice messages when a monitored transmitter is triggered.

WIRELESS PRODUCTS

Wireless Receivers & Transmitters

DESIGN

Receiver will sound programmable voice messages (English or Spanish), alerting a monitored area has been tripped.

INSTALLATION

Easy installation. Operates up to 1000' line of sight range between transmitters and receiver.



ELECTRONICS

Multiple transmitters. 433 MHz. Color LED zone indicators.

CONSTRUCTION

Supervised battery and signal reception.



1. Receivers

Up to 1000' range. Supervised by zone, 433 MHz.

STI-V34104
4-Channel Voice Receiver

STI-34108
8-Channel Receiver

STI-34098
Single Channel Receiver

2. Universal Alert

Will let a user know if a monitored site is tripped. Use as magnetic contact, tilt switch or remote contact.

STI-34401

3. Wireless Doorbell Button

Use as a doorbell button, call for a reception area or patient call. Operates up to 500' (line of sight).

STI-34601

4. Wireless Motion Detectors

Alerts when the sensor detects movement in a monitored area.

STI-34701
Indoor

STI-34752
Outdoor

5. Fire Extinguisher Theft Stopper®

Sounds warning horn and sends signal to STI receiver when extinguisher is moved.

STI-6200WIR
Works with STI
Receivers

Wireless chimes greet visitors with a pleasant chime and lets you know when the door opens or a person enters the detection zone. All chimes are compatible with each other.

HOME AND WORK

Wireless Chimes

DESIGN

All chimes are compatible with each other.

INSTALLATION

Quick and easy to install—no wiring needed.



ELECTRONICS

Up to 500' operating range. Receiver plugs into 120 VAC outlet and has a low and high volume adjustment. 433 MHz.

CONSTRUCTION

UL/cUL Listed, FCC and IC Certified.

Longest range
on the market



1. Wireless Entry Alert®

Alerts when a door is opened. 500' operating range.

STI-3360
Chime with Receiver

2. Wireless Motion - Activated Sensor

Alerts when someone enters detection zone. 500' operating range.

STI-3610
Chime with Receiver

3. Wireless Doorbell Chime

Alerts when doorbell button is pressed. 500' operating range.

STI-3350
Button with Receiver

4. Rex Plus II® Electronic Watchdog

This barking dog will "see" through walls and detect movement alerting of a visitor or intruder.

ED-55
Barking Dog Alarm

STI's highly effective alarm can help lessen the fear of security concerns. It helps stop unauthorized exits and entries into a building, as well as theft. When activated, it flashes and emits a piercing horn.

Many models available. Three year guarantee against breakage of polycarbonate in normal use (one year on electro mechanical and electronic components).

VANDALISM & THEFT

Alarms

DESIGN

Highly visible "stop sign" design acts as a deterrent. Visual and audible warning. Included label allows warning in two languages.

INSTALLATION

May be mounted on top, right, left or next to almost any door. Unit is completely self-contained.



ELECTRONICS

Set to sound for 30 seconds, 3 minutes or indefinitely. 95/105 dB warning horn.

CONSTRUCTION

Virtually indestructible polycarbonate housing.



1

OTKROVENI DVERI AKTIVIZUJE BIRENI
ALARMEN VIL STARTE
ALARM GAAT AF
HÄLYTIN AKTIVOITUU
L'ALARME SONNERA
ALARMI ERTÖNT
L'ALLARME SUONERA
ALARIM VIL UTLOSES
WŁĄCZY SIĘ ALARM
ALAPME İRA TOGAR
OTKROVENI DVERI AKTIVIZUJE BIRENI
LA ALARMA SONARA
L'ARMSIGNAL
ARRÊTE L'ALARME DÉCLENCHEM
ALTO - LA ALARMA SONARA
PAUSE - O ALARME SONARA
배경音を 알람 음과 혼동하지
停！活动此门 警铃即响！
مع الصوت المنبه 7-9-12000000011
عبر الأزرار
EMERGENCY USE ONLY



2



3

1. Exit Stopper®

Multifunction door alarm flashes and alerts to any unauthorized exits or entries through protected door. Includes 20 labels to warn in two languages.

STI-6400
Multifunction Door Alarm

STI-6400WIR
Wireless Multifunction Door Alarm

STI-6402
Double Door Alarm

2. Select-Alert Alarm Mini Controller

Alarm and flashing LEDs alerts to any unauthorized use of important devices. Offers 32 siren choices, 5 colors. Separate alarm and strobe timing. Can be used for: access control button, alarm with cabinet, exit strobe, and more.

STI-SA5000-R
Red

3. Quickstop Fire Sprinkler Tool

Tool helps reduce damage and save water. Stops water on 1/2" and 3/4" sprinkler heads.

STI-14200NR-Z003
Cover & Sprinkler Tool

STI-QT
Sprinkler Tool

STI-14200NR-2002
Cover for Sprinkler Tool

unauthorized entries. stop vandalism and dam
damage to property. get easy wireless solution
solutions. protect devices in extreme climates
and weather. prevent false fire alarms. prevent
theft and unauthorized entries. stop vandalism
and damage to property. get easy wireless so
solutions. protect devices in extreme climates
and weather. prevent false fire alarms. prevent
theft and unauthorized entries. stop vandalism
and damage to property. get easy wireless so
solutions. protect devices in extreme climates



**Safety Technology
International**

STI Corporate Headquarters 2306 Airport Road Waterford, MI 48327 U.S.A.

Phone: 248-673-9898 Toll-free: 800-888-4784 www.sti-usa.com

and damage to property. get easy wireless so
solutions. protect devices in extreme climates