

SDS Date: January 2019

SECTION 1: PRODUCT AND COMPANY INFORMATION

PRODUCT NAME:	GAF MasterFlow [™] Flexible Ductwork Sizes: F6IFD 4" – 10", 12" F8IFD 4" – 10", 12" 8IFD MIF 12"
TRADE NAME:	N/A
CHEMICAL NAME / SYNONYM:	N/A
CHEMICAL FAMILY:	N/A
MANUFACTURER:	GAF Materials Corporation
ADDRESS:	1361 Alps Road, Wayne, NJ 07470
24-HOUR EMERGENCY PHONE (CHEMTREC):	800 - 424 - 9300
INFORMATION ONLY:	800 – 766 – 3411
PREPARED BY:	Corporate EHS
APPROVED BY:	Corporate EHS

	NFPA Hazard Rating		HMIS Hazard Rating
Health	2	Health	2
Flammable	1	Flammable	1
Reactive	0	Reactive	0
Special Hazards	-	Personal Protection	Х
OSHA HAZARDOUS:	Yes X		No 🗌

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Insulation

Makes up 30% of product

			OCCUPAT	IONAL EXPOSURE	ELIMITS
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Cured Binder	25104-55-6	< 20	NE	NE	NE

OCCUPATIONAL EXPOSURE LIMITS

CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Fibrous Glass (Wool)	65997-17-3	80-100	NE	1 fcc	REL: 5 mg/m3 (3 f/cc TWA)

Metalized Jacket

Makes up 30% of product (No black jacket is used when using metalized jacket)

			OCCUPAT	IONAL EXPOSUR	E LIMITS
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Polyethylene Teraphthalate	25038-59-9	40-45	NE	NE	NE
Decabromodipheny I Oxide	1163-19-5	10-15	NE	NE	NE
Antimony Trioxide	1309-64-4	1-5	.5 mg/m3	.5 mg/m3	.5 mg/m3
Polyoxyethylene Decyl Ether	61827-42-7	NE	NE	NE	NE
Vinyl Acetate	108-05-4	<1	NE	35 mg/m3	REL: C 15 mg/m3 – 15 min
Fiber Glass Yarn	65997-17-3	90-100	NE	1 fcc	REL: 5 mg/m3 (3 f/cc TWA)
Non-Hazardous Ingredients	-	1-5	NE	NE	NE

Black Jacket

Makes up 30% of product (No metalized jacket is used when using black jacket)

OCCUPATIONAL EXPOSURE LIMITS

CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Carbon Black	1333-86-4	>1	3.5 mg/m3	3.5 mg/m3	REL: 3.5 mg/m3
Benzene,1,1'-(1,2- ethanediyl) bis[2,3,4,5,6- pentabromo-]	84852-53-9	>1	NE	NE	NE

			OCCUPAT	IONAL EXPOSUR	E LIMITS
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Antimony Compound	7440-36-0	<15	.5 mg/m3	.5 mg/m3	.5 mg/m3
Magnesium Hydroxide	1309-42-8	>1	NE	NE	NE
Polyolefin	24937-78-8	>1	NE	NE	NE
Diatomaceous Earth	68855-54-9	>1	NE	NE	NE

Core

Makes up 30% of product

			OCCUPAT	IONAL EXPOSUR	E LIMITS
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Polyethylene Teraphthalate	25038-59-9	90-100	NE	NE	NE
Iron	-	95-100	NE	NE	NE
Regular Elements for Steel	-	< 5	NE	NE	NE
Polymer/Solids	-	50-60	NE	NE	NE
Non-Hazardous Ingredients	-	40-50	NE	NE	NE
Acrylic Latex	-	10-15	NE	NE	NE

Scrim

Makes up 10% of product (Used only when Black Jacket is Used)

OCCUPATIONAL EXPOSURE LIMITS

CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Fiber Glass Textile Continuous Filament	65997-17-3	80-90	NE	5 mg/m3 Respir.	REL: 5 mg/m3 Resp
Polyvinyl Alcohol Coating	-	0-10	NE	NE	NE

NE = Not Established

* As defined in the OSHA Hazard Communication Standard, 29 CFR 1910.1200, the products above are considered articles and do not require an MSDS. However, GAF would like to disclose as much health and safety information as possible to ensure that this product is handled properly. All components listed for this product are bound within the product. When handled as intended and under normal conditions, none of the ingredients should be released and should not pose a significant health risk.

SECTION 3: HAZARDS IDENTIFICATIO	Ν
PRIMARY ROUTE OF EXPOSURE:	Eye Contact, Skin Contact, Inhalation
SIGNS & SYMPTOMS OF EXPOSURE	
EYES:	May cause irritation to the eyes.
SKIN:	May cause irritation to the skin.
INGESTION:	This product is not intended to be ingested. If ingested, it may cause temporary irritation to the gastrointestinal (digestive) tract.
INHALATION:	May cause irritation to the respiratory tract.
ACUTE HEALTH HAZARDS:	People with pre-existing respiratory conditions, may experience difficulty breathing, congestion, and chest tightness. Individuals with skin condtions may temporarily worsen form exposure to this product.
CHRONIC HEALTH HAZARDS:	N/A
CARCINOGENICITY:	Carbon Black is classified as a 2B carcinogen (possibly carcinogenic to humans) by the International Agency for Research on Cancer (IARC).

SECTION 4: FIRST AID MEASUR					
SECTION 4. FIRST AID MEASUR	E5				
FIRST AID PROCEDURES					
EYES:	Flush eyes with large amounts of water for 10-15 minutes. If irritation persists, contact a medical physician.				
SKIN:	Wash off with soap and cold water. Warm water will open up pores to allow futher fiber penetration.				
INHALATION:	Move to fresh air. Drink water to clear throat and blow nose to remove fibers.				
INGESTION:	Rinse mouth with water and water to remove fibers from the throat.				
NOTES TO PHYSICIANS OR	Treat as symptomatically.				

FIRST AID PROVIDERS:

SECTION 5: FIRE FIGHTING PROCEDURI	ES
SUITABLE EXTINGUISHING MEDIA:	Dry chemical, water, foam, carbon dioxide, and water fog.
HAZARDOUS COMBUSTION PRODUCTS:	Carbon monoxide, carbon dioxide, monomers, and ammonia.
RECOMMENDED FIRE FIGHTING PROCEDURES:	Wear self-contained breathing apparatus and full fire fighting protective gear.
UNUSUAL FIRE & EXPLOSION HAZARDS:	N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Use a industrial vacuum cleaner or use the wet-method to clean up dust to prevent fibers from spreading. Pick up large pieces.

SECTION 7: HANDLING AND STORAGE	
HANDLING AND STORAGE:	Avoid dust formation. Keep product in its package until use. Product should be kept dry.
OTHER PRECAUTIONS:	Use proper PPE as described in section 8.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION:	Local exhaust system or dust collection system to control fibers if needed.
RESPIRATORY PROTECTION:	A properly fitted NIOSH approved disposable N 95 type dust respirator or better may be worn.
EYE PROTECTION:	Safety glasses with side shields or googles.
SKIN PROTECTION:	Protective gloves, long sleeve shirt and long pants should be worn.
OTHER PROTECTIVE EQUIPMENT:	Barrier creams may be used to reduce skin contact and irritation caused by fiber glass.

WORK HYGIENIC PRACTICES:	Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing.
EXPOSURE GUIDELINES:	N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR:	Flexible duct with a siler jacket. Slight o	wire core wrapped in insulation and rganic odor.	either a black or
FLASH POINT:	None	LOWER EXPLOSIVE LIMIT:	No Data
METHOD USED:	No Data	UPPER EXPLOSIVE LIMIT:	No Data
EVAPORATION RATE:	No Data	BOILING POINT:	No Data
pH (undiluted product):	No Data	MELTING POINT:	1450 – 1535° C Steel
SOLUBILITY IN WATER:	Insoluble	SPECIFIC GRAVITY:	7.8
VAPOR DENSITY:	No Data	PERCENT VOLATILE:	No Data
VAPOR PRESSURE:	No Data	MOLECULAR WEIGHT:	No Data
VOC WITH WATER (LBS/GAL):	No Data	WITHOUT WATER (LBS/GAL):	No Data

SECTION 10: STABILITY AND REACTIVITY

THERMAL STABILITY:	STABLE X	
CONDITIONS TO AVOID (STABILITY):	Black jacket (if used) is slightly flamma sparks, and heat.	ble around flames,
INCOMPATIBILITY (MATERIAL TO AVOID):	N/A	
HAZARDOUS DECOMPOSITION OR BY- PRODUCTS:	Carbon monoxide, carbon dioxide, and	ammonia.
HAZARDOUS POLYMERIZATION:	Will not occur.	

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

Carcinogens:

Cured Binders

LD50 Oral Rat: 7 g/kg LD50 Oral Mouse: 7 g/kg LD50 Inhalation Rat: 7 gm/kg LD50 Inhalation Mouse: 7 gm/kg

LD50 In Rat: 11,400 mg/kg LD50 Oral Mouse: 12,800 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:	This product, as supplied, is not regulated as a hazardous waste by the U.S. Environmental Protection Agency (EPA) under Resource Conservation and Recovery Act (RCRA) regulations. Comply with state and local regulations for disposal.
RCRA HAZARD CLASS:	None.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT TRANSPORTATION

PROPER SHIPPING NAME:	This product is not classified as a hazardous material for transport.
HAZARD CLASS:	N/A
ID NUMBER:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A
OTHER:	N/A

SECTION 15: REGULATORY INFORMATION				
U.S. FEDERAL REGULATIONS				
TSCA:	Some componates of this product are listed on the TSCA 12(b), 8(d) inventory.			
CERCLA:	N/A			
SARA				
311/312 HAZARD CATEGORIES:	N/A			
313 REPORTABLE INGREDIENTS:	Carbon Black 1333-86-4 <15%			
CALIFORNIA PROPOSITION 65:	This product contains a chemical known to the state of California to cause cancer and birth defects or other reproductive harm.			

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS #	CA	MA	MN	NJ	PA	RI
Cured Binder	25104-55-6	No	No	No	No	No	No
Fibrous Glass (Wool), Fiber Glass Textile Continuous Filamnet, Fiber Glass Yarn	65997-17-3	Yes	Yes	Yes	No	Yes	Yes
Polyethylene Teraphthalate	25038-59-9	No	No	No	No	No	No
Decabromodiphenyl Oxide	1163-19-5	No	No	No	Yes	Yes	Yes
Antimony Trioxide	1309-64-4	Yes	Yes	Yes	Yes	Yes	Yes
Polyoxyethylene Decyl Ether	61827-42-7	No	No	No	No	No	No
Vinyl Acetate	108-05-4	Yes	Yes	Yes	Yes	No	Yes
Carbon Black	1333-86-4	Yes	No	Yes	Yes	Yes	Yes
Antimony Compound	7440-36-0	Yes	Yes	No	Yes	Yes	No
Benzene,1,1'-(1,2-ethanediyl) bis[2,3,4,5,6-pentabromo-]	84852-53-9	No	No	No	No	No	No
Magnesium Hydroxide	1309-42-8	No	No	No	No	No	No
Polyolefin	24937-78-8	No	No	No	No	No	No
Diatomaceous Earth	68855-54-9	No	No	No	No	No	No
Iron	-	No	No	No	No	No	No
Regular Elements for Steel	-	No	No	No	No	No	No

Polymer/Solids	-	No	No	No	No	No	No
Polyvinyl Alcohol Coating	-	No	No	No	No	No	No

SECTION 16: OTHER INFORMATION	
ADDITIONAL COMMENTS:	N/A
DATE OF PREVIOUS MSDS:	N/A
CHANGES SINCE PREVIOUS MSDS:	HEADER CHANGED FROM MSDS TO SDS

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.