


# CAPXLV

Smart Video Intercom - L

---



**PRODUCT GUIDE**




**LiftMaster**

POWERED BY myQ

# Seeing is Believing.

Designed with both property managers and residents in mind, our Smart Video Intercom's customizable applications help streamline the management of residents, buildings and community access points. Enhance your monitoring capabilities with subscription-based live video streaming and recorded events. Plus, give residents the ability to use their smartphones as an all-access pass to every entryway in the building with the myQ® Community app, myQ Mobile Credentials and the new LiftMaster Smart Readers.



## A Scalable Cloud-based Solution

Conveniently control and manage multiple door, elevator, and garage access points across all communities in your portfolio from a single dashboard. Streamline access management with myQ® Community, a cloud-based platform that enables remote features such as adding/deleting residents, assigning access to specific entrances and monitoring guest/event requests. Plus, myQ Community has partnership integrations with other Property Management Systems, including RealPage® and Yardi, with more coming soon. Allowing community managers to save time by connecting to property management software for automatic tenant directory uploads.

MAXIMIZE  
EFFICIENCY

PERFORM  
UPDATES FROM  
ANYWHERE

STREAMLINE  
OPERATIONS

RP

RealPage®  
Certified  
AppPartner

**YARDI**



## Enhance Your Security

With the required myQ Community subscription, you can securely manage how and when residents—and visitors—access each entrance across every community you manage. You will also receive real-time notifications and remote diagnostics to detect and address issues before your residents are aware of them. myQ Mobile Credentials allows residents to seamlessly enter the community using their smartphones as an ultra-secure key. By eliminating physical credentials—which can be lost, stolen, or cloned—myQ Mobile Credentials makes it harder for intruders to breach the building, and easier for property managers to specifically track who is entering.

## myQ Community App - A Smarter Way In

Give your residents the ability to manage property access from their smartphone. Through the app's one-way video calling and two-way voice communication, residents can safely identify guests and confidently grant/deny access from anywhere. Plus, community managers can get rid of key fobs and issue myQ Community app licenses instead. With myQ Mobile Credentials, smartphones are the new all-access pass to every entryway. Residents can use the app to send virtual guest passes or gain access with Apple Watch and Siri at any time, making multi-tasking easy by letting residents unlock any door right from their wrists.



# CAPXLV

## Smart Video Intercom - L

This Smart Video Intercom has an intuitive interface with a high-definition color touch display and customizable background that provides residents with the modern experience they desire.

### Popular features

Water and sand-proof gasket protects touchscreen

Integrated video camera captures video clips for every access event

A subscription to the myQ Community App allows residents to visually identify guests, open the gate or door remotely, and grant managed access with their smartphone



Customizable background and picture-in-picture function

Durable, scratch resistant and capacitive 10-inch high-definition color display touchscreen

Standard Proximity Reader (optional) for credentialed access or add a LiftMaster Smart Reader SRDRST for myQ Mobile Credentials

Postal lock

Stainless steel cabinet (optional trim kit available)

Built-in speakers provide digital call quality



#### **Integrated Camera**

- 135° wide angle camera provides a view of access points through a live feed or recorded event through the myQ Community web application
- Receive alerts and HD video recordings when an access event is triggered
- Night vision functionality for greater image quality in high and low light environments
- Climate performance includes extreme climate operating range of -20° to 130°F

#### **Engineering and Diagnostic Capabilities**

- Fade resistant, high-definition color touch display and customizable backgrounds
- Advanced self-diagnostics reduces downtime by troubleshooting and identifying when service is needed
- UL 294 listed for commercial settings
- Eliminates trenching with a wireless link to LiftMaster® gate operators

#### **Cloud-based Security**

- Two factor authentication protects and safeguards resident data
- Easily connects to myQ Community to manage multiple entry points and communities from a single dashboard
- Meets California Consumer Privacy Act (CCPA) requirements

#### **Customized System Control**


- Set schedules for the facility by person, time and location
- Six customizable program administration roles so each administrator has his/her own log-in with customizable management levels
- Configurable email notifications alert you to use of a suspended code, tell you when codes are overused or if service is needed for the LiftMaster Hardware

#### **myQ Community App**

- Gives residents the ability to manage property access from their smartphone.
- Residents can safely identify guests and confidently grant/deny access from anywhere.
- With myQ Mobile Credentials and a LiftMaster Smart Reader, residents receive ultra-secure, encrypted access—using their smartphone as an all-access pass to get around the building
- Residents can “press to unlock” any authorized door/gate remotely
- Virtual guest / delivery passes can easily be sent for one-time or recurring use.

### **See Everything in Wide-angle Video**

The CAPXLV integrated camera gives you a wide angle video stream in crystal clear quality—perfect for identifying any issue at an entrance.



## Enhance your Smart Video Intercom System

Provide your residents with an unparalleled access experience by adding the myQ Community app to your amenities. This works seamlessly with the full line of LiftMaster® smart access products and accessories.

### CAP2D



#### Smart Access 2 Door Controller

A behind-the-scenes powerhouse, the CAP2D provides a cloud-based solution to easily manage and control door, elevator and garage access for resident only and community amenity access points.

### LMSC1000



#### RFID Long Range Reader with Vehicle Tags

Reads RFID vehicle tags 20' – 30' away reducing vehicle congestion.

### SRDRST / SRDRKP



#### Smart Readers

Multi-technology readers enable myQ Mobile Credentials at additional doors for seamless access throughout the property. Also compatible with common physical credentials.

### PPV3M / PPK3PHM / PPLK1-X



#### Passport Visor and Keychain Remote Controls with Unique Credentialed IDs


Offers residents a single solution to access gate, garage and other community entry points.\*\*

### CAPXLTK



#### Trim Kit and Back Kit for CAPXLV

Ideal for flush mounting of a CAPXLV system into a cutout of a wall or flat surface



#### Subscription and Storage

All Smart Access Solutions require a monthly subscription to myQ Community. Tailor the subscription for your community by Increasing the number of app licenses or expanding your video storage capabilities to 30 days.

\*All LiftMaster Smart Access Solutions (including CAPXLV, CAPXM, CAPXS, CAP2D, and CAPAC) require monthly subscriptions to a myQ Community plan. Contact your Dealer or LiftMaster Representative to tailor a subscription plan to fit your community's needs.

\*\*3-Button Passport MAX Remote Controls compatible with the CAPXLV, CAPXM and PPWR Receiver for gate access control and LiftMaster Security+ 2.0 and backwards compatible to Security+\* (315 or 390 MHz) residential garage openers. 1-Button Passport Lite Remotes not compatible with LiftMaster residential garage door openers.





#### **Gated Entrances**

Compatible with CAPXLV, CAP2D, Smart Readers, RFID and Passport Remote Controls



#### **Pool Access**

Compatible with CAP2D and Smart Readers



#### **Elevator Access**

Compatible with CAP2D and Smart Readers



#### **Trim and Back Kit**

Compatible with CAPXL and CAPXLV





## Specifications

### Construction

- 10", 720p high-definition, fade-resistant touchscreen display with picture-in-picture
- Compatible Wiegand Input formats: 26 Bit (HID), 30 Bit, 36 Bit (LiftMaster), 37 Bit (HID), 37 Bit (Transcore), 32 Bit (MiFare), and 56 Bit (LiftMaster)
- No facility code limitations (1–256 for 26 Bit); "Ignore Facility Code" option available
- Postal Lock Provision
- UL 294® Listed
- 2 year warranty
- Mounting: surface, flush (CAPXLTK) or pedestal mount (PED42, PED64)

### Dimensions

- CAPXLV: 18" x 14" x 4.5"
- CAPXLTK (Trim Kit): 23.75" x 19.375"

### Video

- Camera resolution: 1080p
- Frames per second: 25FPS
- Field of view: 135°
- Storage: up to 1000 events locally and in the cloud
- Phone.com® service required for VoIP and video calls (additional charges apply)

### Voice

- DSP, clear, unparalleled audio communications in noisy environments
- VoIP phone service; calls 10-digit numbers
- Phone.com® service required for VoIP (additional charges apply)

### Power

- 24VDC, 60W (min.), class 2 output, Level VI efficiency, (power supply input 100-240VAC, 2A 50/60Hz)
- Power supply included

### Operating Temperatures

- -20°F to 130°F (-29°C to 54°C)

### Built-In Security+ 2.0® Radio Onboard

- Integrated Passport Receiver with Security+ 2.0

### Input Ports (4 Independent Doors of Control per CAPXLV)

- 4 Wiegand Inputs
- 4 Request-to-Exit (REX) Inputs
- 4 Supervised Inputs
- 1 Auto-Call Input (requires LPEXP)

### Outputs\* (4 Independent Doors of Control per CAPXLV)

- 4 Primary Relays and 4 Auxiliary Relays
- 12 VDC, 250mA power output for Wiegand devices
- 1 Wiegand (26 Bit) output for elevator or enterprise access control integration
- Controls 4 gates/doors; wirelessly link LiftMaster UL 325 gate operators, (mfd. after October 2017); no need to trench

\* SPDT, Rated load 3 amps at 30VDC (each)

### Codes & Capacities

- 4 to 8 digit entry codes; 4 to 6 digit directory codes
- 50,000 local user capacity per unit
- 50,000 local event history per unit
- Holiday and hold-open scheduling, including one-time and repeating exceptions

### Communication

- Internet via wired Ethernet 10/100/1000 (DHCP, static configuration), or Wi-Fi (DHCP configuration only)
- BLE myQ Mobile Credentials capable with the installation of a LiftMaster Smart Reader
- Cellular-based Internet not recommended for applications with video features
- Dedicated video bandwidth per CAPXLV: Recommend a minimum upload bandwidth of 5Mbps. This upload speed should be met when considering usage of other devices on the network like cameras and computers.

### Shipping Weight (1 Carton - 23" x 18" x 9"): 24 lbs.

- Includes: 24VDC power supply, gasket set, 2 keys, radio antenna, Wi-Fi antenna, misc. hardware, manual

### Access Data Management

- myQ Community subscription plan required per community
- 30 days video storage and video licenses are powerful, optional add-on's

## Business Partners

**For Sales** | 800.282.6225

**For Technical Support** | 877.247.6764

**For Billing** | 800.323.2276

**To Learn More** | [myq.com/Community](https://myq.com/Community)