SAFETY DATA SHEET

Issuing Date 07-May-2013 1. IDENTIFICATION OF T	Revision Date 03-Jan-2014 HE SUBSTANCE/PREPARATION AND OF	Revision Number 1 THE COMPANY/UNDERTAKING
Product identifier	315 - 317	
Product Name	Glazol Glazing Compound / Painter's Putty	
Other means of identification		
Synonyms	None	
Recommended use of the chemica	I and restrictions on use	
Recommended Use	Caulking	
Uses advised against	No information available	
Details of the supplier of the safety	<u>v data sheet</u>	
Supplier Address United Gilsonite Laboratories 1396 Jefferson Ave. Dunmore PA 18509 US Phone:570-344-1202 Fax:570-969-7634 Email:sales@ugl.com Contact Phone 570-344-1202		

Emergency telephone number

(800) 424-9300 Chemtrec

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 1B

GHS Label elements, including precautionary statements

Emergency Overview

Signal word	I	Danger	
Hazard statements Harmful if inhaled Causes serious eye irritation May cause genetic defects			
Appearance Gray	Physical State	Paste Liquid	Odor Faint hydrocarbon

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area To avoid spontaneous combustion during temporary storage, soak rags and waste immediately after use in a water filled, closed metal container

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Unknown Toxicity

98% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available.

Interactions with Other Chemicals Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Limestone	1317-65-3	60 - 100	*
Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts with bentonite	68953-58-2	1 - 5	*
Stoddard solvent	8052-41-3	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES		
First aid measures		
General Advice	Show this safety data sheet to the doctor in attendance.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician.	
Skin Contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Move to fresh air. If breathing has stopped, contact emergency medical services immediately. If not breathing, give artificial respiration. Avoid breathing dust. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.	
Protection of First-aiders	Avoid contact with skin, eyes and clothing. Use personal protective equipment. For personal protection see Section 8. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid breathing vapors or mists	
Most important symptoms and effec	ts, both acute and delayed	
Most Important Symptoms/Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Uniform Fire Code	Irritant: Liquid	
	Toxic: Liquid	

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No

Sensitivity to Static Discharge No

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors or mists.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containment	nt and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Avoid breathing vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Remove and wash contaminated clothing before re-use. Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Storage

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone	-	TWA: 15 mg/m ³	TWA: 5 mg/m ³ respirable dust
1317-65-3		TWA: 5 mg/m ³	TWA: 10 mg/m ³ total dust
		(vacated) TWA: 15 mg/m ³	-
		(vacated) TWA: 5 mg/m ³	
Stoddard solvent	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m ³
		(vacated) TWA: 525 mg/m ³	_

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls	
Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	h as personal protective equipment
Eye/Face Protection	If splashes are likely to occur, wear: Safety glasses with side-shields. None required for consumer use.
Skin and Body Protection	Wear protective gloves/clothing.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid breathing dust. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Faint hydrocarbon

No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor

Odor Threshold

Physical and Chemical Properties Physical State Appearance Color

Paste Liquid Gray No information available

Property	Values	Remarks/ Method
рН	UNKNOWN	None known
Melting/freezing point	No data available	None known
Boiling Point/Range		None known
Flash Point	5001C / 9034F	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Insoluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive Properties	No data available	
Oxidizing Properties	No data available	
Other Information		
Other Information	No data available	
Softening Point	No data available	
VOC Content (%)	No data available	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

11. TOXICOLOGICAL INFORMATION		
Information on likely routes of exposure		
Product Information		
Inhalation	There is no data available for this product. May cause irritation of respiratory tract. Harmful by inhalation. (based on components)	
Eye Contact	There is no data available for this product. Expected to be an irritant based on components. May cause redness, itching, and pain. May cause temporary eye irritation.	
Skin Contact	There is no data available for this product. May cause irritation. Prolonged contact may cause redness and irritation.	
Ingestion	There is no data available for this product. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts with bentonite 68953-58-2	> 5000 mg/kg (Rat)	-	> 12.6 mg/L (Rat)4 h

Information on toxicological effects

Symptoms	May cause redness and tearing of the eyes. Coughing and/ or wheezing.			
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Sensitization	No information available.			
Mutagenic Effects	There is no data available for this product. Contains a known or suspected mutagen.			
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen.			
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Chronic Toxicity Target Organ Effects	No information available No information available. No information available. No known effect based on information supplied. Contains a known or suspected mutagen. Possible risks of irreversible effects. Eyes. Respiratory system. May affect the genetic material in germ cells (sperm and eggs). Central nervous system (CNS). Kidney. Skin. Liver. Testes			
Aspiration Hazard	No information available.			

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-dust/mist)

3.00 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

<u>Bioaccumulation</u> No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT Proper Shipping Nar Hazard Class	ne NOT REGULATED Non regulated N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Nai Hazard Class	Not regulated ne Non regulated N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated

14. TRANSPORT INFORMATION

<u>ADN</u>

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	Х	X	Х
Soybean oil 8001-22-7			Х
Stoddard solvent 8052-41-3	Х	Х	Х

International Regulations

Mexico - Grade

No information available.

Chemical Name	Carcinogen Status	Exposure Limits
Limestone		Mexico: TWA= 10 mg/m ³
		Mexico: STEL= 20 mg/m ³

Chemical Name	Carcinogen Status	Exposure Limits
Stoddard solvent		Mexico: TWA 100 ppm
		Mexico: TWA 523 mg/m ³
		Mexico: STEL 200 ppm
		Mexico: STEL 1050 mg/m ³

Canada WHMIS Hazard Class D2A Very toxic materials



16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS Chronic Hazard Star Leger	Health Hazard 2 * nd *Indicates a	Flammability 0 a chronic health hazard.	Physical Hazard 0	Personal Protection X
Prepared By				
Issuing Date	07-May-20	013		
Revision Date	03-Jan-20)14		
Revision Note	No inform	ation available		

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet