	Page: 1
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Aquaguard Chlorine Fusion Granules1

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Pesticide

Details of the supplier of the safety data sheet	Emergency telephone 1-800-654-6911 (Outside the USA:1-423-780- 2970)
EHSProductSafetyTeam@solenis.com	Product Information

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

	Page: 2
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

P280 Wear eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
Sodium dichloroisocyanurate dihydrate	51580-86-0	Acute Tox. 4; H302 Eye Irrit. 2A; H319 STOT SE 3; H335	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Call a POISON CENTER or doctor/physician if exposed or

you feel unwell.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

	Page: 3
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

> Remove contact lenses. Protect unharmed eye.

If swallowed : IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye irritation. May cause respiratory irritation.

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

Cough

Notes to physician : Probable mucosal damage may contraindicate the use of

gastric lavage.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

hydrogen chloride

Sodium oxides

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

	Page: 4
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.

Avoid dust formation. Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Take measures to prevent the build up of electrostatic charge. Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid dust formation.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapors/dust.

Do not smoke.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Recommended storage

temperature

: < 126 °F / < 52 °C

Further information on

storage stability

: Keep in a dry place.

No decomposition if stored and applied as directed.

	Page: 5
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Dust safety masks are recommended when the dust

concentration is more than 10 mg/m3.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:

Safety shoes

Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Avoid breathing dust.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : crystalline

Color : white

Odor : mild

Odor Threshold : No data available

	Page: 6
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

pH : 5.5 - 7.0

Concentration: 10 g/l (aqueous suspension)

Melting point/freezing point : 464 - 482 °F / 240 - 250 °C

Initial boiling point and boiling :

range

Not applicable

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : Not combustible Dust

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : 428 °F / 220 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

	Page: 7
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

NFPA Oxidizer Class: Meets the criteria of an NFPA Class 1

Oxidizer.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Acids

Ammonium salts Combustible material Flammable materials Oxidizing agents

Hazardous decomposition

products

: Carbon monoxide

Chlorine

nitrogen chloride Hydrogen chloride gas

Sodium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Components:

Sodium dichloroisocyanurate dihydrate:

Acute oral toxicity : LD50 (Rat): 1,671 mg/kg

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

GLP: yes

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Causes serious eye irritation.

	Page: 8
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

Components:

Sodium dichloroisocyanurate dihydrate:

Species : Rabbit Result : Eye irritation

GLP : yes

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

Components:

Sodium dichloroisocyanurate dihydrate:

Routes of exposure : Inhalation

Target Organs : Respiratory Tract

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

	Page: 9
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 1; Very toxic to aquatic life

with long lasting effects.

Components:

Sodium dichloroisocyanurate dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.23 mg/l

Exposure time: 96 h Test Type: static test

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.17 mg/l

Exposure time: 48 h Test Type: static test

GLP: yes

Persistence and degradability

Components:

Sodium dichloroisocyanurate dihydrate:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

Sodium dichloroisocyanurate dihydrate:

Partition coefficient: n-

: log Pow: ca. -0.006

octanol/water

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

: An environmental hazard cannot be excluded in the event of

information unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

	Page: 10
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(TROCLOSENE SODIUM, DIHYDRATE)

Class : 9
Packing group : III
Packing instruction (cargo : 956

aircraft)

Packing instruction : 956

(passenger aircraft)

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (TROCLOSENE SODIUM, DIHYDRATE)

Class : 9
Packing group : III
EmS Code : F-A, S-F
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

	Page: 11
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

troclosene sodium, dihydrate 51580-86-0

Pennsylvania Right To Know

troclosene sodium, dihydrate 51580-86-0

New Jersey Right To Know

troclosene sodium, dihydrate 51580-86-0 SODIUM CHLORIDE 7647-14-5

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

	Page: 12
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 11/06/2024

Full text of H-Statements

H302 : Harmful if swallowed.

H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity Eye Irrit. : Eye irritation

STOT SE : Specific target organ toxicity - single exposure

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization

	Page: 13
SAFETY DATA SHEET	Revision Date: 11/06/2024
	Print Date: 02/13/2025
	SDS Number: R1601255
Aquaguard Chlorine Fusion Granules1	Version: 1.0
9301984	

Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN