#### KATTEX FRENCH FRY CUTTERS

#### **KATTEX**





- Short throw handle design for smooth cutting of potatoes into french fries
- Extremely durable cast iron body with stainless steel components
- Fixed counter or wall mount; removable with wall bracket (sold separately)
- Accessories to modify cut sizes and styles sold separately
- ♦ 3-3/8" x 3-3/8" cutting area

ITEM	DESCRIPTION	UOM	CASE
HFC-250	1/4" Cut French Fry Cutter	Set	1
HFC-375	3/8" Cut French Fry Cutter	Set	1
HFC-500	1/2" Cut French Fry Cutter	Set	1

#### FRENCH FRY CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
HFC-250R	1/4" Cut Replacement Blade	Set	1/48
HFC-375R	3/8" Cut Replacement Blade	Set	1/48
HFC-500R	1/2" Cut Replacement Blade	Set	1/48
HFC-250B	1/4" Cut Blade Assembly	Set	1/24
HFC-375B	3/8" Cut Blade Assembly	Set	1/24
HFC-500B	1/2" Cut Blade Assembly	Set	1/24
HFC-250K	Pusher Block for 1/4" and 1/2" Cut Blade	Each	1/24
HFC-375K	Pusher Block for 3/8" Cut Blade	Each	1/24
HFC-BK	Wall Bracket for HFC series	Each	1/12



Replacement block and cut blade assembly




**HFC-SERIES** 

#### KATTEX TOMATO SLICERS

## **KATTEX**





TTS-188S-B





#### TOMATO SLICERS

With one quick push, smoothly and swiftly slice tomatoes with the stainless steel Kattex tomato slicer.

- Aluminum frame with stainless steel replaceable blade
- Cuts 2 dozen tomatoes into 3/16" or 1/4" thick slices in 1
- HDPE board ensures safe & durable food processing
- NSF listed

ITEM	DESCRIPTION	UOM	CASE
TTS-188	3/16" Blade	Set	1/4
TTS-188S	3/16" Serrated Blade	Set	1/4
TTS-250	1/4" Blade	Set	1/4
TTS-250S	1/4" Serrated Blade	Set	1/4

#### TOMATO SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TTS-188-B	3/16" Straight Blade Assembly for TTS-2 and TTS-188	Set	1/12
TTS-188S-B	3/16" Serrated Blade Assembly for TTS-2 and TTS-188	Set	1/12
TTS-250-B	1/4" Straight Blade Assembly for TTS-3 and TTS-250	Set	1/12
TTS-250S-B	1/4" Serrated Blade Assembly for TTS-3 and TTS-250	Set	1/12



232



#### FRUIT & VEGETABLE SLICER

Save on time and labor with the Kattex Fruit & Vegetable Slicer by simply putting produce in a holder to turn out uniform slices in seconds.

- Aluminum construction with 9-1/4" stainless steel adjustable blade
- 1/16" to 1/2" slice thickness
- Mounts to countertops and other flat surfaces, can easily be removed for storage and cleaning
- Can accommodate fruits and vegetables with a maximum of 4" diameter and 5-1/2" in length

<u>-</u>	ITEM	DESCRIPTION	UOM	CASE	
	FVS-1	21"L x 10-3/4"W x 16"H	Each	1/2	
	FVS-1B	Replacement Blades, 2-Pc	Set	1/10	

# KATTEX FRUIT & VEGETABLE SLICER

#### **KATTEX**



#### A

#### FRUIT WEDGE SLICERS

Get quick and perfect wedges of fruits for salad buffets with just a push of a handle. Ideal for core-less fruits, such as citrus, tomatoes and even potatoes.

- Aluminum construction with sharp stainless steel blades that minimize squeezing and bruising
- \* Sturdy base with non-skid feet
- + 3-1/2" diameter cutting area
- NSF listed

ITEM	DESCRIPTION	UOM	CASE
FWS-6	6-Wedge	Each	1/4
FWS-8	8-Wedge	Each	1/4

#### FRUIT WEDGE SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
FWS-6BK	6-Section Wedger & Blade Replacement for FWS-series	Set	1/10
FWS-8BK	8-Section Wedger & Blade Replacement for FWS-series	Set	1/10
FWS-6BC	6-Slice Apple Corer	Each	10
FWS-8BC	8-Slice Apple Corer	Each	10

#### KATTEX FRUIT WEDGE SLICER

#### **KATTEX**







## KATTEX CHOPPERS/DICERS CHOPPERS/DICERS



## **KATTEX**



The Kattex Chopper/Dicer produces perfectly diced onions, tomatoes, potatoes and cucumbers too.

- Cast aluminum construction with stainless steel blades
- Sturdy base with non-skid feet
- + 3-3/8" x 3-3/8" cutting area
- NSF listed

ITEM	DESCRIPTION	UOM	CASE	
HCD-250	1/4" Blade Dicer	Each	1/4	
HCD-375	3/8" Blade Dicer	Each	1/4	
HCD-500	1/2" Blade Dicer	Each	1/4	

#### CHOPPER/DICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
HCD-250Bk	( 1/4" Replacement Blade & Block for HCD-series	Set	1/10
HCD-375Bk	( 3/8" Replacement Blade & Block for HCD-series	Set	1/10
HCD-500Bk	( 1/2" Replacement Blade & Block for HCD-series	Set	1/10

NSE HCD-SERIES

#### KATTEX LETTUCE CUTTER

Replacement blade

and block

## **KATTEX**



#### LETTUCE CUTTER

- Aluminum frame has easy-grip handle and stainless steel blade with 49-square cuts
- ◆ Cuts lettuce into 1" x 1" slices in less than 1 minute
- Rubber feet prevent slipping/scratching on work surface
- 7" x 7" cutting area

Δ.	ITEM	DESCRIPTION	UOM	CASE
	TLC-1	Lettuce Cutter	Each	1/2
	TLC-1-B	Replacement Blade for TLC-1	Each	1/10







#### CHEESE SLICERS

The Kattex Cheese Slicers make light work of cutting through a variety of semi-soft cheeses, resulting in uniform cuts. Ideal for portion control and faster food prep.

Cast aluminum construction with stainless steel wires

- Dimensions (closed): 13.2"L x 6.7"W x 4.5"H
- ◆ Cuts 3/8" or 3/4" cheese sticks, cubes or slices
- NSF listed

	ITEM	DESCRIPTION	UOM	CASE
	TCT-375	3/8" Blade Slicer	Each	1/4
~	TCT-375B	Replacement Bow for TCT-375	Set	1/10
	TCT-750	3/4" Blade Slicer	Each	1/4
	TCT-750B	Replacement Bow for TCT-750	Set	1/10





## KATTEX CHEESE SLICERS

#### **KATTEX**





#### **ONION SLICERS**

Just one smooth stroke of the Kattex Onion Slicer will produce evenly sliced coins of fruits and vegetables for salads or cocktail drinks.

- Aluminum construction with stainless steel wire blades
- Unique lever-handle allows for quick and easy operation
- Sturdy base with non-skid feet
- Two blades included can be stacked to create a finer cut
- ♦ 4-1/2" x 3-3/4" cutting area
- NSF listed

ITEM	DESCRIPTION	UOM	CASE
OS-188	3/16" Blade Slicer	Each	1/2
OS-250	1/4" Blade Slicer	Each	1/2

#### **ONION SLICER ACCESSORIES**

ITEM	DESCRIPTION	UOM	CASE
OS-188B	3/16" Blade Set Assembly for OS-series (2 pieces)	Set	1/10
OS-250B	1/4" Blade Set Assembly for OS-series (2 pieces)	Set	1/10

#### KATTEX ONION SLICERS

## **KATTEX**





# COMMERCIAL MANUAL CAN OPENERS







CO-3 portable clamp

#### PREMIUM MANUAL CAN OPENER

Our premium European-made heavy-duty nickelplated can opener is fitted with a removable clamp, making it ideal for on-the-go operations that require flexibility. The rust-resistant stainless steel blade and gear opens various can sizes up to #10.

 Includes base, blade, gear and installation kit for mounting on wooden or stainless steel work tables

<b>00-</b>	ITEM	DESCRIPTION	UOM	CASE
	CO-3	Premium Manual Can Opener, Nickel Plated Steel Base	Each	1/12
	CO-3B	1-Pc S/S Replacement Blade for CO-3	Each	1
	CO-3G	1-Pc S/S Replacement Gear Set for CO-3	Each	1



#### STANDARD #1 MANUAL CAN OPENER

The go-to industry standard steel body can opener, made for heavy usage kitchen environments that require processing of up to 50 cans a day. Opens various can sizes up to #10.

- Includes base, blade, gear and installation kit for mounting on wooden or stainless steel work tables
- The extra-durable blade and gears are interchangeable with most other can opener brands

00-	ITEM	DESCRIPTION	UOM	CASE
	CO-1	Manual Can Opener, Cast Iron Body	Set	1
	CO-1B	2-Pc Replacement Blade Set for CO-1	Set	24/288
	CO-1G	1-Pc Replacement Gear Set for CO-1	Each	12/144

#### FRENCH FRY CUTTERS









#### FRENCH FRY CUTTERS

- Made of heavy-duty cast iron and fitted with sharp stainless steel blades for even slicing
- Ergonomic handles makes for easy operating and sturdy legs provide stability on flat countertop surfaces

ITEM	DESCRIPTION	UOM	CASE
FFC-250	1/4" Cut	Each	1
FFC-375	3/8" Cut	Each	1
FFC-500	1/2" Cut	Each	1

#### FRENCH FRY CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
FFC-250B	Blade Assembly for FFC-250	Each	24
FFC-250K	Pusher Block for FFC-250	Each	24
FFC-375B	Blade Assembly for FFC-375	Each	24
FFC-375K	Pusher Block for FFC-375	Each	24
FFC-500B	Blade Assembly for FFC-500	Each	24
FFC-500K	Pusher Block for FFC-500	Each	24
FFC-500P	Pusher Support for FFC-Series	Each	12



#### **CONDIMENT DISPENSER**

Ideal for busy bars, food stands, convenient stores, or fast-food service. Removable plastic inserts allow for easy cleaning.

- Durable 18/8 stainless steel
- Heavy-duty pump ideal for high-volume restaurant environment
- Two (2) plastic inserts, each with 2 quart capacity
- Each pump full stroke draws out between 1 oz and 1-1/4 oz depending on viscosity
- Overall dimensions: 11"L x 8-3/4"W x 16"H

<b>1</b> 2-	ITEM	DESCRIPTION	UOM	CASE
	PKTS-2D	Condiment Dispenser with 2 Standard Pumps	Set	1/2
	PKTS-PT01	Individual Pump with Lid	Each	1
	PKTS-PT02	Replacement Plastic Jar	Each	1
	PKTS-PT03	Stainless Steel Casina	Fach	1

#### CONDIMENT DISPENSER





#### **TORTILLA PRESSES**

◆ Traditional press with excellent leverage

 Integrated handle allows for easy open and removal of corn and flour tortillas

Great for making burritos, enchiladas and quesadillas

ITEM	DESCRIPTION	WEIGHT UOM	CASE
TPC-8A	8"Dia, Aluminum, Non-Stick	1.52Lbs Each	6/12
TPC-8C	8"Dia, Cast Iron	7.94Lbs Each	1/4





PASTA MAKER



#### **PASTA MAKER**

This pasta maker rolls out fresh sheets for building lasagnas and raviolis, strands of fettuccine and ribbons of pappardelle, all at the desired thickness from 2mm to 6mm.

- Heavyweight chrome-plated stainless steel
- Clamps onto table or countertop for secure operation

ITEM	DESCRIPTION	UOM	CASE
NPM-7	Roller Length 7"	Set	1/6





**HEAVY-**

WEIGHT



#### **SCALES**







SCLH-50





#### DIGITAL PORTION CONTROL SCALE

Accurately weigh ingredients with measurements of either grams, pounds or ounces.

- Achieve consistency with portion control
- Ideal for quick-serve restaurant environment
- Removable stainless steel platform can be used as a tray
- Features auto-shutoff after three (3) minutes of inactivity
- Piece count, auto-zero and tare functions
- Battery and adapter included

ITEM	DESCRIPTION	CAPACITY	UOM	CASE
SCAL-D20		,	Each	1/6
	Digital Screen	9 kg		



#### PREMIUM KITCHEN SCALES

- Heavy-duty stainless steel mechanical scale with 8" platform
- Shatter-proof lens protects dial
- Durable, corrosion-resistant

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCLH-2	8" Dial	32 Oz	1/8 Oz / 10 g	Each	1/4
SCLH-50	8" Dial	50 Lb	1/8 Lb / 500 g	Each	1/4



#### **RECEIVING SCALES**

- Sturdy construction with large steel platforms
- 8" and 9" scales are calibrated to Lbs as the base measurement

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCAL-62	6.5" Dial	2 Lb / 1 kg	1/4 Oz / 5 g	Each	8
SCAL-66	6.5" Dial	6 Lb / 3 kg	1/2 Oz / 10 g	Each	8
SCAL-810	8" Dial	10 Lb / 4.55 kg	1 Oz / 25 g	Each	6
SCAL-820	8" Dial	20 Lb / 9.09 kg	1 Oz / 50 g	Each	6
SCAL-840	8" Dial	40 Lb / 18.18 kg	2 Oz / 100 g	Each	6
SCAL-960	9" Dial	60 Lb / 27.27 kg	4 Oz / 100 g	Each	2
SCAL-9100	9" Dial	100 Lb / 45.45 kg	4 Oz / 100 g	Each	2
SCAL-9130	9" Dial	130 Lb / 59.09 kg	8 Oz / 200 g	Each	2

# SUPER-SIZE SALAD SPINNERS







#### SUPER-SIZE SALAD SPINNERS

- Constructed of FDA approved PP and ABS plastic, these spinners are equipped with side handles for safe
- Foldable solid handle and 6 non-skid feet
- 3 tiers with 2 removable tier dividers that allow for various capacity configurations
- Dry 6 to 8 heads of lettuce in one minute!

ITEM	DESCRIPTION	UOM	CASE
PLSP-5G	5 Gal, Green	Each	1
PLSP-5O	5 Gal, Orange	Each	1



Comes apart for easy cleaning



New Item

PLSP-SERIES



#### PREMIUM MANDOLINE SLICERS

- Rotary adjustment dial with 4 built-in blades for MDL-18
- Five (5) interchangable blades for MDL-15
- Stainless steel body and handguard/food holder for each set

0	ITEM	DESCRIPTION	UOM	CASE
	MDL-18	Mandoline Slicer Set, Built-in Blades	Set	1/8
	MDL-15	Mandoline Slicer Set, Interchangable Blades	Set	1/8
	MDL-BLD	5-Blade Set for MDL-15	Set	12/48
	MDL-HD	Hand Guard for MDL-15	Each	12/36



#### **MANDOLINE SLICERS**







#### **MANDOLINE SLICER SET**

- Built-in julienne blades; also includes a reversible slice and serrated blade
- Non-skid, folding stand for compact storage
- Rotary adjustment dial
- Plastic body with rubberized non-slip grip handguard

ITEM	DESCRIPTION	UOM	CASE
MDL-4P	Mandoline Slicer Set	Set	1/8





Built-in blade system for MDL-4P

#### JAPANESE MANDOLINE SLICER SET

Slice vegetables and fruits effortlessly! The built-in blade is adjustable to desired thickness, and comes with fine, medium & coarse attachment blades.

- Professional blades provide clean and sharp cuts
- Great for carrots, onions, cucumbers and more
- Hand guard included for safety

~	ITEM	DESCRIPTION	UOM	CASE
	MDL-5P	Japanese Mandoline Slicer Set	Set	1/36
	MDL-5PBS	3-Blade Set for MDL-5P	Set	1



winco<sup>®</sup>

#### SLICER & CHOPPER





#### TURNING SLICER

- Have beautiful vegetable strands and curly ribbons in minutes with a turn of the handle
- Perfect for garnishing, cooking, and making salads and coleslaws
- Includes plastic turner, built-in straight blade and 3 interchangeable julienne blades

00-	ITEM	DESCRIPTION	UOM	CASE
	VTS-3G	11"L x 5"W x 7-3/8"H	Each	1/12
	VTS-3GBS	Serrated Blade Set for VTS-3G, 3-Pc: Coarse, Medium, Fine	Set	30



#### FOOD CHOPPER

- 18/8 stainless steel construction with plastic base
- \* Zigzag-shaped blade rotates for dicing
- 0.5mm blade thickness

ITEM	DESCRIPTION	UOM	CASE	
FCS-3	3" Dia	Each	6/24	_

#### **FOOD MILLS**



A great alternative to using a food processor, the Winco® stainless steel food mills are ideal for straining and puréeing cooked fruits and vegetables without retaining seeds, skin and fibers. Simply turn the crank and the semi-circular blade sweeps over, compresses and scrapes the food.

#### LARGE-SIZE FOOD MILL

- Comes with five (5) cutting plates for a variety of textures
- The cutting plates are interchangeable with round perforations 8mm, 4mm, 3mm or 2mm dia, and 3 x 8.5mm rectangular grates
- Output is approximately 3 lbs per minute and fits on any 7" or larger receptacle

ITEM	DESCRIPTION	SIZE	UOM	CASE
SVM-12	5 Qt	12-3/4"Dia	Set	1/4



#### MEDIUM-SIZE STAINLESS STEEL FOOD MILLS

ITEM	DESCRIPTION	SIZE	UOM	CASE
SVM-8	2 Qt w/4 Graters	8"Dia	Set	1/8
SVM-9	2 Qt w/3 Graters	9"Dia	Set	1/6







#### A

#### **APPLE PEELER**

This apple peeler is about efficiency and volume. Turn the handle and it quickly peels, slices and cores apples all at the same time.

- Cast aluminum body with sharp stainless steel blade
- Vacuum base holds peeler securely to any smooth surface
- Also ideal for pears, onions and potatoes

ITEM	DESCRIPTION	UOM	CASE
AP-12	10"L x 6"W x 4-1/4"H	Set	1/12

#### PEELER & SQUEEZERS







AP-12



#### **TABLETOP JUICE SQUEEZERS**

ITEM	DESCRIPTION	UOM	CASE
JC-16	Heavy-duty, 15"	Each	1/6
JC-19	Premium, 19"	Each	1/2







#### MARBLE MORTAR & PESTLE SET

ITEM	DESCRIPTION	UOM	CASE
MPS-42W	4-1/2"Dia Bowl	Set	1/12

#### **MORTAR & PESTLE**



MPS-42W





# STAINLESS STEEL MIXING BOWLS



MXBH-500









#### **HEAVY-DUTY MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXHV-75	3/4 Qt	6-1/4" x 1-3/4"	Each	12/72
MXHV-150	1-1/2 Qt	7-3/4" x 2-1/4"	Each	12/36
MXHV-300	3 Qt	9-7/8" x 3"	Each	12/24
MXHV-400	4 Qt	10-5/8" x 3-1/4"	Each	12/24
MXHV-500	5 Qt	11-5/8" x 3-3/8"	Each	6/12
MXHV-800	8 Qt	13-3/4" x 5"	Each	6/12
MXHV-1300	13 Qt	16-1/4" x 4-1/2"	Each	12
MXHV-1600	16 Qt	17-3/4" x 5-1/2"	Each	12
MXHV-2000	20 Qt	18-3/4" x 5"	Each	12

#### **DEEP MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBH-300	3 Qt	9" x 3-1/2"	Each	12/48
MXBH-500	5 Qt	10-1/4" x 4-1/2"	Each	12/36
MXBH-800	8 Qt	12" x 5"	Each	12/24
MXBH-1300	13 Qt	15" x 5-3/4"	Each	12

#### **ALL-PURPOSE MIXING BOWLS**

True capacity for all-purpose kitchen prep work

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBT-75Q	3/4 Qt	6-3/8" x 2-3/8"	Each	12/144
MXBT-150Q	1-1/2 Qt	7-7/8" x 2-7/8"	Each	12/144
MXBT-300Q	3 Qt	10-1/4" x 3-5/8"	Each	12/72
MXBT-400Q	4 Qt	11" x 3-3/4"	Each	12/72
MXBT-500Q	5 Qt	11-7/8" x 4"	Each	12/72
MXBT-800Q	8 Qt	13-3/4" x 5	Each	12/36
MXBT-1300Q	13 Qt	16-3/8" x 5-7/8"	Each	12/24
MXBT-1600Q	16 Qt	17-7/8" x 6"	Each	12
MXBT-2000Q	20 Qt	19" x 6-5/8"	Each	12

#### **ECONOMY MIXING BOWLS**

IT	EM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
N	1XB-75Q	3/4 Qt	6-1/4" x 1-3/4	Each	12/144
N	1XB-150Q	1-1/2 Qt	7-3/4" x 2-1/2"	Each	12/144
Ν	1XB-300Q	3 Qt	9-1/2" x 3-1/2"	Each	12/72
N	1XB-400Q	4 Qt	10-5/8" x 3-1/2"	Each	12/72
Ν	1XB-500Q	5 Qt	11-1/2" x 3-1/2"	Each	12/72
Ν	1XB-800Q	8 Qt	13-1/4" x 4-1/8"	Each	12/36
Ν	1XB-1300Q	13 Qt	14-3/4" x 3-1/2"	Each	24
N	1XB-1600Q	16 Qt	17-3/4" x 5"	Each	12
Ν	1XB-2000Q	20 Qt	18-5/8" x 5-1/2"	Each	12
Ν	1XB-3000Q	30 Qt	22-1/2" x 7-1/2"	Each	12

#### SILICONE BASE MIXING BOWLS

 Non-skid silicone base helps to keep bowl in place during mixing and prepping

-					
ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE	
MXRU-150	1-1/2 Qt	6-3/4" x 3-3/4"	Each	48	_
MXRU-300	3 Qt	8-1/2" x 4-3/8"	Each	24	
MXRU-500	5 Qt	10-1/4" x 5-5/8"	Each	24	
MXRU-800	8 Qt	11-3/4" x 6-1/2"	Each	6/12	

#### STAINLESS STEEL MEASURING BOWLS

With interior graduations

ITEM	DESCRIPTION	UOM	CASE
SMB-4	4 Cups	Each	48
SMB-6	6 Cups	Each	24
SMB-10	10 Cups	Each	24

#### MIXING BOWL STAND

ITEM	DESCRIPTION	UOM	CASE
MXBS-30	Stand for MXB-3000Q	Set	1
MXBS-30-C	Caster for MXBS-30	Each	4/24

242

#### A

#### HEAVY-DUTY COLANDERS

- Use to wash or drain large fruits, vegetables, pastas & meats
- Medium-size holes allow water to flow freely
- Premium quality stainless steel, extra deep with a wide base
- Extra heavy-duty weight

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
SLO-11	11 Qt	15" x 7-1/2"	Each	1
SLO-16	16 Qt	16-1/2" x 7-1/2"	Each	1

#### **COLANDERS**



**SLO-16** 

#### **ALL-PURPOSE COLANDERS**

#### ◆ Stainless steel

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
COD-3	3 Qt	10" x 4"	Each	12/48
COD-5	5 Qt	11-5/8" x 4"	Each	24
COD-8	8 Qt	13-1/4" x 5-1/8"	Each	12
COD-14	14 Qt	16-1/4" x 5-7/8"	Each	12



COD-3

#### **CHINESE STYLE COLANDERS**

#### ◆ Stainless steel

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
CCOD-11L	Coarse	11-3/4" x 4"	Each	24
CCOD-13L	Coarse	14-1/8" x 4-3/4"	Each	24
CCOD-15L	Coarse	16-3/8" x 5-1/8"	Each	12
CCOD-11S	Fine	12" x 4"	Each	24
CCOD-13S	Fine	15" x 4-1/2"	Each	24
CCOD-15S	Fine	16-3/8" x 5-1/2"	Each	12



CCOD-11S

#### **COLANDERS WITH BASE**

#### • Aluminum

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
ALO-8BH	8 Qt	12" x 5"	Each	6
ALO-11BH	11 Qt	15" x 5-3/4"	Each	6
ALO-16BH	16 Qt	16-1/2" x 7-1/8"	Each	4



#### **CHINESE-STYLE COLANDERS**

#### Aluminum

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
ALO-12	12 Qt	13-1/2" x 5-1/2"	Each	12
ALO-16	16 Qt	16" x 8"	Each	12
ALO-16H	16 Ot	16-1/8" x 8"	Fach	6





#### **THERMOMETERS**



#### **POCKET TEST**

- Built-in clip on the protective sleeve
- Comes with protective sheath

* 0011100	V Comes will protective sheam							
ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	UOM	CASE	
TMT-P1	NSF.	0-220°F; -18-104°C	1" Dia	5"	HACCP	Each	12/72	
TMT-P2	NSF.	-40-180°F; -40-80°C	1" Dia	5"	HACCP	Each	12/72	
TMT-P3	NSF.	50-550°F; 10-288°C	1" Dia	5"	HACCP	Each	12/144	

#### MEAT

- Hand held thermometer
- Optional versions of the thermometer have adjustable indicators

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL UON	CASE
TMT-MT2	NSF.	130-190°F; 55-85°C	2" Dia	5"	HACCP Eac	12/144
TMT-MT3	NSE	130-190°F; 55-85°C	3" Dia	5"	HACCP Eac	n 12/72

#### OVEN

Hanging hook and standing panel are built-in

	.9	t and oranianing	parior are	oun ni		
ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	GUIDELINE ON DIAL	UOM	CASE
TMT-OV2	NSE	40-500°F; 10-260°C	2" Dia	HACCP	Each	12/144
TMT-OV3	NSE	40-500°F; 10-260°C	3" Dia	HACCP	Each	12/144

#### FROTHING

- Includes pot clip
- Can be calibrated

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	OC AVAILABLE	UOM	CASE
TMT-FT1	NSF.	0-220°F	1" Dia	5"	Optional	Each	12/144

#### **INSTANT READ**

- Built-in clip on the protective sleeve
- Can be calibrated

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	UOM	CASE
TMT-IR1	NSF	0-220°F; -18-104°C	1-3/4" Dia	5"	HACCP	Each	12/72





#### **THERMOMETERS**









TMT-DG6



TMT-CDF2



TMT-CDF3



TMT-CDF5



TMT-RF1



TMT-RF2



TMT-RF3



TMT-RF4



#### ROAST/MEAT

- Programmable timer and temperatures
- Flip-down stand
- Magnet included

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	UOM	CASE
TMT-DG6		-58-572°F; -50-300°C	1-7/8" Digital LCD	6"		Set	24/96

#### **GRILL FACE**

• Flat surface for grill-top

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	UOM	CASE
TMT-GS2	NSE	150-700°F; 70-370°C	2" Dia	Each	3/144

#### CANDY/DEEP FRYER

Pot clip included

* I OI CIIP	VI OI CIIP II ICIACCA									
ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	OTHER FEATURES	UOM	CASE		
TMT-CDF2	NSE	100-400°F; 40-200°C	2" Dia	5"	HACCP	Adjustable indicator	Each	12/144		
TMT-CDF3		100-400°F; 40-200°C	2" Dia	12"	HACCP	Adjustable indicator	Each	12/144		
TMT-CDF4		100-400°F; 40-200°C	2" x 11-3/4"	N/A	N/A	Top hanging	Each	12/72		
TMT-CDF5		100-500°F; 40-260°C	3" Dia	12"	HACCP	Adjustable indicator	Each	6/36		


#### REFRIGERATOR/FREEZER

		,					
ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	<b>GUIDELINE ON DIAL</b>	MOUNTING	UOM	CASE
TMT-RF1	NSE	-26-86°F; -30-30°C	2-7/8" x 5/8"	N/A	Suction cup (included)	Pack	12/144
TMT-RF2		-20-70°F; -30-21°C	2" Dia	HACCP	Hanging hook & standing panel (built-in)	Each	12/72
TMT-RF3	NSE	-20-70°F; -30-21°C	3" Dia	HACCP	Hanging hook & standing panel (built-in)	Each	12/72
TMT-RF4		-20-80°F; -28-26°C	3-1/2" x1-1/8"	HACCP	Suction cup (included)	Each	12/72

#### **THERMOMETERS**













#### DIGITAL

- Comes with protective sleeve
- Excellent, quick response times for fast temperature readings

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-DG1		-40-302°F; -40-150°C	1" LCD (Diagonal)	4-3/4"	Meat Cooking Temperature Guide		Each	12/144
TMT-DG2		-49-392°F; -45-200°C	1-3/16" LCD	4-3/4"	Meat Cooking Temperature Guide	Head swivels 180 degrees for easy reading	Each	12/72
TMT-DG4	NSF.	-40-450°F; -40-230°C	1-1/4" LCD	3-1/8"	HACCP	Hold function	Each	3/144
TMT-DG5		-49-392°F; -45-200°C	1-3/8" LCD with Back Light	2-7/8"	Meat Cooking Temperature Guide	<ul><li>Min &amp; max feature</li><li>Hold function</li><li>Hanging string</li></ul>	Each	12/72

#### WATERPROOF DIGITAL THERMOMETER

- Compact pen-style thermometer provides fast temperature readings for liquids or solids
- Minimum & maximum feature

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-WD1		-58-392°F; -50-200°C	7/8" LCD	2-3/4"		<ul><li>Hold function</li><li>Includes protective sleeve</li></ul>	Each	24/96

#### **INFRARED THERMOMETER**

- Simply point infrared light at surface for accurate temperature reading of all kinds of cooked or baked goods, without the risk of cross-contamination.
- 20 second automatic power off
- Distance spot ratio 12:1

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	<b>GUIDELINE ON DIAL</b>	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-IF1		-26°F-608°F; -32°C-320°C	1" LCD with Back Light	N/A		<ul><li>Auto temp. hold</li><li>Laser ON/OFF</li></ul>	Each	12/48







#### STATIK BOARD™ CUTTING BOARDS

The patented original design of STATIK BOARD™ puts safety first with molded-through, non-slip feet that prevent slipping & sliding, even on wet countertops. Rubberized sides of the board help maintain an upright storage position without sliding. They hold firm, are sturdy, and the fully-rubberized hook makes them easy to store and transport.

- Built-in hook for easy transport and hygienic storage
- Rubberized feet grip flat surfaces; rubberized sides keep the board upright without sliding
- Available in three (3) popular sizes
- HACCP color-coding system to minimize cross-contact
- Tough board surface reduces knife dulling; durable copolymer prevents warping
- Dishwasher safe
- NSF listed

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBN-1218BN	12" x 18" x 1/2"	Brown	Each	6
CBN-1218BU	12" x 18" x 1/2"	Blue	Each	6
CBN-1218GR	12" x 18" x 1/2"	Green	Each	6
CBN-1218PP	12" x 18" x 1/2"	Purple	Each	6
CBN-1218RD	12" x 18" x 1/2"	Red	Each	6
CBN-1218WT	12" x 18" x 1/2"	White	Each	6
CBN-1218YL	12" x 18" x 1/2"	Yellow	Each	6
CBN-1520BN	15" x 20" x 1/2"	Brown	Each	6
CBN-1520BU	15" x 20" x 1/2"	Blue	Each	6
CBN-1520GR	15" x 20" x 1/2"	Green	Each	6
CBN-1520PP	15" x 20" x 1/2"	Purple	Each	6
CBN-1520RD	15" x 20" x 1/2"	Red	Each	6
CBN-1520WT	15" x 20" x 1/2"	White	Each	6
CBN-1520YL	15" x 20" x 1/2"	Yellow	Each	6
CBN-1824BN	18" x 24" x 1/2"	Brown	Each	6
CBN-1824BU	18" x 24" x 1/2"	Blue	Each	6
CBN-1824GR	18" x 24" x 1/2"	Green	Each	6
CBN-1824PP	18" x 24" x 1/2"	Purple	Each	6
CBN-1824RD	18" x 24" x 1/2"	Red	Each	6
CBN-1824WT	18" x 24" x 1/2"	White	Each	6
CBN-1824YL	18" x 24" x 1/2"	Yellow	Each	6

#### STATIK BOARD™ CUTTING BOARDS























#### WHITE RECTANGULAR CUTTING BOARDS

#### NSF listed

ITEM	DESCRIPTION	UOM	CASE
CBWT-610	6" x 10" x 1/2"	Each	20
CBWT-1218	12" x 18" x 1/2"	Each	6
CBWT-1520	15" x 20" x 1/2"	Each	6
CBWT-1824	18" x 24" x 1/2"	Each	6
CBWT-1830	18" x 30" x 1/2"	Each	6
CBH-1218	12" x 18" x 3/4"	Each	6
CBH-1520	15" x 20" x 3/4"	Each	6
CBH-1824	18" x 24" x 3/4"	Each	6
CBXH-1218	12" x 18" x 1"	Each	4
CBXH-1520	15" x 20" x 1"	Each	4
CBXH-1824	18" x 24" x 1"	Each	4



#### WHITE GROOVED CUTTING BOARDS

- Higher efficiency in food prep without worrying about juice spillage
- NSF listed

ITEM	DESCRIPTION	UOM	CASE
CBI-1218	12" x 18" x 1/2"	Each	6
CBI-1520	15" x 20" x 1/2"	Each	6
CBI-1824	18" x 24" x 1/2"	Each	6
CBI-1824H	18" x 24" x 3/4"	Each	6



#### WHITE FLEXIBLE CUTTING MATS

- Mat flexes to easily transport food to cookware or storage
- 1/16" thick polyethylene; will not crack or chip
- Safe, hygienic and easy to clean
- NSF listed

ITEM	DESCRIPTION	UOM	CASE
CBF-1520W	15" x 20", 6-Pcs/Set	Set	12

Keep away from open flame. Do not put hot pans on top of mats. Wash with warm soapy water.

#### **WOODEN CUTTING BOARDS**

#### ◆ 1-3/4" thick durable hardwood

ITEM	DESCRIPTION	UOM	CASE
WCB-1218	12" x 18"	Each	1/2
WCB-1520	15" x 20"	Each	1/2
WCB-1824	18" x 24"	Each	1
WCB-1830	18" x 30"	Each	1



#### WOODEN BREAD/CHEESE BOARDS

ITEM	DESCRIPTION	UOM	CASE
WCB-125	12" x 5" x 3/4"	Each	24
WCB-225	22-1/2"L x 5-1/2"W x 3/4"H	Each	12

#### **CUTTING BOARD RACKS**





#### **CUTTING BOARD RACKS**

• Fits cutting boards up to 1" thick

ITEM	DESCRIPTION	UOM	CASE
CB-6L	6 Slots, Chrome Plated	Each	6/12
CB-6K	6 Slots, Vinyl Coated	Each	10



#### ALLERGEN-FREE COLOR-CODED CUTTING BOARD

Solve the challenges of maintaining an allergenaware kitchen! Improve customer dining experiences & raise the bar for food safety. Prevent cross-contaminating allergens with the extensive line of Allergen-Free tools by Winco<sup>®</sup>. Whether it's gluten or nuts, use this stand-out purple color to designate the cutting board as allergen-free.

#### NSF listed

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBPP-1218	12" x 18" x 1/2"	Purple	Each	6

#### HAACP COLOR-CODED CUTTING BOARDS

#### NSF listed

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBBN-1218	12" x 18" x 1/2"	Brown	Each	6
CBBU-1218	12" x 18" x 1/2"	Blue	Each	6
CBGR-1218	12" x 18" x 1/2"	Green	Each	6
CBRD-1218	12" x 18" x 1/2"	Red	Each	6
CBYL-1218	12" x 18" x 1/2"	Yellow	Each	6
CBBN-1520	15" x 20" x 1/2"	Brown	Each	6
CBBU-1520	15" x 20" x 1/2"	Blue	Each	6
CBGR-1520	15" x 20" x 1/2"	Green	Each	6
CBRD-1520	15" x 20" x 1/2"	Red	Each	6
CBYL-1520	15" x 20" x 1/2"	Yellow	Each	6
CBBN-1824	18" x 24" x 1/2"	Brown	Each	6
CBBU-1824	18" x 24" x 1/2"	Blue	Each	6
CBGR-1824	18" x 24" x 1/2"	Green	Each	6
CBRD-1824	18" x 24" x 1/2"	Red	Each	6
CBYL-1824	18" x 24" x 1/2"	Yellow	Each	6



#### HAACP COLOR-CODED FLEXIBLE CUTTING MATS

- Mat flexes to easily transport food to cookware or storage
- Safe, easy to clean and complies with color coding standards for food preparation hygiene
- Made of 1/16" thick polyethylene; will not crack or chip
- \* Six (6) assorted colors included in set
- NSF listed

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBF-1218	12" x 18"	Assorted	Set	12
CBF-1520	15" x 20"	Assorted	Set	12
CBF-1824	18" x 24"	Assorted	Set	6

Keep away from open flame. Do not put hot pans on top of mats. Wash with warm soapy water.



#### HAACP COLOR-CODED CUTTING BOARD SETS

- Six (6) assorted colors included in set
- NSF listed

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBST-1218	12" x 18" x 1/2"	Assorted	Set	1
CBST-1520	15" x 20" x 1/2"	Assorted	Set	1
CBST-1824	18" x 24" x 1/2"	Assorted	Set	1

# CUTTING BOARDS & MATS SEE PAGE 251 FOR MORE OF THE ALLERGEN-FREE LINE CBPP-1218 BPA FREE



STANDARD COLOR CODING SYSTEM				
Raw Meats	Raw Poultry	Vegetable & Fruit		
Bakery & Dairy	Cooked Meats	Seafood		





#### HAACP COLOR-CODED CUTTING BOARD BRUSHES

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBR-WT	6-1/2"L x 2-1/2"W	White	Each	24/96
CBR-BN	6-1/2"L x 2-1/2"W	Brown	Each	24/96
CBR-BU	6-1/2"L x 2-1/2"W	Blue	Each	24/96
CBR-GR	6-1/2"L x 2-1/2"W	Green	Each	24/96
CBR-RD	6-1/2"L x 2-1/2"W	Red	Each	24/96
CBR-YL	6-1/2"L x 2-1/2"W	Yellow	Each	24/96

#### **CUTTING BOARD BRUSHES**







#### **BATTER DISPENSERS**





#### **ALUMINUM PANCAKE DISPENSER**

- Durable plunger ensures consistent amounts of batter every time
- Eight portion-control settings ranging from 1/2 oz to 8 oz
- 10 gauge high-grade aluminum body
- Parts are durable, long-lasting, and prevent clogs and leaking

ITEM	DESCRIPTION	UOM	CASE
APCD-6	Pancake Dispenser	Each	1/6
APCD-6R	Rack for APCD-6	Each	12/48



#### PANCAKE TURNER

- Heat resistant up to 608°F (320°C)
- Nylon blade
- 18/8 stainless steel handle

ITEM	DESCRIPTION UOM		CASE	
STN-3	15-7/16"L x 5-15/16"W x 2-13/16"H Fc	rch 24	/48	



STN-3

SF-7R

#### **CONFECTIONERY FUNNEL**

- Use to dispense a smooth flow of fondant, syrup or prepared creams
- Spring valve feature allows for easy control with single-handed operation
- Comes with three (3) nozzles: 4mm, 5mm, 6mm
- Rack sold separately

~	ITEM	DESCRIPTION	UOM	CASE
	SF-7	Funnel, S/S	Each	1/8
	SF-7R	Rack for SF-7, S/S	Each	1/24

#### **UTILITY PAIL**

SF-7



UP-13

#### **UTILITY PAIL**

◆ Stainless steel

ITEM	DESCRIPTION	UOM	CASE
UP-13	13 Qt	Each	12