



North America's Leader in Hazardous Material Information Management

1905 Aston Avenue, Carlsbad, CA 92008

Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 05/04/2009
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: U.S. Catalytic Corporation

Product Name: Olympian Brand Gas Matches (Butane Ignitors)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Signature of Preparer (optional)

Section V -- Reactivity Data OLYMPIAN BUTANE GAS MATCHES (IGNITORS)

| | | | |
|-----------|----------|---|---------------------|
| Stability | Unstable | | Conditions to Avoid |
| | Stable | X | |

Incompatibility (Materials to Avoid)

REACT VIGOROUSLY WITH OXIDIZING MATERIALS.

Hazardous Decomposition or Byproducts

| | | | |
|--------------------------|----------------|---|---------------------|
| Hazardous Polymerization | May Occur | | Conditions to Avoid |
| | Will Not Occur | X | |

Section VI -- Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Ingestion?

Health Hazards (Acute and Chronic)

NON-TOXIC - BUT MAY DISPLACE OXYGEN IN AIR.NO APPARENT ILL EFFECTS IN BREATHING CONCENTRATIONS OF 5% FOR 2 HOURS.

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

NOT CONSIDERED CARCINOGENIC

Signs and Symptoms of Exposure

CAUSES DROWSINESS IN A SHORT TIME IN CONCENTRATIONS OF 1%

Medical Conditions

Generally Aggravated by Exposure

NOT KNOWN

Emergency and First Aid Procedures

TOXIC HAZARD RATING. ACUTE LOCAL - NONE; CHRONICLOCAL - NONE. ACUTE SYSTEMIC; INHALATION SLIGHT - EFFECTS DISAPPEAR AFTER EXPOSURE

Section VII -- Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled

REMOVE ALL IGNITION SOURCES. VENT ROOM AND LOW-LYING AREAS.

Waste Disposal Method

DISCHARGE AT MODERATE RATE IN WELL VENTILATED AREA WITHOUT IGNITION SOURCE.

Precautions to Be Taken in Handling and Storing

FLAMMABLE LIQUIFIED PETROLEUM GAS. SEE NFPA 58.

Other Precautions

Section VIII -- Control Measures

Respiratory Protection (Specify Type)

| | | |
|-------------|------------------------------|---------|
| Ventilation | Local Exhaust | Special |
| | MAINTAIN LEVEL BELOW .25 LEI | ----- |
| | Mechanical (General) | Other |
| | MAINTAIN LEVEL BELOW .25 LEI | ----- |

Protective Gloves INSULATE AGAINST COOLING

Eye Protection

GOGGLES

Other Protective Clothing or Equipment

Work/Hygenic Practices

US CATALYTIC C802-00

H24-884, H85-428

PAGE 2 OF 2